

Safety Data Sheet acc. to OSHA HCS




Printing date 01/08/2018

Reviewed on 01/08/2018

1 Identification

- **Product identifier**
 - **Trade name:** RC8060
 - **Recommended use** Anaerobic Adhesive
 - **Restrictions on use** For industrial use only
- **Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
ResinLab, LLC
N109 W13300 Ellsworth Drive
Germantown, WI 53022
1-877-259-1669
www.resinlab.com
 - **Information Department:** Product Safety Department: msds@resinlab.com
 - **Emergency Telephone Number:**
North America - Chemtrec: 1-800-424-9300 (24 hours)
International - Chemtrec: 01-703-527-3887 (24 hours)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
 - **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
 - **Hazard pictograms**

 GHS07
 - **Signal word** Warning
 - **Hazard-determining components of labeling:**
2-hydroxyethyl methacrylate
 - **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
 - **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a poison center/doctor if you feel unwell.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
 - **NFPA System**
 - **NFPA ratings (scale 0 - 4)**

 Health = 2
 Fire = 1
 Reactivity = 1
 - NFPA special hazards (water reactivity and oxidizing property): None
 - **HMIS System**
 - **HMIS-ratings (scale 0 - 4)**

 HEALTH 2
 FIRE 1
 REACTIVITY 1
 Health = 2
 Fire = 1
 Reactivity = 1
- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

US

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/08/2018

Reviewed on 01/08/2018

Trade name: RC8060

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures
Dangerous components:

CAS: 868-77-9 EINECS: 212-782-2 Index number: 607-124-00-X RTECS: OZ 4725000	2-hydroxyethyl methacrylate	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	25-50%
CAS: 80-15-9 EINECS: 201-254-7 Index number: 617-002-00-8 RTECS: MX 2450000	Cumene hydroperoxide	Acute Tox. 3, H331 STOT RE 2, H373 Skin Corr. 1A, H314 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H312 Flam. Liq. 4, H227	≥0.25-≤1%
	Resin - unknown CAS number		2.5-10%

Additional information:

If the chemical name/CAS number is proprietary and or weight percentage is listed as a range, the specific chemical identity and or percentage of composition has been withheld as a trade secret.

4 First-aid measures

Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Remove victim from exposure to fresh air. Keep person at rest. Provide oxygen if person is not breathing. Supply fresh air and if symptoms occur call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Remove all contaminated clothing and wash before reuse.
If skin rash or irritation occurs, seek medical advice.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
Remove contact lenses if present and easy to do so; continue rinsing.
If symptoms develop seek medical attention.
- **After swallowing:**
If victim is unconscious; never give anything by mouth.
If victim is conscious, rinse out mouth with water.
Get medical attention
- **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed**
Check section 11 Toxicological Information for further relevant information.

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
Will not burn unless preheated.
Carbon dioxide (CO₂) and Carbon monoxide (CO)
- **Advice for firefighters**
 - **Protective equipment:**
If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA fire brigades standard (29 CFR 1910.156).
As with any fire, wear positive-pressure self-contained breathing apparatus and full protective gear that are NIOSH approved.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Do not breathe the gas, vapors, dusts or mists if their inhalable particles occur during use.
- **Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
For large spills: provide diking or containment to minimize spreading. If possible pump and store material in appropriate container.
For small spills: Ventilate and wash area. Collect spills and absorbant material in appropriate container.
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Keep away from incompatible material(s).
Avoid any release into the environment.
Do not breathe dust/fumes/mist/vapor/spray.
Avoid contact with eyes, skin and clothing.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/08/2018

Reviewed on 01/08/2018

Trade name: RC8060

(Contd. of page 2)

Keep away from heat, sparks, flames and ignition sources.
Observe all the personal protection requirements in Section 8.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Keep stored in accordance with local, regional, national, and international regulations.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

80-15-9 Cumene hydroperoxide

WEEL	Long-term value: 6 mg/m ³ , 1 ppm
Skin	

· **Additional Occupational Exposure Limit Values for possible hazards during processing:** None.

- **Exposure controls**

If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

If exposure limits have not been established, maintain airborne levels to an acceptable level.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

- **Personal Protective Equipment (PPE)**

- **Breathing equipment:**

Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended exposure limits.

Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air supplied respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**



Chemical resistant gloves

- **Eye protection:**



Safety Glasses with side shields

- **Body protection:** Appropriate chemical resistant clothing.

- **Limitation and supervision of exposure into the environment**

The Engineering measures or controls, and PPE recommendations are only guidelines and may not apply to every situation. For additional information, please consult the corresponding requirements under OSHA 29 CFR 1910.94-95, and 29 CFR 1910.132-138.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- **Form:**

Liquid

- **Color:**

Green

- **Odor:**

Mild

- **Odor threshold:**

Not determined.

- **pH-value:**

Not determined.

- **Change in condition**

- **Melting point/Melting range:**

Undetermined.

- **Boiling point/Boiling range:**

Undetermined.

- **Flash point:**

>93 °C (>199.4 °F)

- **Flammability (solid, gaseous):**

Not applicable.

- **Ignition temperature:**

Not determined.

- **Decomposition temperature:**

Not determined.

- **Auto igniting:**

Product is not selfigniting.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/08/2018

Reviewed on 01/08/2018

Trade name: RC8060

(Contd. of page 3)

· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Vapor Density:	not determined
· Density at 20 °C (68 °F):	1.13 g/cm ³ (9.43 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not available.
· Kinematic:	Not available.
· VOC content:	34.0 g/l

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** In contact with incompatible materials.
- **Conditions to avoid**
Keep away from heat, sparks, flame and any other ignition sources.
Avoid temperatures above 100 F.
- **Incompatible materials:**
Acids
Bases (Alkalis)
Oxidizing agents
reactive metals
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

 · **LD/LC50 values that are relevant for classification:**

868-77-9 2-hydroxyethyl methacrylate

Oral	LD50	5,050 mg/kg (rat) Reference: IUCLID Database (2000).
Dermal	LD50	mg/kg (rabbit) (LD50 > 3000 mg/kg bw) Reference: IUCLID Dataset (2000).
Inhalative	LC50/4 h	mg/l (No data available) Toxicity via inhalation was not expected based on the acute oral data.

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

81-07-2	Saccharin	3
---------	-----------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

868-77-9 2-hydroxyethyl methacrylate

EC50	mg/kg (Test species: n/a) (test data not available) Reference: HSDB (2012).
------	--

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No data available.
 - **Mobility in soil** No further relevant information available.
- **Additional ecological information:** The product is non-rapid degradable, and low or not highly bioaccumulative.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/08/2018

Reviewed on 01/08/2018

Trade name: RC8060

(Contd. of page 4)

- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
 - **PBT:** None of the ingredients is listed.
 - **vPvB:** None of the ingredients is listed.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **RCRA Waste:**

80-15-9	Cumene hydroperoxide	U096	≥0.25-≤1%
81-07-2	Saccharin	U202	0-0.1%

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Dispose of according to your local waste regulations.

14 Transport information

· UN-Number	
· DOT, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	not regulated
· Packing group	
· DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **SARA Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **SARA Section 313 (Specific toxic chemical listings):**

80-15-9	Cumene hydroperoxide	≥0.25-≤1%
81-07-2	Saccharin	0-0.1%

- **SARA Section 311/312 (Hazardous Chemical Inventory Reporting)**

80-15-9	Cumene hydroperoxide	A, C, F, R	≥0.25-≤1%
---------	----------------------	------------	-----------

- **Hazard Abbreviations for SARA 311/312**

- A - Acute Health Hazard
- C - Chronic Health Hazard
- F - Fire Hazard
- R - Reactive Hazard
- S - Sudden Release of Pressure Hazard

- **TSCA (Toxic Substances Control Act):**

868-77-9	2-hydroxyethyl methacrylate
80-15-9	Cumene hydroperoxide
81-07-2	Saccharin

- **TSCA new (21st Century Act) (Substances not listed)**

Resin - unknown CAS number

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/08/2018

Reviewed on 01/08/2018

Trade name: RC8060

(Contd. of page 5)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **International Regulation Lists**

· **Chinese Chemical Inventory of Existing Chemical Substances:**

868-77-9 2-hydroxyethyl methacrylate

80-15-9 Cumene hydroperoxide

81-07-2 Saccharin

· **National regulations:**

· **Japanese Existing and New Chemical Substance List:**

868-77-9 2-hydroxyethyl methacrylate

80-15-9 Cumene hydroperoxide

81-07-2 Saccharin

· **Korean Existing Chemical Inventory:**

868-77-9 2-hydroxyethyl methacrylate

80-15-9 Cumene hydroperoxide

81-07-2 Saccharin

· **European Pre-registered substances:**

868-77-9 2-hydroxyethyl methacrylate

80-15-9 Cumene hydroperoxide

81-07-2 Saccharin

· **EINECS List:**

868-77-9 2-hydroxyethyl methacrylate

80-15-9 Cumene hydroperoxide

81-07-2 Saccharin

· **ELINCS List:**

None of the ingredients is listed.

· **REACH - Substances of Very High Concern (SVHC) List:**

None of the ingredients is listed.

· **Restriction of Hazardous Substances Directive (RoHS) list:**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department Issuing (M)SDS:** Product Development Department
- **Contact:** msds@resinlab.com
- **Date of preparation / last revision** 01/08/2018 / -