


Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2017

1 Identification

Reviewed on 07/19/2017

Page 1/6



Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

us



Reviewed on 07/19/2017

Printing date 07/19/2017

Trade name: RC8009

(Contd. of page 1)

		(Conta	. of page 1)
3 Composition/informa	ation on ingredients		
· Chemical characterization			
Dangerous componen			
CAS: 868-77-9 EINECS: 212-782-2 Index number: 607-124-00-, RTECS: OZ 4725000	2-hydroxyethyl methacrylate	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	40-50%
CAS: 80-15-9 EINECS: 201-254-7 Index number: 617-002-00-4 RTECS: MX 2450000	Cumene hydroperoxide 8	Acute Tox. 3, H331 STOT RE 2, H373 Skin Corr. 1A, H314 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H312 Flam. Lig. 4, H227	<u>≤</u> 1%
 Additional information If the chemical name/C percentage of composit 		eight percentage is listed as a range, the specific chemical ide	ntity and o
4 First-aid measures			
Seek immediate medica Supply fresh air and if s In case of unconscious After skin contact: Immediately wash with Seek immediate medica Wash contaminated clo If skin irritation or rash o After eye contact: Rins After swallowing: If victim is unconscious; Rinse out mouth and the Seek medical treatment Information for doctor Most important sy Indication of anvi	I advice. ymptoms occur call for a doctor. hess place patient stably in side posi water and soap and rinse thoroughly I advice. thing and shoes before reuse. occurs, get medical advice/attention. se opened eye for several minutes un never give anything by mouth. en drink plenty of water.	nder running water. If symptoms persist, consult a doctor. Ind delayed No further relevant information available. Decial treatment needed	
5 Fire-fighting measur	es		
 Special hazards arising tri In case of fire, the following Nitrogen oxides (NOx) Sulphur dioxide (SO2) Carbon dioxide (CO2) and C Advice for firefighters Protective equipment: 	der or water spray. Fight larger fires es that suit the environment. om the substance or mixture can be released: Carbon monoxide (CO)	with water spray or alcohol resistant foam.	
If employees are expe 1910.156).	cted to fight fires, they must be trai	ined and equipped as stated in the OSHA fire brigades standa hing apparatus and full protective gear that are NIOSH approved.	
	onivo prosouro sen-contained Dreat		
6 Accidental release m	easures		
Wear protective clothing. Do not breathe gas, vapors, Environmental precaution Methods and material for For large spills: provide diki For small spills: Ventilate ar	tective equipment and emergency dusts or mists if their inhalable parti s: Do not allow to enter sewers/ surf containment and cleaning up: ng or containment to minimize sprea d wash area. Collect spills and abs be used. aterial (sand, diatomite, acid binders	icles occur during use. iace or ground water. ding. If possible pump and store material in appropriate container orbant material in appropriate container.	:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

US (Contd. on page 3)



Printing date 07/19/2017

Trade name: RC8009

Reviewed on 07/19/2017

(Contd. of page 2)

7 Handling and storage

Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Prevent formation of aerosols. Keep away from incompatible material(s). Avoid any release into the environment. For industrial or professional use only Do not breathe dust/fumes/mist/vapor/spray.
- Avoid contact with eyes, skin and clothing. Keep away from heat,sparks, flames and ignition sources. Observe all the personal protection requirements in Section 8.

· Conditions for safe storage, including any incompatibilities

Storage:

Requ**irements to be met by storerooms and receptacles:** Provide ventilation for receptacles. Keep stored in accordance with local, regional, national, and international regulations.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

80-15-9 Cumene hydroperoxide

WEEL Long-term value: 6 mg/m³, 1 ppm Skin

· Additional Occupational Exposure Limit Values for possible hazards during processing: None.

Exposure controls If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. • Personal protective equipment: • General protective and hygienic measures: Be sure to clean skin thoroughly after work and before breaks. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Avoid contact with the eyes and skin.

· Personal Protective Equipment (PPE)

Breathing equipment

Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended exposure limits.

Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air supplied respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves



Chemical resistant gloves

· Eye protection:



Safety Glasses with side shields

Body protection: Appropriate chemical resistant clothing.
 Limitation and supervision of exposure into the environment
 The Engineering measures or controls, and PPE recommendations are only guidelines and may not apply to every situation. For additional
 information, please consult the corresponding requirements under OSHA 29 CFR 1910.94-95, and 29 CFR 1910.132-138.

9 Physical and chemical pro	operties	
Information on basic physical an General Information Appearance: Form: Color: Odor: Odor threshold:	d chemical properties Liquid Green Mild Not determined.	
· pH-value:	Not determined.	
		(Contd. on page 4)

(Contd. on page iis.



Reviewed on 07/19/2017

Printing date 07/19/2017

Trade name: RC8009

		(Contd. of page 3)
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
· Flash point:	>93°C (>199 °F)	
 Flammability (solid, gaseous): 	Not applicable.	
 Ignition temperature: 	Not determined.	
 Decomposition temperature: 	Not determined.	
· Auto igniting:	Product is not selfigniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
 Vapor pressure: Vapor Density: 	Not determined. not determined	
Density at 20°C (68 °F): Relative density Vapor density Evaporation rate	1.1 g/cm ³ (9.18 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
 Partition coefficient (n-octanol/wate 	r): Not determined.	
 Viscosity at 20°C (68 °F): Dynamic: Kinematic: 	125 cps Not available. Not available.	

10 Stability and reactivity

· Reactivity Not a regulated physical hazard under GHS.

- Reactivity Not a regulated physical hazard under GHS.
 Hazardous Reactivity and Chemical Stability Product may react if exposed to amines, inert gases, metallic salts, heat sources or oxidizers. May decompose, condense, or self-react under conditions of high temperature and/or pressure; but there is little or no potential for heat generation or explosion, or readily undergo hazardous polymerization in the absence of inhibitors.
 Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat. No decomposition if used and stored according to specifications.
 Possibility of hazardous reactions In contact with incompatible materials.
 Conditions to avoid Keep away from heat, sparks, flame and any other ignition sources.
 Incompatible materials: metal or metallic compounds Oxidizing agents Strong bases
 Hazardous decomposition products: Possible in traces.

Possible in traces. Refer to section 5. Additional information: As long as the prescribed application concentrations are maintained there is no danger that stable emulsions will form.

11 Toxicological information

 Information on toxicological effects Acute toxicity: 	
· LD/LC50 values that are relevant for classification:	
abnormal pain See acute inhalative effect(s) for further information	
80-15-9 Cumene hydroperoxide	
Oral LD50 382 mg/kg (rat)	
Dermal LD50 500 mg/kg (rat)	
Inhalative LC50/4 h 220 mg/l (rat)	
 Specific symptoms in biological assay: No further relevant information available; classification is not possible. See acute inhalative effect(s) for further information. Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: Sensitization possible through skin contact. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant 	
· Carcinogenic categories	
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	(Contd. on norse E)
	(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2017

Trade name: RC8009

Reviewed on 07/19/2017

· NTP (National Toxicology Program)

None of the ingredients is listed

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

Aquatic toxicity: No further relevant information available.
 Persistence and degradability No further relevant information available.
 Behavior in environmental systems:

 Bioaccumulative potential No data available.
 Mobility in soil No further relevant information available.

 Additional ecological information: The product is non-rapid degradable, and low or not highly bioaccumulative.
 General notace:

- Additional ecological information: The product is non-rapid degradable, and low or not nightly bioaccumulative. General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 Results of PBT and vPvB assessment
 PBT: None of the ingredients is listed.
 vPvB: None of the ingredients is listed.
 Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- · RCRA Waste:
- 80-15-9 Cumene hydroperoxide
 - Recommendation:

Must be specially treated adhering to official regulations. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings: Recommendation: Dispose of according to your local waste regulations.

14 Transport information

T+ mansport mormation		
· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
 Transport hazard class(es) 		
DOT, ADN, IMDG, IATA Class	not regulated	
Packing group DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
 Special precautions for user 	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· UN "Model Regulation":	not regulated	

15 Regulatory information

 SARA Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
 SARA Section 313 (Specific toxic chemical listings): 	
80-15-9 Cumene hydroperoxide	<u><</u> 1%
SARA Section 311/312 (Hazardous Chemical Inventory Reporting)	
80-15-9 Cumene hydroperoxide	A, C, F, R <u><</u> 19
• Hazard Abbreviations for SARA 311/312 A - Acute Health Hazard C - Chronic Health Hazard F - Fire Hazard R - Reactive Hazard S - Sudden Release of Pressure Hazard	
· TSCA (Toxic Substances Control Act):	
868-77-9 2-hydroxyethyl methacrylate	
80-15-9 Cumene hydroperoxide	

(Contd. of page 4)

Page 5/6

US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2017

AN ELLSWORTH ADHESIVES COMPANY 🤮

Reviewed on 07/19/2017

Trade name:	RC8009

	(Contd. of page
· Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
• Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
• TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
International Regulation Lists	
Chinese Chemical Inventory of Existing Chemical Substances:	
868-77-9 2-hydroxyethyl methacrylate	
80-15-9 Cumene hydroperoxide	
GHS label elements GHS label elements	
National regulations:	
Japanese Existing and New Chemical Substance List:	
868-77-9 2-hydroxyethyl methacrylate	
80-15-9 Cumene hydroperoxide	
· Korean Existing Chemical Inventory:	
868-77-9 2-hydroxyethyl methacrylate	
80-15-9 Cumene hydroperoxide	
· European Pre-registered substances:	
868-77-9 2-hydroxyethyl methacrylate	
80-15-9 Cumene hydroperoxide	
• REACh - Substances of Very High Concern (SVHC) List:	
None of the ingredients is listed.	
 Restriction of Hazardous Substances Directive (RoHS) list: 	
None of the ingredients is listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department Issuing (M)SDS: Product Development

Department

Contact: msds @resinlab.com • Date of preparation / last revision 07/19/2017 / 1 * Data compared to the previous version altered.