Resinl

AN ELLSWORTH ADHESIVES COMPANY 🙆

EP1294 A Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/17/2020 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product name	: EP1294 A
1.2. Recommended use and restriction	ons on use
Recommended use	: Epoxy resin
Restrictions on use	: Product for industrial use only
1.3. Supplier	
ResinLab, LLC N109 W13300 Ellsworth Drive Germantown, WI 53022 - United States T 1-877-259-1669 <u>msds@resinlab.com</u> - <u>www.resinlab.com</u>	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC:1-800-424-9300 (USA); +1 703-527-3887 (International)
SECTION 2: Hazard(s) identification	on
2.1. Classification of the substance o	r mixture
GHS US classification	
Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category Skin sensitisation, Category 1 Germ cell mutagenicity, Category 2	H315 Causes skin irritation. 2 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.
Full text of H statements : see section 16	
2.2 CHCLebel elemente inclusion	
2.2. GHS Label elements, including p GHS US labelling	
Hazard pictograms (GHS US)	
Signal word (GHS US) :	Warning
Hazard statements (GHS US)	H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H341 - Suspected of causing genetic defects.
Precautionary statements (GHS US) :	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - If exposed or concerned: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Other hazards which do not result in classification 2.3.

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Phenol, polymer with formaldehyde, glycidyl ether	(CAS-No.) 28064-14-4	30 - 50	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Dibromoneopentyl glycol, chloromethyloxirane polymer	(CAS-No.) 31452-80-9	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
o-Cresyl glycidyl ether	(CAS-No.) 2210-79-9	10 - 30	Skin Irrit. 2, H315 Skin Sens. 1, H317 Muta. 2, H341 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Diantimony trioxide	(CAS-No.) 1309-64-4	3.6848 - 3.76	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and eff	ects (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and s	special treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	s
5.1. Suitable (and unsuitable) extingui	shing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the	chemical
No additional information available	
5.3. Special protective equipment and	precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective of	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
02/17/2020	EN (English) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, N	o. 58 / Monday, March 26	5, 2012 / Rules and Regulations
--	--------------------------	---------------------------------

Other information	: Dispose	of materials or solid residues at an authorized site.	
Reference to other sections			
or further information	efer to section 13.		
ECTION 7: Hand	ling and storage		
1. Precautions	for safe handling		
Precautions for safe h	handle u	ood ventilation of the work station. Obtain special instructions before use. Do not ntil all safety precautions have been read and understood. Avoid contact with skin and ear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.	
lygiene measures	out of the	ntaminated clothing before reuse. Contaminated work clothing should not be allowed workplace. Do not eat, drink or smoke when using this product. Always wash hands dling the product.	
2. Conditions f	7.2. Conditions for safe storage, including any incompatibilities		
	n sale storage, including any incom	patibilities	
Storage conditions		ked up. Store in a well-ventilated place. Keep cool.	
Storage conditions	: Store loc	ked up. Store in a well-ventilated place. Keep cool.	
0		ked up. Store in a well-ventilated place. Keep cool.	
ECTION 8: Expo	: Store loc	ked up. Store in a well-ventilated place. Keep cool.	
ECTION 8: Expo 1. Control para	: Store loc	ked up. Store in a well-ventilated place. Keep cool.	
ECTION 8: Expo 1. Control para	: Store loc sure controls/personal protect meters	ked up. Store in a well-ventilated place. Keep cool.	
ECTION 8: Expo 1. Control para Phenol, polymer w Not applicable	: Store loc sure controls/personal protect meters	ked up. Store in a well-ventilated place. Keep cool.	
ECTION 8: Expo 1. Control para Phenol, polymer w Not applicable	: Store loc sure controls/personal protec meters th formaldehyde, glycidyl ether (2806	ked up. Store in a well-ventilated place. Keep cool.	
ECTION 8: Expo 1. Control para Phenol, polymer w Not applicable Dibromoneopentyl Not applicable	: Store loc sure controls/personal protect meters th formaldehyde, glycidyl ether (2800 glycol, chloromethyloxirane polymer	ked up. Store in a well-ventilated place. Keep cool.	
ECTION 8: Expo 1. Control para Phenol, polymer w Not applicable Dibromoneopentyl	: Store loc sure controls/personal protect meters th formaldehyde, glycidyl ether (2800 glycol, chloromethyloxirane polymer	ked up. Store in a well-ventilated place. Keep cool.	
ECTION 8: Expo 1. Control para Phenol, polymer w Not applicable Dibromoneopentyl Not applicable o-Cresyl glycidyl e	: Store loc sure controls/personal protect meters th formaldehyde, glycidyl ether (2806 glycol, chloromethyloxirane polymer her (2210-79-9)	ked up. Store in a well-ventilated place. Keep cool.	
ECTION 8: Expo 1. Control para Phenol, polymer w Not applicable Dibromoneopentyl Not applicable o-Cresyl glycidyl e Not applicable	: Store loc sure controls/personal protect meters th formaldehyde, glycidyl ether (2806 glycol, chloromethyloxirane polymer her (2210-79-9)	ked up. Store in a well-ventilated place. Keep cool.	

		Carcinogen)
ACGIH	Regulatory reference	ACGIH 2019

8.2. Appropriate engineering controls

Appropriate engineering controls

- : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses with side shields

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physic	I and chemical properties	
Physical state	: Liquid	
Colour	: Yellow	
Odour	: Pungent	
Odour threshold	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 110 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.56 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
VOC content	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids. Bases (Alkalis). Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1.	Information on toxicological effects		
Acute	oxicity (oral)	:	Not classified
Acute	oxicity (dermal)	:	Not classified
Acute	oxicity (inhalation)	:	Not classified

o-Cresyl glycidyl ether (2210-79-9)	
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)
LC50 inhalation rat (mg/l)	6.09 mg/l (4 h, Rat, Inhalation)
ATE US (vapours)	6.09 mg/l/4h
ATE US (dust,mist)	6.09 mg/l/4h
Diantimony trioxide (1309-64-4)	
LD50 oral rat	> 20000 mg/kg (Rat, Experimental value, Oral)
LD50 dermal rabbit	> 8300 mg/kg bodyweight (Rabbit, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	> 5.2 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Not classified
Diantimony trioxide (1309-64-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

o-Cresyl glycidyl ether (2210-79-9)	
LC50 fish 1	1 - 10 mg/l (Pisces)
EC50 Daphnia 1	1 - 10 mg/l (Invertebrata)

12.2. Persistence and degradability

Phenol, polymer with formaldehyde, glycidyl ether (28064-14-4)			
Persistence and degradability	Biodegradability in soil: no data available.		
o-Cresyl glycidyl ether (2210-79-9)			
Persistence and degradability	Biodegradability in soil: no data available. Not readily biodegradable in water.		
Diantimony trioxide (1309-64-4)			
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		

12.3. Bioaccumulative potential

Phenol, polymer with formaldehyde, glycidyl ether (28064-14-4)			
Bioaccumulative potential No bioaccumulation data available.			
o-Cresyl glycidyl ether (2210-79-9)			
Log Pow	2.16 (Estimated value)		
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).			
Diantimony trioxide (1309-64-4)			
BCF other aquatic organisms 1	5.6 l/kg (17 day(s), Hyalella azteca, Fresh water, Weight of evidence, Fresh weight)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		

12.4. Mobility in soil

Dia	antimony trioxide (1309-64-4)	
Ec	ology - soil	Adsorbs into the soil.
12.5.	Other adverse effects	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

n accordance with DOT Not regulated Transportation of Dangerous Goods Not applicable Transport by sea Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, o Cresyl glycidyl ether, Diantimony trioxide), 9, III JN-No. (IMDG) : 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, o Cresyl glycidyl ether, Diantimony trioxide ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Epoxy Resin, o-Cresyl glycidyl ether, Diantimony trioxide Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III JN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III JN-No. (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger ECTION 15: Regulatory information	3.1. Disposal methods	
Department of Transportation (DOT) n accordance with DOT Not regulated Transportation of Dangerous Goods Not applicable Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, c Cresyl glycidyl ether, Diantimony trioxide), 9, III JN-No. (IMDG) : 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, c Cresyl glycidyl ether, Diantimony trioxide), 9, III JN-No. (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : 11 - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport III - substances presenting low danger JN-No. (IATA) : 3082 Proper Shipping Name (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III JN-No. (IATA) : 3082 Proper Shipping Name (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III JN-No. (IATA) : 3082 Proper Shipping Name (IATA) : 9 - Miscellaneous Dangerous Goods	Naste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
n accordance with DOT Not regulated Transportation of Dangerous Goods Not applicable Transport by sea Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, o Cresyl glycidyl ether, Diantimony trioxide), 9, III JN-No. (IMDG) : 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, o Cresyl glycidyl ether, Diantimony trioxide ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Epoxy Resin, o-Cresyl glycidyl ether, Diantimony trioxide Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III JN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III JN-No. (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger ECTION 15: Regulatory information	ECTION 14: Transport information	
Not applicable Transport by sea Transport document description (IMDG) UN-No. (IMTA) UN	Department of Transportation (DOT) In accordance with DOT	
Cresyl glycidyl ether, Diantimony trioxide), 9, III UN-No. (IMDG) : 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Epoxy Resin, o-Cresyl glycidyl ether, Diantimony trioxide Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport Transport Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Epoxy Resin, o-Cresyl glycidyl ether : Epoxy Resin, o-Cresyl glycidyl ether Class (IATA) : 9 - Miscellaneous Dangerous Goods	Not regulated	
Transport by sea Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, or Cresyl glycidyl ether, Diantimony trioxide), 9, III UN-No. (IMDG) : 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Epoxy Resin, or Cresyl glycidyl ether, Diantimony trioxide Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport Transport document description (IATA) Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, or Cresyl glycidyl ether), 9, III UN-No. (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, or Cresyl glycidyl ether), 9, III Class (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, or Cresyl glycidyl ether), 9, III Class (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. Epoxy Resin, or Cresyl glycidyl ether : 5 L Air transport : UN 3082 Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. : Epoxy Resin, or Cresyl glycidyl ether Class (IATA) : 9 - Mis	Transportation of Dangerous Goods	
Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, or Cresyl glycidyl ether, Diantimony trioxide), 9, III UN-No. (IMDG) : 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin, or Cresyl glycidyl ether, Diantimony trioxide) : 9082 Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, or Cresyl glycidyl ether), 9, III UN-No. (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, or Cresyl glycidyl ether), 9, III UN-No. (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, or Cresyl glycidyl ether), 9, III UN-No. (IATA) : 0N 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, or Cresyl glycidyl ether), 9, III UN-No. (IATA) : 0N 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, or Cresyl glycidyl ether) Class (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger ECTION 15: Regulatory information	Not applicable	
Cresyl glycidyl ether, Diantimony trioxide), 9, III UN-No. (IMDG) 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Epoxy Resin, o-Cresyl glycidyl ether, Diantimony trioxide Class (IMDG) 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) 1 II - substances presenting low danger Limited quantities (IMDG) 5 L Air transport Transport document description (IATA) UN-No. (IATA) Proper Shipping Name (IATA) Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III UN-No. (IATA) Proper Shipping Name (IATA) Environmentally hazardous substance, liquid, n.o.s. Epoxy Resin, o-Cresyl glycidyl ether Class (IATA) Packing group (IATA) III - Minor Danger ECTION 15: Regulatory information	Transport by sea	
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Epoxy Resin, o-Cresyl glycidyl ether, Diantimony trioxide Class (IMDG) 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) 1 II - substances presenting low danger Limited quantities (IMDG) 5 L Air transport - Miscellaneous Substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether, 9, 9, III UN-No. (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Epoxy Resin, o-Cresyl glycidyl ether Enovy Resin, o-Cresyl glycidyl ether Class (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger	Transport document description (IMDG)	
Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport - Miscellaneous Substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III UN-No. (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Epoxy Resin, o-Cresyl glycidyl ether Class (IATA) Packing group (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger	UN-No. (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport	Class (IMDG)	
Limited quantities (IMDG) : 5 L Air transport Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Epoxy Resin, o-Cresyl glycidyl ether Class (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger ECTION 15: Regulatory information		
Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin, o-Cresyl glycidyl ether), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Epoxy Resin, o-Cresyl glycidyl ether : Epoxy Resin, o-Cresyl glycidyl ether Class (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger		: 5L
ether), 9, III UN-No. (IATA) Proper Shipping Name (IATA) Environmentally hazardous substance, liquid, n.o.s. Epoxy Resin, o-Cresyl glycidyl ether Class (IATA) 9 - Miscellaneous Dangerous Goods Packing group (IATA) 1 III - Minor Danger	Air transport	
Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Epoxy Resin, o-Cresyl glycidyl ether Class (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger	Transport document description (IATA)	
Epoxy Resin, o-Cresyl glycidyl ether Class (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger EECTION 15: Regulatory information	UN-No. (IATA)	: 3082
Class (IATA) : 9 - Miscellaneous Dangerous Goods Packing group (IATA) : III - Minor Danger ECTION 15: Regulatory information	Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Packing group (IATA) : III - Minor Danger		
ECTION 15: Regulatory information		5
	Packing group (IATA)	: III - Minor Danger
	ECTION 15: Regulatory information	
	5.1. US Federal regulations	

Diantimony trioxide		CAS-No. 1309-64-4	3.6848 - 3.76%
Phenol, polymer with formaldehyde, g	lycidyl ether (28064-14-4)		
Listed on the United States TSCA (Toxic	Substances Control Act) in	iventory	
EPA TSCA Regulatory Flag	XU - XU - indicat Rule, (40 CFR 7		n reporting under the Chemical Data Reporting
Dibromoneopentyl glycol, chlorometh	yloxirane polymer (31452	-80-9)	
Listed on the United States TSCA (Toxic	Substances Control Act) in	iventory	
EPA TSCA Regulatory Flag	XU - XU - indicat Rule, (40 CFR 7	•	n reporting under the Chemical Data Reporting
o-Cresyl glycidyl ether (2210-79-9)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	TP - TP - indicate	es a substance that is the su	bject of a proposed TSCA section 4 test rule.
Diantimony trioxide (1309-64-4)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313			
CERCLA RQ	1000 lb		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

henol, polymer with formaldehyde, glycidyl ether (28064-14-4)	
sted on the Canadian DSL (Domestic Substances List)	
ibromoneopentyl glycol, chloromethyloxirane polymer (31452-80-9)	
Listed on the Canadian NDSL (Non-Domestic Substances List)	
o-Cresyl glycidyl ether (2210-79-9)	
Listed on the Canadian DSL (Domestic Substances List)	
Diantimony trioxide (1309-64-4)	
sted on the Canadian DSL (Domestic Substances List)	

EU-Regulations

Contains the following REACH ingredient(s): 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof] (EC 236-948-9, CAS 13560-89-9)

National regulations

	Diantimony trioxide (1309-64-4)
	Listed on IARC (International Agency for Research on Cancer)
1	5.3. US State regulations

A warning: This product can expose you to 1-chloro-2,3-epoxypropane, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Diantimony trioxide(1309-64-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements:

	H315	Causes skin irritation.
H317		May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
	H341	Suspected of causing genetic defects.
	H401	Toxic to aquatic life
	H411	Toxic to aquatic life with long lasting effects.
NF	PA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NF	PA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFI	PA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Haz	zard Rating	
Health		: 2 Moderate Hazard - Temporary or minor injury may occur
Flai	nmability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Phy	vsical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US - ResinLab

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.