

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 05/02/2023 Version: 1.0

### **SECTION 1: Identification**

### 1.1. Identification

Product name : EP1300 Black B

### 1.2. Recommended use and restrictions on use

Recommended use : Epoxy hardener

Restrictions on use : Product for industrial use only

### 1.3. Supplier

ResinLab, LLC

N109 W13300 Ellsworth Drive

Germantown, WI 53022 - United States

T 1-877-259-1669

msds@resinlab.com - www.resinlab.com

### 1.4. Emergency telephone number

Emergency number : CHEMTREC:1-800-424-9300 (USA); +1 703-527-3887 (International)

## **SECTION 2: Hazard(s) identification**

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Acute toxicity (oral) Category 4

Acute toxicity (dermal) Category 3

Acute toxicity (inhalation:dust,mist) Category 4

H302

H311

Toxic in contact with skin

H332

Harmful if inhaled

Skin corrosion/irritation Category 1A H314 Causes severe skin burns and eye damage Reproductive toxicity Category 2 H361 Suspected of damaging fertility or the unborn child

Specific target organ toxicity (repeated exposure) Category 2 H373 May cause damage to organs (liver, kidneys, skeletal muscle, heart) through

prolonged or repeated exposure (Inhalation, oral)

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US) :







Signal word (GHS US) : Danger

Hazard statements (GHS US) : H302+H332 - Harmful if swallowed or if inhaled

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs (liver, kidneys, skeletal muscle, heart) through prolonged or

repeated exposure (Inhalation, oral)

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell. P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P302+P352 - If on skin: Wash with plenty of water.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P310 - Immediately call a poison center or doctor.

05/02/2023 EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P312 - Call a poison center or doctor if you feel unwell.

P314 - Get medical advice/attention if you feel unwell.

P322 - Specific treatment (see supplemental first aid instruction on this label)

P330 - Rinse mouth.

P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier   | %       |
|---|----------------------|---------|
| 4-Nonylphenol, branched                         | (CAS-No.) 84852-15-3 | 50 – 75 |
| 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) | (CAS-No.) 6864-37-5  | 30 – 50 |
| Benzyl alcohol                                  | (CAS-No.) 100-51-6   | 10 – 30 |

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse immediately with plenty of water for 15 minutes. Remove/Take off immediately all

contaminated clothing. Call a physician immediately.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

## 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

## 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use water jet to extinguish.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire

: Toxic fumes may be released, Carbon oxides (CO, CO2), Nitrogen oxides, Gaseous ammonia, Use of water may result in the formation of very toxic aqueous solutions, Nitric axid Nitrogen oxide con react with water to form corrective pitric axid.

acid, Nitrogen oxide can react with water to form corrosive nitric acid.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

05/02/2023 EN (English US) 2/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with

skin, eyes and clothing

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection"."

### **Environmental precautions**

Avoid release to the environment.

### Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

: Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Wear personal protective equipment. Do not breathe

dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only outdoors

or in a well-ventilated area.

Hygiene measures

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### Conditions for safe storage, including any incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. **Control parameters**

### 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) (6864-37-5)

Not applicable

## 4-Nonylphenol, branched (84852-15-3)

Not applicable

### Benzyl alcohol (100-51-6)

AIHA WEEL TWA [ppm]

### **Appropriate engineering controls**

Appropriate engineering controls

: Ensure good ventilation of the work station, ventilate curing ovens to prevent emissions in the

10 ppm

workplace.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses with side shields

Skin and body protection:

05/02/2023 EN (English US) 3/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wear suitable protective clothing

### Respiratory protection:

In case of inadequate ventilation, wear respiratory protection.

### Personal protective equipment symbol(s):







## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Amber
Odor : Irritating

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : > 101 °C

Relative evaporation rate (butyl acetate=1) : No data available
Flammability : Not applicable.
Vapor pressure : No data available
Relative vapor density at 20°C : No data available
Relative density : No data available

Density : 0.96 g/cm³

Solubility : No data available Partition coefficient n-octanol/water (Log Pow) No data available : No data available Auto-ignition temperature Decomposition temperature : No data available No data available Viscosity, dynamic **Explosion limits** : No data available Explosive properties No data available Oxidizing properties : No data available VOC content No data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Sodium hypochlorite. Organic acid. Mineral acids. May slowly corrode copper, aluminum, zinc, and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion. Oxidizing agent.

05/02/2023 EN (English US) 4/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Refer to section 5.2 for hazardous decomposition products during combustion.

| SECTION 11: Toxicological information       |   |  |
|---|---|--|
| 1.1. Information on toxicological effects   |   |  |
| Acute toxicity (oral)                       | : Harmful if swallowed.   |  |
| Acute toxicity (dermal)                     | : Toxic in contact with skin.   |  |
| Acute toxicity (inhalation)                 | : Harmful if inhaled.   |  |
| ATE US (oral)                               | 640.756 mg/kg body weight   |  |
| ATE US (dermal)                             | 561.325 mg/kg body weight   |  |
| ATE US (dust, mist)                         | 1.179 mg/l/4h   |  |
| 2,2'-dimethyl-4,4'methylenebis(cyclohexylan | nine) (6864-37-5)   |  |
| LD50 oral rat                               | 320 – 460 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))          |  |
| LD50 dermal rabbit                          | 200 – 400 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female Experimental value, Dermal, 8 day(s)) |  |
| LC50 Inhalation - Rat                       | 0.42 mg/l   |  |
| ATE US (oral)                               | 320 mg/kg body weight   |  |
| ATE US (dermal)                             | 200 mg/kg body weight   |  |
| ATE US (vapors)                             | 0.42 mg/l   |  |
| ATE US (dust, mist)                         | 0.42 mg/l   |  |
| 4-Nonylphenol, branched (84852-15-3)        |   |  |
| LD50 oral rat                               | 1412 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))  |  |
| ATE US (oral)                               | 1412 mg/kg body weight  |  |
| Benzyl alcohol (100-51-6)                   |   |  |
| LD50 oral rat                               | 1620 mg/kg bw/day (Rat, Male, Experimental value, Oral, 14 day(s))  |  |
| LD50 dermal rabbit                          | > 2000 mg/kg body weight (EPA OTS 798.1100, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))                         |  |
| LC50 Inhalation - Rat                       | > 4178 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:                |  |
| ATE US (oral)                               | 1580 mg/kg body weight  |  |
| Skin corrosion/irritation                   | : Causes severe skin burns.   |  |
| Serious eye damage/irritation               | : Assumed to cause serious eye damage   |  |
| Respiratory or skin sensitization           | : Not classified  |  |
| Germ cell mutagenicity                      | : Not classified  |  |
| Carcinogenicity                             | : Not classified  |  |
| Reproductive toxicity                       | : Suspected of damaging fertility or the unborn child.  |  |
| STOT-single exposure                        | : Not classified  |  |
| STOT-repeated exposure                      | : May cause damage to organs (liver, kidneys, skeletal muscle, heart) through prolonged or repeated exposure (Inhalation, oral).  |  |
| 2,2'-dimethyl-4,4'methylenebis(cyclohexylan | nine) (6864-37-5)   |  |
| NOAEL (oral,rat,90 days)                    | 2.5 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)                  |  |

| NOAEL (Glai, lat, 90 days)                    | Oral Toxicity in Rodents)  |
|---|--|
| NOAEC (inhalation,rat,dust/mist/fume,90 days) | 0.012 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) |
| STOT-repeated exposure                        | May cause damage to organs through prolonged or repeated exposure.                                       |
| Benzyl alcohol (100-51-6)                     |  |
| NOAEL (oral,rat,90 days)                      | 400 mg/kg body weight Animal: rat, Guideline: other:OECD Guideline 451 (Carcinogenicity Studies)         |
| Aspiration hazard                             | : Not classified   |
| Symptoms/effects after skin contact           | : Burns.   |
| 05/02/2023                                    | EN (English US) 5/10   |

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

| 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) (6864-37-5) |   |  |
|---|---|--|
| LC50 - Fish [1]   | 22.4 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value, GLP)              |  |
| EC50 - Crustacea [1]  | 4.57 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)         |  |
| LC50 - Fish [2]   | 22.4 mg/l Test organisms (species): Oryzias latipes   |  |
| LOEC (chronic)  | 7.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |  |
| NOEC (chronic)  | 4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |  |
| NOEC chronic fish   | > 1 mg/l Test organisms (species): other:   |  |
| 4-Nonylphenol, branched (84852-15-3)                        |   |  |
| LC50 - Fish [1]   | 0.08 mg/l (ASTM E729-96, 96 h, Hybopsis monacha, Static system, Fresh water, Experimental value)  |  |
| EC50 - Crustacea [1]  | 0.084 mg/l (ASTM E729-88, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Lethal)                                   |  |
| NOEC chronic fish   | 0.006 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '91 d'                                    |  |
| Benzyl alcohol (100-51-6)                                   |   |  |
| LC50 - Fish [1]   | 460 mg/l (EPA OPP 72-1, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Nominal concentration)                     |  |
| EC50 - Crustacea [1]  | 230 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value, Locomotor effect)            |  |
| ErC50 algae   | 770 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |  |
| NOEC (chronic)  | 51 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  |  |
| NOEC chronic fish   | 48897 mg/l Test organisms (species): other: Duration: '30 d'  |  |

# 12.2. Persistence and degradability

| 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) (6864-37-5) |  |  |
|---|--|--|
| Persistence and degradability                               | Not readily biodegradable in water.                        |  |
| Biochemical oxygen demand (BOD)                             | < 0.002 g O₂/g substance                                   |  |
| Chemical oxygen demand (COD)                                | 2.75 g O₂/g substance                                      |  |
| 4-Nonylphenol, branched (84852-15-3)                        |  |  |
| Persistence and degradability                               | Not readily biodegradable in water.                        |  |
| Benzyl alcohol (100-51-6)                                   |  |  |
| Persistence and degradability                               | Biodegradable in the soil. Readily biodegradable in water. |  |

## 12.3. Bioaccumulative potential

| 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) (6864-37-5) |   |  |
|---|---|--|
| BCF - Fish [1]  | < 60 (OECD 305: Bioconcentration: Flow-Through Fish Test, 60 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value)           |  |
| Partition coefficient n-octanol/water (Log Pow)             | 2.3 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 23 °C)  |  |
| Bioaccumulative potential                                   | Low potential for bioaccumulation (BCF < 500).  |  |
| 4-Nonylphenol, branched (84852-15-3)                        |   |  |
| BCF - Fish [1]  | 1200 – 1300 (Equivalent or similar to OECD 305, 16 day(s), Gasterosteus aculeatus, Flow-through system, Salt water, Experimental value, Fresh weight) |  |
| Partition coefficient n-octanol/water (Log Pow)             | 5.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 23 °C)   |  |
|   |   |  |

05/02/2023 EN (English US) 6/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Benzyl alcohol (100-51-6) |   |  |
|---------------------------|---|--|
|                           | BCF - Fish [1]                                  | 1.37 l/kg (BCFBAF v3.01, Estimated value)        |
|                           | Partition coefficient n-octanol/water (Log Pow) | 1 – 1.1 (Experimental value, 20 °C)              |
|                           | Bioaccumulative potential                       | Low potential for bioaccumulation (Log Kow < 4). |

## 12.4. Mobility in soil

| 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) (6864-37-5)   |   |
|---|---|
| Organic Carbon Normalized Adsorption<br>Coefficient (Log Koc) | 1.48 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil  | Highly mobile in soil.                              |
| 4-Nonylphenol, branched (84852-15-3)                          |   |
| Surface tension   | 38.9 mN/m (20 °C, EU Method A.5: Surface tension)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)    | 4.35 – 5.69 (log Koc, Experimental value, GLP)      |
| Ecology - soil  | Adsorbs into the soil.                              |
| Benzyl alcohol (100-51-6)                                     |   |
| Surface tension   | 39 mN/m (20 °C)                                     |
| Organic Carbon Normalized Adsorption<br>Coefficient (Log Koc) | 1.122 – 1.332 (log Koc, SRC PCKOCWIN v2.0, QSAR)    |
| Ecology - soil  | Highly mobile in soil.                              |

### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Transport document description (DOT) : UN2735 Amines, liquid, corrosive, n.o.s. (4-Nonylphenol, branched; 2,2'-dimethyl-

4,4'methylenebis(cyclohexylamine)), 8, III

UN-No.(DOT) : UN2735

Proper Shipping Name (DOT) : Amines, liquid, corrosive, n.o.s.

4-Nonylphenol, branched; 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine)

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 8 - Corrosive



Dangerous for the environment : Yes

Marine pollutant : Yes



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Symbols : G - Identifies PSN requiring a technical name

05/02/2023 EN (English US) 7/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 52 - Stow "separated from" acids

Emergency Response Guide (ERG) Number : 153

Other information : No supplementary information available.

### **Transportation of Dangerous Goods**

Not applicable

### Transport by sea

Transport document description (IMDG) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (4-Nonylphenol, branched; 2,2'-dimethyl-

4,4'methylenebis(cyclohexylamine)), 8, III

UN-No. (IMDG) : 2735

AMINES, LIQUID, CORROSIVE, N.O.S.

4-Nonylphenol, branched; 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine)

Class (IMDG) : 8 - Corrosive substances

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

Marine pollutant : Yes



### Air transport

Transport document description (IATA) : UN 2735 Amines, liquid, corrosive, n.o.s. (4-Nonylphenol, branched; 2,2'-dimethyl-

4,4'methylenebis(cyclohexylamine)), 8, III

UN-No. (IATA) : 2735

Proper Shipping Name (IATA) : Amines, liquid, corrosive, n.o.s.

4-Nonylphenol, branched; 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine)

Class (IATA) : 8 - Corrosives
Packing group (IATA) : III - Low danger

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| 4-Nonylphenol, branched | CAS-No. 84852-15-3 | 50 – 75% |
|-------------------------|--------------------|----------|
|-------------------------|--------------------|----------|

05/02/2023 EN (English US) 8/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) (6864-37-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 4-Nonylphenol, branched (84852-15-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Subject to reporting requirements of United States SARA Section 313

EPA TSCA Regulatory Flag SP - SP - indicates a substance that is identified in a proposed Significant New Use Rule.

### Benzyl alcohol (100-51-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

### **CANADA**

### 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) (6864-37-5)

Listed on the Canadian DSL (Domestic Substances List)

### 4-Nonylphenol, branched (84852-15-3)

Listed on the Canadian DSL (Domestic Substances List)

### Benzyl alcohol (100-51-6)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

Contains the following REACH ingredient(s): 4-Nonylphenol, branched (EC 284-325-5, CAS 84852-15-3)

## 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) (6864-37-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### 4-Nonylphenol, branched (84852-15-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Benzyl alcohol (100-51-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### **National regulations**

## 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine) (6864-37-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

### 4-Nonylphenol, branched (84852-15-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

### Benzyl alcohol (100-51-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

| Component                | State or local regulations  |
|--------------------------|---|
| Benzyl alcohol(100-51-6) | U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List |

05/02/2023 EN (English US) 9/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Full text of H-phrases:

| H302 | Harmful if swallowed  |
|------|---|
| H311 | Toxic in contact with skin  |
| H314 | Causes severe skin burns and eye damage                           |
| H332 | Harmful if inhaled  |
| H361 | Suspected of damaging fertility or the unborn child               |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H400 | Very toxic to aquatic life  |
| H410 | Very toxic to aquatic life with long lasting effects              |

### SDS US - ResinLab

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

05/02/2023 EN (English US) 10/10