

9 Crozerville Road
PO Box 2425
Aston, PA 19014-0425

Telephone
800 2 MCLUBE

Int'l
+1 610 459 1890

Fax
610 459 9538

McLube.com

McLube MoS₂-569 Paste

EXTREME PRESSURE ANTI-SEIZE LUBRICANT

Product Description

McLube MoS₂-569 is a grease-like paste containing high concentrations of molybdenum disulfide (MoS₂). It is designed to furnish a thin, lubricating coating of molybdenum disulfide to surfaces where thicker coatings are not desirable. This product was designed for high temperature and pressure anti-seize lubrication that will not degrade rubber or plastics seals.

Typical Physical Properties

MoS₂ content (by weight)	66%
Specific Gravity	2.08
Pounds per gallon	17.4
Consistency	Paste
Oil type	Synthetic
Temperature range	-40 to 480°F

Uses

- Anti-seize lubricant for threaded connections, press fittings, and sliding surfaces
- Extreme pressure and temperature applications
- Applications where thin film lubrication is preferred to oil or grease

Safety and Handling

The Safety Data Sheet accompanying each shipment should be reviewed prior to use. As with organic substances, mild irritation may be possible if contact with the skin is prolonged or if contact is made with the eyes.

Availability

McLube MoS₂-569 is available in 4-lb. and 15-lb. cans as well as 60-lb. pails

The information herein is believed to be reliable, but it is the user's responsibility to determine suitability of use; since we cannot know conditions of use, we make no warranties and assume no liability concerning use of the information. Nothing herein should be taken as an inducement to infringe any patent.

Fact Sheet