

## Safety Data Sheet

acc. to OSHA HCS


Printing date 03/29/2019


Reviewed on 03/19/2019

### 1 Identification

- **Product identifier**
  - **Trade name:** EP965 Clear A
  - **Recommended use:** Epoxy Resin
  - **Restrictions on use:** For industrial use only
- **Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
ResinLab, LLC  
N109 W13300 Ellsworth Drive  
Germantown, WI 53022  
1-877-259-1669  
www.resinlab.com
  - **Information Department:** Product Safety Department: msds@resinlab.com
  - **Emergency Telephone Number:**  
North America - Chemtrec: 1-800-424-9300 (24 hours)  
International - Chemtrec: 01-703-527-3887 (24 hours)

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.
  - **Label elements**
    - **GHS label elements:** The product is classified and labeled according to the Globally Harmonized System (GHS).
    - **Hazard pictograms**
- 

GHS07
- **Signal word:** Warning
  - **Hazard-determining components of labeling:**  
Bisphenol-A-(epichlorohydrin) epoxy resin
  - **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.
  - **Precautionary statements**  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wash thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves / eye protection / face protection.  
If on skin: Wash with plenty of water.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
Wash contaminated clothing before reuse.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
  - **Classification system:**
    - **NFPA System**
      - **NFPA ratings (scale 0 - 4)**
- 

Health = 2  
Fire = 1  
Reactivity = 0
- NFPA special hazards (water reactivity and oxidizing property): None
- **HMS System**
    - **HMS-ratings (scale 0 - 4)**
- |            |   |                |
|------------|---|----------------|
| HEALTH     | 2 | Health = 2     |
| FIRE       | 1 | Fire = 1       |
| REACTIVITY | 0 | Reactivity = 0 |
- **Other hazards**
    - **Results of PBT and vPvB assessment**
      - **PBT:** Not applicable.
      - **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures

- **Dangerous components:**

|                            |  |         |
|----------------------------|--|---------|
| CAS: 25068-38-6            | Bisphenol-A-(epichlorohydrin) epoxy resin                    | 90-100% |
| NLP: 500-033-5             | Aquatic Chronic 2, H411                                      |         |
| Index number: 603-074-00-8 | Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317 |         |
|                            | Aquatic Acute 2, H401  |         |

(Contd. on page 2)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/19/2019

Trade name: EP965 Clear A

(Contd. of page 1)

· **Additional information:**  
If the chemical name/CAS number is proprietary and or weight percentage is listed as a range, the specific chemical identity and or percentage of composition has been withheld as a trade secret.

**4 First-aid measures**

· **Description of first aid measures**

· **General information:** Keep warm, position comfortably and cover well.

· **After inhalation:**

Remove victim from exposure to fresh air. Keep person at rest. Provide oxygen if person is not breathing.

Supply fresh air and if symptoms occur call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

Seek immediate medical advice.

Immediately flush skin with water for at least 60 minutes.

If skin rash or irritation occurs, seek medical advice.

Remove all contaminated clothing and wash before reuse.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Rinse opened eye for several minutes under running water.

Remove contact lenses if present and easy to do so; continue rinsing.

Immediately flush opened eyes with water for 5 minutes, then remove contact lenses if present, continue flushing for at least another 15 minutes.

If symptoms develop seek medical attention.

Seek immediate medical advice.

· **After swallowing:**

If victim is unconscious; never give anything by mouth.

If victim is conscious, rinse out mouth with water.

Get medical attention if you feel unwell.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

Check section 11 Toxicological Information for further relevant information.

**5 Fire-fighting measures**

· **Extinguishing media**

· **Suitable extinguishing agents:**

Use fire fighting measures that suit the environment.

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

water fog

· **Special hazards arising from the substance or mixture**

Will not burn unless preheated.

In case of fire, the following can be released:

Phenolics

Carbon dioxide (CO<sub>2</sub>) and Carbon monoxide (CO)

· **Advice for firefighters**

· **Protective equipment:**

If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA fire brigades standard (29 CFR 1910.156).

As with any fire, wear positive-pressure self-contained breathing apparatus and full protective gear that are NIOSH approved.

**6 Accidental release measures**

· **Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Do not breathe gas, vapors, dusts or mists if their inhalable particles occur during use.

· **Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.

· **Methods and material for containment and cleaning up:**

For large spills: provide diking or containment to minimize spreading. If possible pump and store material in appropriate container.

For small spills: Ventilate and wash area. Collect spills and absorbant material in appropriate container.

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

**7 Handling and storage**

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from incompatible material(s).

Avoid any release into the environment.

Do not breathe dust/fumes/mist/vapor/spray.

Avoid contact with eyes, skin and clothing.

Keep away from heat, sparks, flames and ignition sources.

Observe all the personal protection requirements in Section 8.

(Contd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/19/2019

Trade name: EP965 Clear A

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
  - **Requirements to be met by storerooms and receptacles:**
  - Provide ventilation for receptacles.
  - Keep stored in accordance with local, regional, national, and international regulations.

### 8 Exposure controls/personal protection

- **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**
  - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
  - **Additional Occupational Exposure Limit Values for possible hazards during processing:** None.
- **Exposure controls**
  - If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.
  - **Personal protective equipment:**
    - **General protective and hygienic measures:**
    - Be sure to clean skin thoroughly after work and before breaks.
    - Keep away from foodstuffs, beverages and feed.
    - Immediately remove all soiled and contaminated clothing.
    - Wash hands before breaks and at the end of work.
    - Avoid contact with the eyes and skin.
  - **Personal Protective Equipment (PPE)**
    - **Breathing equipment:**
    - Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended exposure limits.
    - Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air supplied respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use.
    - **Protection of hands:**
    - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
    - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
      - **Material of gloves**



Chemical resistant gloves

- **Eye protection:**



Safety Glasses with side shields

- **Body protection:** Appropriate chemical resistant clothing.
- **Limitation and supervision of exposure into the environment**
- The Engineering measures or controls, and PPE recommendations are only guidelines and may not apply to every situation. For additional information, please consult the corresponding requirements under OSHA 29 CFR 1910.94-95, and 29 CFR 1910.132-138.

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
  - **General Information**
    - **Appearance:**
      - **Form:** Liquid
      - **Color:** Clear
    - **Odor:** Mild epoxy odor
    - **Odor threshold:** Not determined.
  - **pH-value:** Not determined.
  - **Change in condition**
    - **Melting point/Melting range:** Undetermined.
    - **Boiling point/Boiling range:** Undetermined.
  - **Flash point:** 252 °C (485.6 °F)
  - **Flammability (solid, gaseous):** Not determined.
  - **Ignition temperature:** >300 °C (>572 °F)
  - **Decomposition temperature:** Not determined.
  - **Auto igniting:** Not determined
  - **Danger of explosion:** Product does not present an explosion hazard.
  - **Explosion limits:**
    - **Lower:** Not determined.

(Contd. on page 4)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/19/2019

Trade name: EP965 Clear A

(Contd. of page 3)

|   |                                       |
|---|---------------------------------------|
| · <b>Upper:</b>                                   | Not determined.                       |
| · <b>Vapor pressure:</b>                          | Not determined.                       |
| · <b>Vapor Density:</b>                           | not determined                        |
| · <b>Density at 20 °C (68 °F):</b>                | 1.16 g/cm <sup>3</sup> (9.68 lbs/gal) |
| · <b>Relative density</b>                         | Not determined.                       |
| · <b>Vapor density</b>                            | Not determined.                       |
| · <b>Evaporation rate</b>                         | Not determined.                       |
| · <b>Solubility in / Miscibility with</b>         |                                       |
| · <b>Water:</b>                                   | Not miscible or difficult to mix.     |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                       |
| · <b>Viscosity:</b>                               |                                       |
| · <b>Dynamic at 20 °C (68 °F):</b>                | 12,000 mPas                           |
| · <b>Kinematic:</b>                               | Not available.                        |
| · <b>VOC content:</b>                             | 0.00 %                                |
|   | 0.0 g/l / 0.00 lb/gal                 |

### 10 Stability and reactivity

- **Reactivity** Not a regulated physical hazard under GHS.
- **Hazardous Reactivity and Chemical Stability** May polymerize in contact with sodium hydroxide.
- **Thermal decomposition / conditions to be avoided:**  
To avoid thermal decomposition do not overheat.  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Masses of more than 1pound plus an aliphatic amine will cause irreversible polymerization and considerable heat build up. Material will also polymerize when in contact with sodium hydroxide.
- **Conditions to avoid** Keep away from heat, sparks, flame and any other ignition sources.
- **Incompatible materials:**  
Oxidizing agents  
Mercaptans  
Acids  
Amines  
Bases (Alkalis)
- **Hazardous decomposition products:**  
Possible in traces.  
Refer to section 5.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**25068-38-6 Bisphenol-A-(epichlorohydrin) epoxy resin**

|            |          |   |
|------------|----------|---|
| Oral       | LD50     | 11,400 mg/kg (rat)  |
| Dermal     | LD50     | 20,000 mg/kg (rabbit) (Test guideline not available)                          |
| Inhalative | LC50/4 h | mg/l (Test species: n/a) (Toxicity not expected based on the acute oral data) |

- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Experience with humans:** Not applicable.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Persistence and degradability** No further relevant information available.
- **Other information:** The product is easily biodegradable.
- **Behavior in environmental systems:**
  - **Bioaccumulative potential**  
No data available.  
No further relevant information available.
  - **Mobility in soil** No further relevant information available.
- **Additional ecological information:** The product is non-rapid degradable, and low or not highly bioaccumulative.

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/19/2019

Trade name: EP965 Clear A



(Contd. of page 4)

- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
  - **PBT:** None of the ingredients is listed.
  - **vPvB:** None of the ingredients is listed.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
  - **Recommendation:**  
Must be specially treated adhering to official regulations.  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
  - **Recommendation:** Dispose of according to your local waste regulations.

### 14 Transport information

|   |  |
|---|--|
| · <b>UN-Number</b>  | not regulated  |
| · <b>DOT</b>  | UN3082   |
| · <b>IMDG, IATA</b>   |  |
| · <b>UN proper shipping name</b>  | Environmentally hazardous substance, liquid, N.O.S. (Bisphenol-A-(epichlorohydrin)epoxy resin) |
| · <b>DOT</b>  | not regulated  |
| · <b>IMDG</b>   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., MARINE POLLUTANT                          |
| · <b>IATA</b>   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  |
| · <b>Transport hazard class(es)</b>   |  |
| · <b>DOT</b>  |  |
| · <b>Class</b>  | not regulated  |
| · <b>IMDG, IATA</b>   |  |
|   |  |
| · <b>Class</b>  | 9 Miscellaneous dangerous substances and articles  |
| · <b>Label</b>  | 9  |
| · <b>Packing group</b>  | not regulated  |
| · <b>DOT</b>  | III  |
| · <b>IMDG, IATA</b>   |  |
| · <b>Environmental hazards:</b>   | Not applicable.  |
| · <b>Special precautions for user</b>   | Warning: Miscellaneous dangerous substances and articles                                       |
| · <b>EMS Number:</b>  | F-A,S-F  |
| · <b>Stowage Category</b>   | A  |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>  | Not applicable.  |
| · <b>Transport/Additional information:</b>  |  |
| · <b>DOT</b>  |  |
| · <b>Remarks:</b>   | Not regulated up to 5 liters.  |
| · <b>UN "Model Regulation":</b>   | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III                            |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **SARA Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **SARA Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **Section 311/312 (Hazardous Chemical Inventory reporting)**

- **SARA Section 311/312 (Hazardous Chemical Inventory Reporting)**

25068-38-6 Bisphenol-A-(epichlorohydrin) epoxy resin

A, C 90-100%

- **Hazard Abbreviations for SARA 311/312**

A - Acute Health Hazard  
 C - Chronic Health Hazard  
 F - Fire Hazard  
 R - Reactive Hazard  
 S - Sudden Release of Pressure Hazard

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/19/2019

Trade name: EP965 Clear A

(Contd. of page 5)

|   |        |
|---|--------|
| · <b>TSCA 8 (b) Inventory:</b>  |        |
| 25068-38-6 Bisphenol-A-(epichlorohydrin) epoxy resin  | ACTIVE |
| · <b>Hazardous Air Pollutants</b>   |        |
| None of the ingredients is listed.  |        |
| · <b>Proposition 65</b>   |        |
| · <b>Chemicals known to cause cancer:</b>   |        |
| 106-89-8 1-chloro-2,3-epoxypropane  |        |
| · <b>Chemicals known to cause reproductive toxicity for females:</b>                        |        |
| None of the ingredients is listed.  |        |
| · <b>Chemicals known to cause reproductive toxicity for males:</b>                          |        |
| 106-89-8 1-chloro-2,3-epoxypropane  |        |
| · <b>Chemicals known to cause developmental toxicity:</b>                                   |        |
| None of the ingredients is listed.  |        |
| · <b>Carcinogenic categories</b>  |        |
| · <b>EPA (Environmental Protection Agency)</b>  |        |
| None of the ingredients is listed.  |        |
| · <b>TLV (Threshold Limit Value established by ACGIH)</b>                                   |        |
| None of the ingredients is listed.  |        |
| · <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>                   |        |
| None of the ingredients is listed.  |        |
| · <b>International Regulation Lists</b>   |        |
| · <b>GHS label elements</b> GHS label elements  |        |
| · <b>REACH - Substances of Very High Concern (SVHC) List:</b>                               |        |
| None of the ingredients is listed.  |        |
| · <b>Restriction of Hazardous Substances Directive (RoHS) list:</b>                         |        |
| None of the ingredients is listed.  |        |
| · <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out. |        |

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department Issuing (M)SDS:** Product Development Department
- **Contact:** msds@resinlab.com
- **Date of preparation / last revision** 03/29/2019 /17
- **\* Data compared to the previous version altered.**

US