

Revision Date 11/12/2015

Page 1/8

#### Print Date 11/12/2015

· Product Identifier Trade Name: CA7501

Application of the Substance or Mixture: Cyanoacrylate Adhesive

· Details of the Supplier of the Safety Data Sheet (SDS)

Manufacturer of Supplier: Resinlab, LLC N109 W13300 Ellsworth Drive, Germantown, WI 53022 1-800-388-8605

www.resinlab.com

Information Department: Product Safety Department: msds@resinlab.com Emergency Telephone Number: North America - Chemtrec: 1-800-424-9300 (24 hours) International - Chemtrec: 01-703-527-3887 (24 hours)

#### 2 Hazard(s) identification

#### · Hazard Classification

Flam. Liq. 4 H227 Combustible liquid.

H315 Causes skin irritation. Skin Irrit. 2

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Label Elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Pictogram(s)



· Signal Word Warning

Hazard-determining Component(s) Beta-Methoxyethyl Cyanoacrylate Hazard statements

Combustible liquid.

Causes skin irritation

Causes serious eye irritation. May cause an allergic skin reaction.

May cause respiratory irritation.

Precautionary statements Keep away from flames and hot surfaces. – No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves / eye protection / face protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Wash contaminated clothing before reuse. Store locked up.

Store locked up

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard Rating System NFPA System NFPA Ratings (scale 0 - 4)



Fire = 2 Reactivity = 1

NFPA special hazards (water reactivity and oxidizing property): None

#### HMIS System HMIS Ratings (scale 0 - 4) HEALTH 2

Health = 2FIRE 2 Fire = 2 Reactivity = 1 **REACTIVITY** 1

Other hazards Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.



Print Date 11/12/2015

## Safety Data Sheet acc. to OSHA HCS

Revision Date 11/12/2015

## Trade Name: CA7501 (Contd. of page 1) 3 Composition/information on ingredients Chemical Characterization: Mixtures Composition/Information on Ingredients Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 Flam. Liq. 4, H227 27816-23-5 Beta-Methoxyethyl Cyanoacrylate 70-80% Classification System: The Classifications were based on the Toxicological and Ecological Data of the substances/mixtures in the Section 11 and 12. Additional Information: If the chemical name/CAS number is proprietary and or weight percentage is listed as a range, the specific chemical identity and or percentage of composition has been withheld as a trade secret. 4 First-aid measures Description of First Aid Measures General Information Danger Cyanoacrylate Bonds skin and eyes in seconds Ensure medical personnel are aware of exposure and take precautions for their personal protection; see Section 8 for the information of personal protection. After Inhalation Remove victim from exposure to fresh air. Keep person at rest. Provide oxygen if person is not breathing. In case of unconsciousness place patient stably in side position for transportation. Prolonged or repeated elevated exposure may cause allergic reactions with asthma like symptoms in sensitive individuals. · After Skin Contact Remove all contaminated clothing and wash before reuse. Wash contaminated skin with water and soap and rinse thoroughly. Seek medical treatment in case of complaints. roll or peel skin apart. After Eye Contact Immediately bathe eyes for 15 minutes under running water. do not force eyes open, will cause excessive tearing and will bond eyelids. Seek immediáte médical advice. · After Swallowing adhesive will become solid in contact with saliva, may adhere to inside of mouth. Avoid swallowing solid adhesive. Seek medical treatment in case of complaints. · After Exposure Seek medical treatment in case of complaints. Information for Doctor Have chemical containers, labels and/or (M)SDS ready when calling or visiting a medical center. Indication of any Immediate Medical Attention and Special Treatment Needed After frequent or high intense exposure, the following medical tests are recommended: eye tests skin tests respiratory system tests Check section 11 Toxicological Information for further relevant information. Additional Information For additional information, please consult the corresponding first aid measures in the most current version of Emergency Response Guidebook which is produced by the US Department of Transportation. 5 Fire-fighting measures Extinguishing Media Suitable Extinguishing Agent(s) Use fire fighting measures and extinguishing agents that suit the environment. In case of fire, suitable extinguishing agents are: Alcohol resistant foam. Provide the stand of the stand of the stand of the standard provided of the standard provided ( $CO_2$ ). Water spray or water fog. • **Unsuitable Extinguishing Agent(s)** No relevant information. Firefighting Procedures Isolate fire and deny unnecessary entry. Eliminate all ignition sources if safe to do so. Do not extinguish fire unless flow can be stopped. Fight fire remotely due to the risk of explosion. Burning liquids may be moved by flushing with water; protect personnel and minimize property damage. Special Hazards Arising in Fire Caution! Combustible liquid. In case of fire, following can be released: Carbon dioxide (CO<sub>2</sub>) and Carbon monoxide (CO) Nitrogen oxides Hydrogen cyanide (HCN) (Contd. on page 3)

Page 2/8



Print Date 11/12/2015

Revision Date 11/12/2015

#### Trade Name: CA7501

(Contd. of page 2)

Page 3/8

Advice for Firefighters

If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA fire brigades standard (29 CFR 1910.156). As with any fire, wear positive-pressure self-contained breathing apparatus and full protective gear that are NIOSH approved.

· Additional Information Ensure adequate and functional fire fighting facilities equipped in working area at all times.

#### 6 Accidental release measures

#### **Personal Precautions**

Caution! Combustible liquid; wear fire/flame resistant or retardant clothing during cleaning up. Do not breathe gas, vapors, dusts or mists if their inhalable particles occur during use. Ensure personnel take precautions for their personal protection during clean up; see Section 8 for the specific requirements.

· Environmental Precautions Keep away from sewage system or other water courses; do not penetrate ground/soil.

Cleaning Up Methods small spills: Polymerize with water, scrape solid material from surface. large spills: polymerize with water, increase ventilation to area. solid material may be scraped from surface.

### 7 Handling and storage

## · Handling Precautions for Safe Handling

Caution! Combustible liquid; keep away from direct sunlight, heat, sparks, flame and other ignition sources during handling. Persons with history of skin sensitization, asthma or chronic respiratory issues should not be employed in any process when this product is used. Avoid exposure and obtain special instructions prior to use.

- Ensure good ventilation and/or exhaustion at workplace. Keep away from incompatible material(s). Avoid any release into the environment.
- Keep container tightly closed when not in use if product is volatile so as to generate hazardous atmosphere. Observe all the personal protection requirements in Section 8. Information about Protection Against Explosions and Fires

- Keep away from heat, sparks, open flame and other ignition sources. Protect against electrostatic charges during handling. Metal containers involved must be grounded and bonded.

Use only non-sparking tools and equipment, especially when opening or closing containers of combustible contents.

#### Storage

orage • Requirements to be Met by Storerooms and Receptacles Caution! Combustible liquid; keep away from direct sunlight, heat, sparks, flame and other ignition sources during storage. Store in tightly closed containers in a cool, and well-ventilated area. Store in a well-ventilated place; provide ventilation for receptacles. Keep stored in accordance with local, regional, national, and international regulations. • Information about Storage in One Common Storage Facility Store away from incompatible matrial(s)

- Store away from incompatible material(s).
- Store away from foodstuffs.
- Avoid release to the environment.

· Additional Information No further relevant information.

#### 8 Exposure controls/personal protection

 Engineering Measures or Controls
 Exposure Limit Values that Require Monitoring at the Workplace
 The substance/mixture does not contain any relevant quantities of substances with critical values that have to be monitored at the workplace

- Other Engineering Measures or Controls Ventilation rates should be matched to conditions.

If applicable, use process enclosure(s), local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

#### · Personal Protective

### General Protective and Hygienic Measures

Avoid any contact with eye. Do not eat, drink or smoke during work. Clean hands and exposed skin thoroughly after work and before breaks.

#### Personal Protective Equipment (PPE)

#### Breathing Equipment

Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended

exposure limits. Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air supplied respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use. (Contd. on page 4)



Print Date 11/12/2015

# Safety Data Sheet acc. to OSHA HCS

. . . . . . . . . . . .

Revision Date 11/12/2015

Trade Name: CA7501 (Contd. of page 3) · Hand Protection Protective gloves Selection of glove material should take into consideration the penetration times, rates of diffusion, and the degradation. Suggested glove type(s): Nitrile Gloves do not use PVC, nylon or cotton **Eye Protection** Tightly sealed goggles · Body Protection nitrile apron · Additional Information All protective clothing (suits, gloves, footwear, headgear) should be clean, available every day, and put on before work. The Engineering measures or controls, and PPE recommendations are only guidelines and may not apply to every situation. For additional information, please consult the corresponding requirements under OSHA 29 CFR 1910.94-95, and 29 CFR 1910.132-138. 9 Physical and chemical properties Information on Basic Physical and Chemical Properties Appearance: Form: Color: Liquid clear or opaque Slight Not determined. Odor: Odor Threshold: · PH-Value: Not determined. Change in Condition: Not dotorminod

Melting Point:	Not determined.
Boiling Point:	> 149 °C (> 300 °F) 80 °C (176 °F)
· Flash Point:	80 °C (176 °F)
<ul> <li>Decomposition Temperature:</li> </ul>	
Flammability:	Not determined.
· Explosion:	Not determined.
<ul> <li>Explosion Limits:</li> </ul>	
Lower:	Not determined.
· Upper:	Not determined.
<ul> <li>Vapor Pressure:</li> </ul>	Not determined.
Vapor Density:	not determined
Density at 20 °C (68 °F):	1.07 g/cm <sup>3</sup> (8.929 lbs/gal)
Density at 20 °C (68 °F): Solubility in or Miscibility with	
· Water:	Not miscible or difficult to mix.
<ul> <li>Viscosity:</li> </ul>	
· Dynámic:	Not determined.
· Kinematic:	Not determined.
· Additional Information No	further relevant information.

### 10 Stability and reactivity

· Physical Hazard(s) Combustible liquid.

 Hazardous Reactivity and Chemical Stability May form explosive vapor-air mixtures when heated above the flash point. May decompose, condense, or self-react under conditions of high temperature and/or pressure; but there is little or no potential for heat generation or explosion, or readily undergo hazardous polymerization in the absence of inhibitors.
 Thermal Decomposition and Conditions to be Avoided Keep away from incompatible material(s). avoid temperatures above 80C Thermally decomposes during fire or high heat; keep away from heat, sparks, open flame and other ignition sources.
 Possibility of Other Hazardous Reaction(s) possible polymerization reaction in the presence of water, amines, alkalis and alcohols.
 Incompatible Material(s) Amines. Water Bases (Alkalis) Alcohols Strong oxidizing agent

Page 4/8



Revision Date 11/12/2015

(Contd. of page 4)

Print Date 11/12/2015 Trade Name: CA7501

Hazardous Decomposition Product(s)
 Thermally decomposes during fire or very high heat. See Section 5 for fire hazards evolved during thermal decomposition.

· Hazardous Polymerization Product(s) No relevant information.

A auto Tantat	al information
Acute Toxicity	
	ud moder o milita homo no humon (Matter d Found)
	yl methacrylate homopolymer (Wetted form)
	o data available) al Usalth Effect(s): Cas asuta inhalating offect(s) for further information
	al Health Effect(s): See acute inhalative effect(s) for further information
· Dermal	ud moder o milita homo no humo n (Matterd Found)
	yl methacrylate homopolymer (Wetted form) (No data available)
	al Health Effect(s):
No furth	ar nearur Errec(s). er relevant information available: classification is not possible
See act	er relevant information available; classification is not possible. Ite inhalative effect(s) for further information.
<ul> <li>Inhalative</li> </ul>	
9011-14-7 Meth	yl methacrylate homopolymer (Wetted form)
Inhalative LC5	1/4 h (No data available)
· Potenti	al Health Effect(s):
	ot possible to classify the acute inhalative hazard due to missing data, the product may cause the following symptom(s):
	sion or Irritation
	yl methacrylate homopolymer (Wetted form)
	on (No data available)
	al Health Effect(s): skin irritation.
	ct with skin, may cause:
	and pain
· Eye Seriou	s Damage or Irritation
9011-14-7 Meth	yl methacrylate homopolymer (Wetted form)
Damage/Irritatio	n (No data available)
· Potenti	al Health Effect(s):
Causes	serious eye irritàtion
redness	ct with eye, may cause: : and pain
	v or Skin Sensitization
	yl methacrylate homopolymer (Wetted form)
Sensitization S	
	espiratory (No data available)
May ca	al Health Effect(s): Ise an allergic skin reaction.
	vant information for respiratory sensitization; classification is not possible.
	Ca (Occupational Safety & Health Administration)
0	redients is listed.
	Nutagenicity
	yl methacrylate homopolymer (Wetted form)
	Vo data available)
	al Health Effect(s): No further relevant information; classification is not possible.
<ul> <li>Carcinoger</li> </ul>	
	yl methacrylate homopolymer (Wetted form)
Carcinogenicity	(Test species: n/a)
	Not listed as a cárcinogen by ACGIH, NTP, or OSHA; and listed as a Group 3 carcinogen by IARC, which was classifiable as to its carcinogenicity to humans.
· Potenti	al Health Effect(s): Not a known Carcinogen.
· Reproduct	
	yl methacrylate homopolymer (Wetted form)
	xi. (No data available)
	rget Organ Toxicity - Single Exposure
· Specific Ta	rget Organ Toxicity - Single Exposure yl methacrylate homopolymer (Wetted form)
SIUI-SINGIE (	No data available)
· Potenti	al Health Effect(s): May cause respiratory irritation.
	rget Organ Toxicity - Repeated Exposure
9011-14-7 Weth	yl methacrylate homopolymer (Wetted form)
STOT-Repeate	

Page 5/8



Print Date 11/12/2015

Trade Name: CA7501

Revision Date 11/12/2015

(Contd. of page 5)

### · Aspiration Hazard

9011-14-7 Methyl methacrylate homopolymer (Wetted form) Aspiration Hazard (No data available)

· Potential Health Effect(s): No relevant information; classification is not possible.

## **12 Ecological information**

· Aquatic Environmental Toxicity			
9011-14-7 Methyl methacrylate homopolymer (Wetted form)			
Algae Toxicity (No data available)			
Crustacean Toxicity (No data available)			
Fish Toxicity (No data available)			
• Aquatic Environmental Toxicity Assessment: No further relevant information; classification is not possible.			
· Degradability and Stability			
9011-14-7 Methyl methacrylate homopolymer (Wetted form)			
Biodegradation (No data available) Based on the persistent properties, the substance is expected to be non-biodegradable.			
Persistence (Test species: n/a) The substance is persistent. Reference: Canada DSL (2007).			
Photodegradation (No data available)			
Stability in water (No data available)			
· Bioaccumulation and Distribution			
9011-14-7 Methyl methacrylate homopolymer (Wetted form)			
LogPow (No data available) BCF (No data available) The substance is not bioaccumulative. Reference: Canada DSL (2007).			
Koc (No data available)			
<ul> <li>Degradability and Bioaccumulation Assessment: Non-rapidly degradable, and low bioaccumulative.</li> </ul>			

### 13 Disposal considerations

Hazardous Waste List
 Description: It may be necessary to contain and dispose of the substance/mixture as a hazardous waste.

• Waste Treatment Recommendation: Generation of waste should be avoided or minimized wherever possible. Chemical waste, even small quantities, is neither allowed to be poured down drains, sewage system or waterways; nor disposed with household garbage. Dispose of contents/containers in accordance with local, regional, national, and international regulations.

Unused and Uncontaminated Packagings Recommendation Dispose of according to your local waste regulations.

14 Transport information		
UN-Number DOT, ADR, ADN, IMDG	Not regulated for transport; not applicable.	
·IATÁ	UN3334	
UN Proper Shipping Name DOT, ADR, IMDG, IATA	- Aviation Regulated Liquid, N.O.S. (Cyanoacrylate Ester)	
<ul> <li>Transport hazard class(es)</li> </ul>	Not regulated for transport; not applicable.	
· DOT, ADR, ADN, IMDG · Class · IATA	-	
· Class · Label	9 Miscellaneous dangerous substances and articles 9	
· Packing group	Not regulated for transport; not applicable.	
· DOT, ADR, IMDG · IATA	-	
· Environmental Hazards:	Not applicable.	
	(Contd. on page 7)	

Page 6/8



Print Date 11/12/2015

# Safety Data Sheet acc. to OSHA HCS

Page 7/8

Revision Date 11/12/2015

	(Contd. of page
Special Precautions:	Not applicable.
Transport in Bulk according to Annex II of MARPOL73/78 at IBC Code	nd the Not applicable.
Transport/Additional Information:	
· IATA · Remarks:	Primary packs containing less than 500ml are unregulated this mode of transport and may be shipped unrestricted.
UN "Model Regulation":	UN3334 Aviation Regulated Liquid, N.O.S., (Cyanoacrylate Ester),9,
<b>Regulatory information</b> USA Regulation Lists · SARA (Superfund Amendments and Reauthorization	n Act of 1096)

None of the ingredients is listed. · Hazard Abbreviations for SARA 311/312 A - Acute Health Hazard C - Chronic Health Hazard F - Fire Hazard R - Reactive Hazard S - Sudden Release of Pressure Hazard · TSCA (Toxic Substances Control Act)

None of the ingredients is listed.

· Section 313 (Toxics Release Inventory (TRI) reporting)

Section 311/312 (Hazardous Chemical Inventory Reporting)

All ingredients are listed.	
· Proposition 65	
Chemicals Known to Cause Cancer	
None of the ingredients is listed.	
Chemicals Known to Cause Reproductive Toxicity for Females	
None of the ingredients is listed.	
<ul> <li>Chemicals Known to Cause Reproductive Toxicity for Males</li> </ul>	
None of the ingredients is listed.	
<ul> <li>Chemicals Known to Cause Developmental Toxicity</li> </ul>	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
<ul> <li>IARC (International Agency for Research on Cancer)</li> </ul>	
9011-14-7 Methyl methacrylate homopolymer (Wetted form)	
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
<ul> <li>TLV (Threshold Limit Value Established by ACGIH)</li> </ul>	
None of the ingredients is listed.	
<ul> <li>NIOSH-Ca (National Institute for Occupational Safety and Health)</li> </ul>	
None of the ingredients is listed.	
· International Regulation Lists	
Canadian Domestic Substance Listings:	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
<ul> <li>Chinese Chemical Inventory of Existing Chemical Substances:</li> </ul>	
All ingredients are listed.	
<ul> <li>Japanese Existing and New Chemical Substance List:</li> </ul>	
All ingredients are listed.	
<ul> <li>Korean Existing Chemical Inventory:</li> </ul>	
9011-14-7 Methyl methacrylate homopolymer (Wetted form)	
· European Pre-registered substances:	
All ingredients are listed.	
	(Contd. on page



Revision Date 11/12/2015

Print Date 11/12/2015

#### Trade Name: CA7501

(Contd. of page 7)

REACh - Substances of Very High Concern (SVHC) List:

None of the ingredients is listed.

· Restriction of Hazardous Substances Directive (RoHS) list:

None of the ingredients is listed.

#### 16 Other information

This information is based on our present knowledge, However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Department Issuing (MJSDS: Product Safety Department
Contact: misds @resinab.com

 Abbeviations and acronyms:
 Across and across and benerical Carcinogenesis Across and Benerical Society)
 CCRIS: US NUM TOXNET Chemical Carcinogenesis Across and Benerical Classification System
 HMIS: US Nut TOXNET Hazardous Substances and New Organisms Chemical Classification Information Database
 IARC: International Agency for Research on Cancer developed by United Nations World Health Organisation (WHO)
 IATA-DGR: Dangerous Goods Regulations (IGRIB) by the International Arles for International Carriage of Dangerous Goods by SEA
 under the Recommendations on the Transport of Dangerous Goods by United Nations (RTDG)
 KCP artition coefficient, soil Organic Carbon to vater
 LCSO/LDSO: Lehal Concentration