

## Safety Data Sheet acc. to OSHA HCS

Print Date 10/06/2015

Revision Date 10/06/2015

- **Product Identifier**
  - **Trade Name:** CA7005
  - **Application of the Substance or Mixture:** Cyanoacrylate Adhesive
- **Details of the Supplier of the Safety Data Sheet (SDS)**
  - **Manufacturer or Supplier:**  
Resinlab, LLC  
N109 W13300 Ellsworth Drive,  
Germantown, WI 53022  
1-800-388-8605  
www.resinlab.com
  - **Information Department:** Product Safety Department: msds@resinlab.com
  - **Emergency Telephone Number:**  
North America - Chemtrec: 1-800-424-9300 (24 hours)  
International - Chemtrec: 01-703-527-3887 (24 hours)

### 2 Hazard(s) identification

- **Hazard Classification**  
Flam. Liq. 4 H227 Combustible liquid.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
STOT SE 3 H335 May cause respiratory irritation.
- **Label Elements**
  - **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
  - **Pictogram(s)**



GHS07

- **Signal Word** Warning
- **Hazard-determining Component(s)**  
Ethyl 2-cyanoacrylate
- **Hazard statements**  
Combustible liquid.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause respiratory irritation.
- **Precautionary statements**  
Keep away from flames and hot surfaces. – No smoking.  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wear protective gloves / eye protection / face protection.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Specific treatment (see on this label).  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Call a poison center/doctor if you feel unwell.  
Store locked up.  
Store in a well-ventilated place. Keep container tightly closed.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Hazard Rating System**
  - **NFPA System**
  - **NFPA Ratings (scale 0 - 4)**



Health = 2  
Fire = 2  
Reactivity = 0

NFPA special hazards (water reactivity and oxidizing property): None

- **HMIS System**
  - **HMIS Ratings (scale 0 - 4)**



Health = 2  
Fire = 2  
Reactivity = 0

- **Other hazards**
  - **Results of PBT and vPvB assessment**
    - **PBT:** Not applicable.
    - **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical Characterization: Mixtures**
  - **Composition/Information on Ingredients**

(Contd. on page 2)

## Safety Data Sheet

### acc. to OSHA HCS

Print Date 10/06/2015

Revision Date 10/06/2015

Trade Name: CA7005

|   |                       |  |                              |
|---|-----------------------|--|------------------------------|
| CAS: 7085-85-0<br>EINECS: 230-391-5<br>Index Number: 607-236-00-9<br>RTECS: UD3330050 | Ethyl 2-cyanoacrylate | Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335<br>Flam. Liq. 4, H227 | (Contd. of page 1)<br>80-90% |
|---|-----------------------|--|------------------------------|

- **Classification System:**

The Classifications were based on the Toxicological and Ecological Data of the substances/mixtures in the Section 11 and 12.

- **Additional Information:**

If the chemical name/CAS number is proprietary and or weight percentage is listed as a range, the specific chemical identity and or percentage of composition has been withheld as a trade secret.

#### 4 First-aid measures

- **Description of First Aid Measures**

- **General Information**

Ensure medical personnel are aware of exposure and take precautions for their personal protection; see Section 8 for the information of personal protection.

- **After Inhalation**

Remove victim from exposure to fresh air. Keep person at rest. Provide oxygen if person is not breathing. In case of unconsciousness place patient stably in side position for transportation. Seek immediate medical advice.

- **After Skin Contact**

Remove all contaminated clothing and wash before reuse. Wash contaminated skin with water and soap and rinse thoroughly. Do not pull bonded skin apart. Use a blunt object such as a spoon to gently release the bonded skin. Soaking in warm soapy water will aid with the debonding. Seek immediate medical advice.

- **After Eye Contact**

Immediately bathe eyes for 15 minutes under running water. Immediately remove contact lenses if present. Continue rinsing. If eyelashes are bonded use cloth and warm water to release. Keep eye covered until bond releases. Weeping of the eye is normal and will help aid in the debonding process. Seek immediate medical advice.

- **After Swallowing**

If victim is unconscious; never give anything by mouth. If victim is conscious; rinse out mouth and give victim small amounts of water. Seek medical treatment in case of complaints.

- **Information for Doctor**

- **Indication of any Immediate Medical Attention and Special Treatment Needed**

After frequent or high intense exposure, the following medical tests are recommended:  
 eye tests  
 skin tests  
 respiratory system tests  
 Check section 11 Toxicological Information for further relevant information.

- **Additional Information**

For additional information, please consult the corresponding first aid measures in the most current version of Emergency Response Guidebook which is produced by the US Department of Transportation.

#### 5 Fire-fighting measures

- **Extinguishing Media**

- **Suitable Extinguishing Agent(s)**

Use fire fighting measures and extinguishing agents that suit the environment. In case of fire, suitable extinguishing agents are:  
 Alcohol resistant foam.  
 Dry chemical or fire-extinguishing powder.  
 Carbon dioxide (CO<sub>2</sub>).  
 Water spray or water fog.

- **Unsuitable Extinguishing Agent(s)** No relevant information.

- **Firefighting Procedures**

Isolate fire and deny unnecessary entry. Eliminate all ignition sources if safe to do so. Do not extinguish fire unless flow can be stopped. Fight fire remotely due to the risk of explosion. Burning liquids may be moved by flushing with water; protect personnel and minimize property damage.

- **Special Hazards Arising in Fire**

Caution! Combustible liquid. In case of fire, following can be released:  
 Carbon dioxide (CO<sub>2</sub>) and Carbon monoxide (CO)  
 Nitrogen oxides

- **Advice for Firefighters**

If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA fire brigades standard (29 CFR 1910.156).

As with any fire, wear positive-pressure self-contained breathing apparatus and full protective gear that are NIOSH approved.

- **Additional Information** Ensure adequate and functional fire fighting facilities equipped in working area at all times.

US

(Contd. on page 3)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Print Date 10/06/2015

Revision Date 10/06/2015

Trade Name: CA7005

(Contd. of page 2)

**6 Accidental release measures**

**Personal Precautions**

Caution! Combustible liquid; wear fire/flame resistant or retardant clothing during cleaning up.  
Do not breathe gas, vapors, dusts or mists if their inhalable particles occur during use.  
Ensure personnel take precautions for their personal protection during clean up; see Section 8 for the specific requirements.

**Environmental Precautions** No further relevant information.

**Cleaning Up Methods**

Eliminate heat, sparks, open flame and other ignition sources before clean up.  
A vapor suppressing foam should be used to reduce vapors at first.  
All equipment used for clean up must be grounded.  
Don't touch or walk through spilled chemicals unless trained and equipped as stated in the OSHA fire brigades standard (29 CFR 1910.156).  
Ensure adequate ventilation.  
Keep unauthorized personnel away.  
Absorb residues with liquid-binding materials.  
Ventilate and wash area after clean-up is complete.  
Collect spills in suitable and properly labeled containers.  
Do not use solvents unless following safe handling practices and within the recommended exposure guidelines.  
Dispose contaminated chemicals as waste according to Section 13.

**7 Handling and storage**

**Handling**

**Precautions for Safe Handling**

Caution! Combustible liquid; keep away from direct sunlight, heat, sparks, flame and other ignition sources during handling.  
Obtain special instruction before use; do not handle until all safety precautions have been read and understood.  
Do not breathe gas, vapors, dusts or mists if their inhalable particles occur during handling.  
Ensure good ventilation and/or exhaustion at workplace.  
Keep away from incompatible material(s).  
Avoid any release into the environment.  
Keep container tightly closed when not in use if product is volatile so as to generate hazardous atmosphere.  
Observe all the personal protection requirements in Section 8.

**Information about Protection Against Explosions and Fires**

Keep away from heat, sparks, open flame and other ignition sources.  
Protect against electrostatic charges during handling.  
Metal containers involved must be grounded and bonded.  
Use only non-sparking tools and equipment, especially when opening or closing containers of combustible contents.

**Storage**

**Requirements to be Met by Storerooms and Receptacles**

Caution! Combustible liquid; keep away from direct sunlight, heat, sparks, flame and other ignition sources during storage.  
Store in tightly closed containers in a cool, and well-ventilated area.  
Store in a well-ventilated place; provide ventilation for receptacles.  
Keep stored in accordance with local, regional, national, and international regulations.

**Information about Storage in One Common Storage Facility**

Store away from incompatible material(s).  
Store away from foodstuffs.  
Avoid release to the environment.

**Additional Information** No further relevant information.

**8 Exposure controls/personal protection**

**Engineering Measures or Controls**

**Exposure Limit Values that Require Monitoring at the Workplace**

**7085-85-0 Ethyl 2-cyanoacrylate**

TLV | Long-term value: 1 mg/m<sup>3</sup>, 0.2 ppm

**Other Engineering Measures or Controls**

Ventilation rates should be matched to conditions.  
If applicable, use process enclosure(s), local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

**Personal Protective**

**General Protective and Hygienic Measures**

Avoid any contact with eye.  
Do not eat, drink or smoke during work.  
Keep food, drink or feed away from working area.  
Contaminated work clothing is not allowed out of workplace.  
Clean hands and exposed skin thoroughly after work and before breaks.

**Personal Protective Equipment (PPE)**

**Breathing Equipment**

Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended exposure limits.  
Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air supplied respirator.  
Observe OSHA regulations (29CFR 1910.134) for respirator use.

(Contd. on page 4)

## Safety Data Sheet acc. to OSHA HCS

Print Date 10/06/2015

Revision Date 10/06/2015

Trade Name: CA7005

(Contd. of page 3)

### Hand Protection



Protective gloves

Selection of glove material should take into consideration the penetration times, rates of diffusion, and the degradation.

Suggested glove type(s):

Nitrile Gloves

Butyl Rubber Gloves

- **Eye Protection** safety glasses with side shields and or face shield.

- **Body Protection** Chemical resistant apron; cover exposed skin.

### Additional Information

All protective clothing (suits, gloves, footwear, headgear) should be clean, available every day, and put on before work.

The Engineering measures or controls, and PPE recommendations are only guidelines and may not apply to every situation. For additional information, please consult the corresponding requirements under OSHA 29 CFR 1910.94-95, and 29 CFR 1910.132-138.

## 9 Physical and chemical properties

### Information on Basic Physical and Chemical Properties

#### Appearance:

- **Form:** Liquid

- **Color:** Colorless

- **Odor:** Pungent

- **Odor Threshold:** Not determined.

- **PH-Value:** Not determined.

#### Change in Condition:

- **Melting Point:** Not determined.

- **Boiling Point:** Not determined.

- **Flash Point:** 82 °C (180 °F)

- **Decomposition Temperature:** Not determined.

- **Flammability:** Not determined.

- **Explosion:** Not determined.

#### Explosion Limits:

- **Lower:** Not determined.

- **Upper:** Not determined.

- **Vapor Pressure:** Not determined.

- **Vapor Density:** not determined

- **Density at 20 °C (68 °F):** 1.04 g/cm<sup>3</sup> (8.679 lbs/gal)

#### Solubility in or Miscibility with

- **Water:** Not miscible or difficult to mix.

#### Viscosity:

- **Dynamic:** Not determined.

- **Kinematic:** Not determined.

- **Additional Information** No further relevant information.

## 10 Stability and reactivity

- **Physical Hazard(s)** Combustible liquid.

### Hazardous Reactivity and Chemical Stability

May form explosive vapor-air mixtures when heated above the flash point.

May decompose, condense, or self-react under conditions of high temperature and/or pressure; but there is little or no potential for heat generation or explosion, or readily undergo hazardous polymerization in the absence of inhibitors.

### Thermal Decomposition and Conditions to be Avoided

Keep away from incompatible material(s).

Thermally decomposes during fire or high heat; keep away from heat, sparks, open flame and other ignition sources.

- **Possibility of Other Hazardous Reaction(s)** May polymerize in contact with water or moisture.

### Incompatible Material(s)

Amines.

water

Alcohols

soil

Oxidizing agents

Strong bases

### Hazardous Decomposition Product(s)

Thermally decomposes during fire or very high heat. See Section 5 for fire hazards evolved during thermal decomposition.

(Contd. on page 5) US

## Safety Data Sheet

### acc. to OSHA HCS

Print Date 10/06/2015

Revision Date 10/06/2015

Trade Name: CA7005

(Contd. of page 4)

### 11 Toxicological information

#### · Acute Toxicity

##### · Oral

#### 7085-85-0 Ethyl 2-cyanoacrylate

|      |      |  |
|------|------|--|
| Oral | LD50 | > 5000 mg/kg (rat) (OECD TG 401; males; neat substance)<br>One out of six rats died on the fourth day at 5000 mg/kg dose level; the substance was not classified as toxic to rats based on the classification criteria.<br>Reference: ECHA (2012). |
|------|------|--|

· **Potential Health Effect(s):** See acute inhalative effect(s) for further information

##### · Dermal

#### 7085-85-0 Ethyl 2-cyanoacrylate

|        |      |  |
|--------|------|--|
| Dermal | LD50 | > 2000 mg/kg (rabbit) (LD0; OECD TG 402; males; neat substance)<br>No mortality occurred; the substance was therefore considered as non-toxic via dermal application.<br>Reference: ECHA (2012). |
|--------|------|--|

· **Potential Health Effect(s):**  
No further relevant information available; classification is not possible.  
See acute inhalative effect(s) for further information.

##### · Inhalative

#### 7085-85-0 Ethyl 2-cyanoacrylate

|            |          |  |
|------------|----------|--|
| Inhalative | LC50/4 h | > 21.1 mg/l (rat) (LC50/1 hour; vapor)<br>Reference: ACToR (2012). |
|------------|----------|--|

· **Potential Health Effect(s):**  
While not possible to classify the acute inhalative hazard due to missing data, the product may cause the following symptom(s):

##### · Skin Corrosion or Irritation

#### 7085-85-0 Ethyl 2-cyanoacrylate

|                      |  |   |
|----------------------|--|---|
| Corrosion/Irritation |  | irritating (rabbit) (OECD TG 404; 0.5g neat substance; 24hr-exposure)<br>Primary dermal irritation index (PDII): 0.87 (Max. score unknown; Time point: 24+72 hrs; mean score of all treated male rabbits); the substance was considered as irritating (Category 2) to rabbit skin by ECHA.<br>Reference: ECHA (2012). |
|----------------------|--|---|

· **Potential Health Effect(s):**  
Causes skin irritation.  
In contact with skin, may cause:  
redness and pain

##### · Eye Serious Damage or Irritation

#### 7085-85-0 Ethyl 2-cyanoacrylate

|                   |  |   |
|-------------------|--|---|
| Damage/Irritation |  | irritating (rabbit) (OECD TG 405; males; 0.1ml neat substance)<br>Overall irritation score: 29.33, 15.33, and 9.66 (Max. score unknown; Time point: 24hr, 48hr, and 72hr respectively); the substance was classified as irritating (Category 2A) to rabbit eyes by ECHA.<br>Reference: ECHA (2012). |
|-------------------|--|---|

· **Potential Health Effect(s):**  
Causes serious eye irritation.  
In contact with eye, may cause:  
redness and pain

##### · Respiratory or Skin Sensitization

#### 7085-85-0 Ethyl 2-cyanoacrylate

|               |             |                     |
|---------------|-------------|---------------------|
| Sensitization | Skin        | (No data available) |
|               | Respiratory | (No data available) |

· **Potential Health Effect(s):** No relevant information for respiratory sensitization; classification is not possible.

##### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

##### · Germ Cell Mutagenicity

#### 7085-85-0 Ethyl 2-cyanoacrylate

|              |  |  |
|--------------|--|--|
| Mutagenicity |  | negative (Test species listed below)<br>In Vitro (Mammalian chromosome aberration test; OECD TG 473; Human lymphoblastoid cells (TK6)) - negative with and without metabolic activation<br>In Vitro (Mammalian cell gene mutation assay; OECD TG 476; Mouse lymphoma L5178Y cells) - negative with and without metabolic activation<br>Reference: ECHA (2012). |
|--------------|--|--|

· **Potential Health Effect(s):** No further relevant information; classification is not possible.

##### · Carcinogenicity

#### 7085-85-0 Ethyl 2-cyanoacrylate

|                 |  |  |
|-----------------|--|--|
| Carcinogenicity |  | negative (Test species: n/a)<br>Not listed as a carcinogen according to ACGIH, IARC, NTP, or OSHA. |
|-----------------|--|--|

· **Potential Health Effect(s):** Not a known Carcinogen.

##### · Reproductive Toxicity

#### 7085-85-0 Ethyl 2-cyanoacrylate

|                    |                     |
|--------------------|---------------------|
| Reproductive Toxi. | (No data available) |
|--------------------|---------------------|

· **Potential Health Effect(s):** No further relevant information; classification is not possible.

##### · Specific Target Organ Toxicity - Single Exposure

#### 7085-85-0 Ethyl 2-cyanoacrylate

(Contd. on page 6)



**Safety Data Sheet**  
acc. to OSHA HCS

Print Date 10/06/2015

Revision Date 10/06/2015

Trade Name: CA7005

(Contd. of page 5)

STOT-Single (Human)  
There were respiratory irritation results reported in human victims that caused by the substance. The substance was classified as a Category 3 respiratory irritant from the view point of safety.  
Reference: GHS-J (2006).

· **Potential Health Effect(s):** May cause respiratory irritation.

· **Specific Target Organ Toxicity - Repeated Exposure**

7085-85-0 Ethyl 2-cyanoacrylate

STOT-Repeated (No data available)

· **Potential Health Effect(s):** No further relevant information; classification is not possible.

· **Aspiration Hazard**

7085-85-0 Ethyl 2-cyanoacrylate

Aspiration Hazard (No data available)

· **Potential Health Effect(s):** No relevant information; classification is not possible.

**12 Ecological information**

· **Aquatic Environmental Toxicity**

7085-85-0 Ethyl 2-cyanoacrylate

Algae Toxicity (No data available)

Crustacean Toxicity (No data available)

Fish Toxicity (No data available)

· **Aquatic Environmental Toxicity Assessment:** No further relevant information; classification is not possible.

· **Degradability and Stability**

7085-85-0 Ethyl 2-cyanoacrylate

Biodegradation (No data available)

Based on the persistent properties, the substance is expected to be non-biodegradable.

Persistence (Test species: n/a)

The substance is persistent.

Reference: Canada DSL (2007).

Photodegradation (No data available)

Stability in water unstable (Test species: n/a)

The substance readily polymerizes in the presence of moisture.

Reference: ACToR (2012).

· **Bioaccumulation and Distribution**

7085-85-0 Ethyl 2-cyanoacrylate

BCF (No data available)

The substance is not bioaccumulative.

Reference: Canada DSL (2007).

Koc (No data available)

LogPow (Not applicable)

The partition coefficient for the substance can't be determined due to its ready polymerization in the presence of moisture.

Reference: ACToR (2012).

· **Degradability and Bioaccumulation Assessment:** Non-rapidly degradable, and low bioaccumulative.

**13 Disposal considerations**

· **Hazardous Waste List**

· **Description:** It may be necessary to contain and dispose of the substance/mixture as a hazardous waste.

· **Waste Treatment Recommendation:**

Generation of waste should be avoided or minimized wherever possible.

Chemical waste, even small quantities, is neither allowed to be poured down drains, sewage system or waterways; nor disposed with household garbage.

Dispose of contents/containers in accordance with local, regional, national, and international regulations.

· **Unused and Uncontaminated Packagings**

· **Recommendation** Dispose of according to your local waste regulations.

**14 Transport information**

· **UN-Number**

· DOT, ADR, IMDG

· IATA

UN3334

· **UN Proper Shipping Name**

Aviation Regulated Liquid, n.o.s. (Cyanoacrylate ester)

· DOT, ADR, IMDG, IATA

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Print Date 10/06/2015

Revision Date 10/06/2015

Trade Name: CA7005

(Contd. of page 6)

· **Transport hazard class(es)**

· DOT, ADR, IMDG

· Class

· IATA



· Class

· Label

9 Miscellaneous dangerous substances and articles  
9

· **Packing group**

· DOT, ADR, IMDG

· IATA

-

III

· **Environmental Hazards:**

Not applicable.

· **Special Precautions:**

Not applicable.

· **Transport in Bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional Information:**

· IATA

· Remarks:

Primary packs containing less than 500ml are unregulated by this mode of transport and may be shipped unrestricted.

· **UN "Model Regulation":**

-

**15 Regulatory information**

· **USA Regulation Lists**

· **SARA (Superfund Amendments and Reauthorization Act of 1986)**

· **Section 302 (Extremely Hazardous Substances)**

None of the ingredients is listed.

· **Section 313 (Toxics Release Inventory (TRI) reporting)**

None of the ingredients is listed.

· **Section 311/312 (Hazardous Chemical Inventory Reporting)**

None of the ingredients is listed.

· **Hazard Abbreviations for SARA 311/312**

A - Acute Health Hazard

C - Chronic Health Hazard

F - Fire Hazard

R - Reactive Hazard

S - Sudden Release of Pressure Hazard

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65**

· **Chemicals Known to Cause Cancer**

None of the ingredients is listed.

· **Chemicals Known to Cause Reproductive Toxicity for Females**

None of the ingredients is listed.

· **Chemicals Known to Cause Reproductive Toxicity for Males**

None of the ingredients is listed.

· **Chemicals Known to Cause Developmental Toxicity**

None of the ingredients is listed.

· **Carcinogenic Categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value Established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **International Regulation Lists**

· **Canadian Domestic Substance Listings:**

All ingredients are listed.

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Print Date 10/06/2015

Revision Date 10/06/2015

Trade Name: CA7005

(Contd. of page 7)

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients is listed.

· **Chinese Chemical Inventory of Existing Chemical Substances:**

All ingredients are listed.

· **Japanese Existing and New Chemical Substance List:**

All ingredients are listed.

· **Korean Existing Chemical Inventory:**

All ingredients are listed.

· **European Pre-registered substances:**

All ingredients are listed.

· **REACH - Substances of Very High Concern (SVHC) List:**

None of the ingredients is listed.

· **Restriction of Hazardous Substances Directive (RoHS) list:**

None of the ingredients is listed.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department Issuing (M)SDS:** Product Safety Department
- **Contact:** msds@resinlab.com

· **Abbreviations and acronyms:**

- ACGIH: American Conference of Governmental Industrial Hygienists
- ACToR: US EPA Aggregated Computational Toxicology Resource
- ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road
- BCF: Bioconcentration Factor
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- CCRIS: US NLM TOXNET Chemical Carcinogenesis Research Information System
- CHRIP: Japan NITE Information on Biodegradation and Bioconcentration of the Existing Chemical Substances in the Chemical Risk Information Platform
- DOT: US Department of Transportation
- DSL: Canada Domestic Substance List
- ESIS: European Chemical Substances Information System
- HMIS: US National Paint & Coatings Association (NPCA) Hazardous Materials Identification System
- HSDB: US NLM TOXNET Hazardous Substances Databank
- HSNO CCID: New Zealand Hazardous Substances and New Organisms Chemical Classification Information Database
- IARC: International Agency for Research on Cancer developed by United Nations World Health Organisation (WHO)
- IATA-DGR: Dangerous Goods Regulations (DGR) by the International Air Transport Association (IATA)
- ICAO-TI: Technical Instructions (TI) by the International Civil Aviation Organization (ICAO)
- ICSC: International Chemical Safety Cards
- IMDG: International Maritime Dangerous Goods; the principal international rules for International Carriage of Dangerous Goods by SEA under the Recommendations on the Transport of Dangerous Goods by United Nations (RTDG)
- Koc: Partition coefficient, soil Organic Carbon to water
- LC50/LD50: Lethal Concentration/Dose, 50 percent
- N/a: Not available or Not applicable
- NFPA: US National Fire Protection Association
- NIOSH: US National Institute of Occupational Safety and Health
- NITE: National Institute of Technology and Evaluation, Japan
- OECD: Organisation for Economic Co-operation and Development
- OSHA: US Occupational Safety and Health Administration
- P: Marine Pollutant
- RCRA: Resource Conservation and Recovery Act (USA)
- REACH: EU Registry, Evaluation and Authorisation of Chemicals
- RID: the Regulations Concerning the International Carriage of Dangerous Goods by Rail; published by the Central Office for International Carriage by Rail (OTIF)
- RTDG: the Recommendations on the Transport of Dangerous Goods by United Nations (UN)
- RTECS: US Registry of Toxic Effects of Chemical Substances
- SARA: US Superfund Amendments and Reauthorization Act
- SIDS: OECD existing chemicals Screening Information Data Sets
- SVHC: EU ECHA Substance of Very High Concern
- TEEL: Temporary Emergency Exposure Limit developed by US Subcommittee on Consequence Assessment and Protective Actions (SCAPA) of US Department of Energy (DOE)
- TOXLINE: US NLM bibliographic database search system
- TSCA: US Toxic Substance Control Act

- **Date of preparation / last revision** 10/06/2015 / 6