

In accordance with OSHA 29 CFR 1910.1200

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3

Revision date 11-Apr-2022 Supersedes Date: 23-Apr-2020

1. Identification

1.1. Product identifier

Product Name NEVER-SEEZ HIGH TEMP STAINLESS

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use lubricant

Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone Chemtrec (Transport/Environmental): 1-800-424-9300

1-703-527-3887 (Outside U.S.)

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin sensitization	Category 1
Carcinogenicity	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Warning

Hazard statements

May cause an allergic skin reaction Suspected of causing cancer

US - EN Page 1/12

Revision date 11-Apr-2022

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020



Appearance Paste Physical state Solid Odor Petroleum

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

52 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Graphite	7782-42-5	10 - 30
Zinc oxide	1314-13-2	1 - <5
Aluminum	7429-90-5	1 - <5
Chromium	7440-47-3	1 - <5
Nickel	7440-02-0	0.1 - <1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

US - EN Page 2/12

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Do not rub affected area. If eye irritation persists:

Revision date 11-Apr-2022

Get medical advice/attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. May cause an allergic skin

reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician or poison control

center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. May cause sensitization by skin contact.

Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam. Use extinguishing measures that are

appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous combustion products Carbon dioxide (CO2). Zinc oxide.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

US - EN Page 3/12

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Keep people away from and upwind of

spill/leak. Ensure adequate ventilation. Stop leak if you can do it without risk. Avoid contact

Revision date 11-Apr-2022

with skin, eyes or clothing. Wash thoroughly after handling.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upUse personal protective equipment as required. Soak up with inert absorbent material (e.g.

sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash before

reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure LimitsThis product contains substances which in their raw state are powder form, however in this

product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

occur from exposure to this product.

US - EN Page 4/12

NEVER-SEEZ HIGH TEMP STAINLESS Revision Number 3

Revision date 11-Apr-2022 Supersedes Date: 23-Apr-2020

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Graphite	TWA: 2 mg/m ³ respirable	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m ³
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m ³ natural
	except graphite fibers	TWA: 5 mg/m³ respirable	respirable dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m ³	
		respirable dust natural	
		(vacated) TWA: 10 mg/m³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	
Zinc oxide	STEL: 10 mg/m³ respirable	TWA: 5 mg/m ³ fume	IDLH: 500 mg/m ³
1314-13-2	particulate matter	TWA: 15 mg/m³ total dust	Ceiling: 15 mg/m ³ dust
	TWA: 2 mg/m³ respirable	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ dust and fume
	particulate matter	fraction	STEL: 10 mg/m³ fume
		(vacated) TWA: 5 mg/m³ fume	
		(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		(vacated) STEL: 10 mg/m ³	
		fume	
Aluminum	TWA: 1 mg/m³ respirable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
7429-90-5	particulate matter	TWA: 5 mg/m³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	TWA: 5 mg/m³ Al
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		(vacated) TWA: 5 mg/m³ Al Aluminum	
Chromium	TWA: 0.5 mg/m³ inhelable		IDI H: 250 mg/m³
7440-47-3	TWA: 0.5 mg/m³ inhalable particulate matter	TWA: 1 mg/m ³	IDLH: 250 mg/m ³
Nickel	TWA: 1.5 mg/m ³ inhalable	(vacated) TWA: 1 mg/m ³ TWA: 1 mg/m ³	TWA: 0.5 mg/m ³ IDLH: 10 mg/m ³
		j –	ı
7440-02-0	particulate matter	(vacated) TWA: 1 mg/m ³	TWA: 0.015 mg/m ³

Chemical name	Argentina	Brazil	Chile	Colombia
Graphite 7782-42-5	TWA: 2 mg/m ³	TWA: 2 mg/m ³	LPP: 1.75 mg/m ³	TWA: 2mg/m ³
Zinc oxide 1314-13-2	TWA: 5 mg/m ³ TWA: 10 mg/m ³ STEL: 10 mg/m ³	TWA: 2 mg/m³ STEL: 10 mg/m³ respirable particulate matter	LPP: 4.4 mg/m ³ LPT: 10 mg/m ³	STEL: 10mg/m³ TWA: 2mg/m³
Aluminum 7429-90-5	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 1 mg/m ³	LPP: 8.75 mg/m ³ LPP: 4.5 mg/m ³ LPP: 4.4 mg/m ³	TWA: 1mg/m ³
Chromium 7440-47-3	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	LPP: 0.44 mg/m ³	TWA: 0.5mg/m ³
Nickel 7440-02-0	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	LPP: 0.88 mg/m ³	TWA: 1.5mg/m ³

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Graphite	TWA: 2mg/m ³	TWA: 2mg/m ³	2 mg/m3 TWA (all forms	TWA: 2 mg/m ³
7782-42-5			except graphite fibers,	

US - EN Page 5/12

Revision date 11-Apr-2022

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
			respirable particulate matter)	
Zinc oxide 1314-13-2	TWA: 2mg/m³ STEL: 10mg/m³	STEL: 10mg/m ³ TWA: 2mg/m ³ TWA: 10mg/m ³	10 mg/m³ STEL (respirable particulate matter) 2 mg/m³ TWA (respirable particulate matter)	STEL: 10 mg/m ³ TWA: 2 mg/m ³ TWA: 10 mg/m ³
Aluminum 7429-90-5	TWA: 1mg/m ³	TWA: 10mg/m ³ TWA: 5mg/m ³	1 mg/m³ TWA (respirable particulate matter)	TWA: 10 mg/m ³
Chromium 7440-47-3	TWA: 0.5mg/m ³	-	0.5 mg/m³ TWA (inhalable particulate matter)	TWA: 0.5 mg/m ³
Nickel 7440-02-0	TWA: 1.5mg/m ³	TWA: 1.5mg/m ³	1.5 mg/m³ TWA (inhalable particulate matter)	TWA: 1.5 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Skin and body protection Wear suitable protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of

equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

US - EN Page 6/12

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020

Appearance Paste
Color Gray
Odor Petroleum

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH . Not applicable Insoluble in water

pH (as aqueous solution)No data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flash point > 150 °C / 302 °F

Evaporation rateNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure None known No data available Relative vapor density None known Relative density No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

9.2. Other information

Explosive properties

Oxidizing properties

No information available

Liquid Density 1.19 g/cm³

Bulk density No information available

No information available

Revision date 11-Apr-2022

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Extremes of temperature and direct sunlight.

US - EN Page 7/12

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Specific test data for the substance or mixture is not available. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons. May cause sensitization by

Revision date 11-Apr-2022

skin contact. Repeated exposure may cause skin dryness or cracking. (based on

components).

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Graphite	-	-	>2000 mg/m³ (Rattus) 4 h
7782-42-5			(tattas)
Zinc oxide 1314-13-2	>5000 mg/kg (Rattus)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	LC50 (4h) >5.7 mg/l
Aluminum 7429-90-5	LD50 >10,000 mg/Kg (Rattus)(OECD 401)	-	> 0.888 mg/L (Rat)4 h
Chromium 7440-47-3	>5000 mg/Kg (Rattus)	-	LC50 4h >5.41 mg/L (Rattus)
Nickel 7440-02-0	>9000 mg/kg (Rattus)	-	>10.2 mg/L (Rattus) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

US - EN Page 8/12

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020

Revision date 11-Apr-2022

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Chromium	-	Group 3	-	-
7440-47-3		·		
Nickel	-	Group 2B	Reasonably Anticipated	X
7440-02-0		•		

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Target organ effects Respiratory system, Eyes, Skin, Central Vascular System (CVS).

Aspiration hazardBased on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Graphite	-	LC50: >100mg/L (96h,	-	-
7782-42-5		Danio rerio)		
Zinc oxide	LC 50 (72Hr) 0.136 mg/L	LC50 (96h) =0.7 mg/L	-	LC 50 (48Hr) =0.5 mg/l
1314-13-2		(Danio rerio)		(Ceriodaphnia dubia)
Nickel	EC50: =1.84 - 1.96 mg/L	LC50 96 h = 1.3 mg/L	-	EC50: =1mg/L (48h,
7440-02-0	(72h,Spirodela polyrhiza)	(Cyprus carpio)		Daphnia magna)

US - EN Page 9/12

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020

No information available. Persistence and degradability

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

No information available. Mobility

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

Revision date 11-Apr-2022

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to Note:

shipments made in non-bulk packages (see regulatory definition) The information shown here, may not always agree with the bill of lading shipping description for the material 49 CFR 171.4(c) "Exceptions. Except when all or part of the transportation is by vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk

packagings transported by motor vehicle, rail car or aircraft."

DOT

UN number or ID number UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Transport hazard class(es)

Packing Group Ш Reportable quantity - Ibs

Nickel: RQ (lb)= 100.00 Reportable Quantity (RQ) (Nickel: RQ (kg)= 45.40)

Special Provisions 146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33, 8

Marine Pollutant

DOT Marine Pollutant Name Zinc oxide, Manganese

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc oxide, Manganese), 9,

III, Marine Pollutant

Emergency Response Guide

Number

171

IATA

UN3077 **UN** number or ID number

UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

Transport hazard class(es) q **Packing group** Ш

US - EN Page 10/12

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020

Special Provisions A97, A158, A179, A197, A215

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc oxide, Manganese), 9,

Revision date 11-Apr-2022

Ш

IMDG

UN number or ID number UN3077

UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

Transport hazard class(es) 9
Packing group III
EmS-No F-A, S-F

Special Provisions 274, 335, 966, 967, 969

Marine pollutant P

IMDG Marine Pollutant Name Zinc oxide, Manganese

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc oxide, Manganese), 9,

III, Marine Pollutant

15. Regulatory information

International Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	CAS No	SARA 313 - Threshold Values %
Zinc oxide	1314-13-2	1.0
Aluminum	7429-90-5	1.0
Chromium	7440-47-3	1.0
Nickel	7440-02-0	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation. This document is based on the information given to us by our own suppliers at the date of this document.

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

US - EN Page 11/12

Revision date 11-Apr-2022

NEVER-SEEZ HIGH TEMP STAINLESS

Revision Number 3 Supersedes Date: 23-Apr-2020

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Prepared By Product Safety & Regulatory Affairs.

Revision date 11-Apr-2022

Revision Note SDS sections updated. 1. 2. 3. 4. 5. 6. 7. 8. 9. 11. 12. 14. 15.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

US - EN Page 12/12