

THRMLT865-P42P TMELT 865 nat. Bg20KG/P50

Revision Date 20-Mar-2017 Supersedes Date: 24-Feb-2011

Version 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name TMELT 865 nat. Bg20KG/P50

Product Code THRMLT865-P42P

Product(s) CoveredSee section 16 for more information

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Hot-melt adhesives.
Uses Advised Against No information available

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 E-mail msds@bostik-us.com

1.4. Emergency Telephone Number

Emergency Telephone Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

EMERGENCY OVERVIEW

Contact with solid material may cause irritation Contact with molten material will cause thermal burns

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Granules Physical State Solid Odor Odorless

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

THRMLT865-P42P Revision Date 20-Mar-2017
TMELT 865 nat. Bg20KG/P50 Supersedes Date: 24-Feb-2011

Version 2

Not applicable

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

Not applicable

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown Toxicity

1% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash skin with soap and water. In case of burns, immediately cool affected skin for as long

as possible with cold water. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Consult a physician if necessary.

Inhalation Remove to fresh air.

Ingestion Seek medical advice immediately. Do not induce vomiting without medical advice.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to Other Sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

THRMLT865-P42P Revision Date 20-Mar-2017
TMELT 865 nat. Bq20KG/P50 Supersedes Date: 24-Feb-2011

Version 2

5.1. Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame).

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas.

6.2. Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up Take up mechanically, placing in appropriate containers for disposal. Clean contaminated

surface thoroughly. Solid: . Cover with plastic sheet to prevent spreading. Avoid creating

dust. **Molten** . Where possible allow molten material to solidify naturally.

6.4. Reference to other sections

Reference to Other Sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling Ensure adequate ventilation, especially in confined areas. This material can accumulate

static charge by flow or agitation and can be ignited by static discharge. Avoid dusting when handling and avoid all possible sources of ignition (spark or flame). Avoid contact with skin,

eyes or clothing.

THRMLT865-P42P Revision Date 20-Mar-2017
TMELT 865 nat. Bq20KG/P50 Supersedes Date: 24-Feb-2011

Version 2

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Incompatible with oxidizing agents. Strong acids and bases.

7.3. Specific End Use(s)

Other Information Since empty containers retain product residue, follow label warnings even after container is

emptied. Keep product and empty container away from heat and sources of ignition. Do not

reuse container.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

8.2. Exposure Controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Eye/Face Protection Solid: . Wear safety glasses with side shields (or goggles). Molten . Wear chemical

splash goggles and face shield when eye and face contact is possible due to splashing or

spraying of material.

Skin and Body Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State Solid
Appearance Granules
Color Amber
Odor Odorless
Odor Threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting Point/Freezing Point No information available

THRMLT865-P42P Revision Date 20-Mar-2017
TMELT 865 nat. Bg20KG/P50 Supersedes Date: 24-Feb-2011

Version 2

Boiling Point> 250 °C / 482 °FFlash Point> 200 °C / > 392 °FEvaporation RateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor Pressure
Vapor Density
Relative Density
Water Solubility

No information available
No information available
No information available
No information available
Insoluble in water

Solubility in Other Solvents

Partition CoefficientNo information availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information availableKinematic ViscosityNo information available

Dynamic Viscosity 2.5 - 3.5 Pa.s @ 210 °C

Explosive Properties No information available Oxidizing Properties No information available

9.2. Other Information

Softening Point 149 - 165 °C

Molecular Weight No information available Solvent Content (%) No information available

Solid Content (%) 100

Density 1.000 g/cm³

VOC No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical Stability

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Do not add water or other volatile material to molten adhesive. Take precautionary measures against static discharges.

10.5. Incompatible Materials

Incompatible with oxidizing agents. Strong acids and bases.

10.6. Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

THRMLT865-P42P Revision Date 20-Mar-2017
TMELT 865 nat. Bg20KG/P50 Supersedes Date: 24-Feb-2011

Version 2

11.1. Information on Toxicological Effects

Product InformationNo Data AvailableInhalationNo Data AvailableEye contactNo Data AvailableSkin ContactNo Data AvailableIngestionNo Data Available

Component Information

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

No information available. Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. No information available. Irritation No information available. Corrosivity Sensitization No information available. **Germ Cell Mutagenicity** No information available. No information available. **Reproductive Toxicity Developmental Toxicity** No information available. **Teratogenicity** No information available. STOT - Single Exposure No information available. STOT - Repeated Exposure No information available. No information available. **Chronic Toxicity Target Organ Effects** No information available. No information available. **Aspiration Hazard**

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by ACGIH,

OSHA, IARC or NTP at or above 0.1 wt%.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No information available

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

THRMLT865-P42P

Revision Date 20-Mar-2017 TMELT 865 nat. Bg20KG/P50 Supersedes Date: 24-Feb-2011

Version 2

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORTATION INFORMATION

Not regulated DOT Not regulated <u>IATA</u> IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

| TSCA | Listed |
|------|------------|
| DSL | Not Listed |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

Non-controlled

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard No **Chronic Health Hazard** No Fire Hazard No Sudden release of pressure hazard No **Reactive Hazard** No

California Proposition 65

This product does not contain one or more substances listed on Proposition 65 at or above 0.01 wt. %.

THRMLT865-P42P
TMELT 865 nat. Bg20KG/P50

Revision Date 20-Mar-2017 Supersedes Date: 24-Feb-2011

Version 2

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Product(s) Covered

Health Hazards 1 Flammability 1 Physical Hazards 0 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 20-Mar-2017

Revision Note Not applicable.

Training Advice No information available

Additional information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet