

# Revision Number: 006.0

1. IDENTIFICATION			
Product name:	LOCTITE 415 INSTANT ADHESIVE known as 415 Super Bonder® Instant Adhe	IDH number:	135449
Product type/ Recommended use:	Adhesive	Item number:	41550
Restriction of Use: Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticu	None identified t 06067	1-877-671-4608 (toll fre TRANSPORT EMERGE 1-800-424-9300 (toll fre MEDICAL EMERGENC 1-877-671-4608 (toll fre	Y Phone: Poison Control Center e) or 1-303-592-1711 ENCY Phone: CHEMTREC e) or 1-703-527-3887 Y Phone: Poison Control Center e) or 1-303-592-1711 ENCY Phone: CHEMTREC e) or 1-703-527-3887

# 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW		
DANGER:	BONDS SKIN IN SECONDS.	
	H227 COMBUSTIBLE LIQUID.	
	H302 HARMFUL IF SWALLOWED.	
	H320 CAUSES EYE IRRITATION.	
	H335 MAY CAUSE RESPIRATORY IRRITATION.	
	H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD.	

HAZARD CLASS	HAZARD CATEGORY
FLAMMABLE LIQUID	4
ACUTE TOXICITY ORAL	4
EYE IRRITATION	2B
REPRODUCTIVE TOXICITY	1B
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3

PICTOGRAM(S)

#### **Precautionary Statements**

Prevention: Response:	<ul> <li>P201 - Obtain special instructions before use.</li> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P210 - Keep away from heat, sparks, open flames, hot surfaces - no smoking.</li> <li>P261 - Avoid breathing mist/vapours.</li> <li>P264 - Wash affected area thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective gloves, clothing, eye and face protection.</li> <li>P301+P312+P330 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P304+P340+P312 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308+P313 - IF exposed or concerned: Get medical attention.</li> </ul>
IDH number: 135449	Product name: LOCTITE 415 INSTANT ADHESIVE known as 415 Super Bonder® Instant Adhe Page 1 of 6

	P337+P313 - If eye irritation persists: Get medical attention.
	P370+P378 - In case of fire: Use foam, dry chemical or carbon dioxide to extinguish.
Storage:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P405 - Store locked up.
Disposal:	P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

#### Other hazards Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Weight %*
Methyl-2-cyanoacrylate	137-05-3	80 - 100
Bis(2-hydroxy-3-tert-butyl-5- methylphenyl)methane	119-47-1	0.1 - 1

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

# 4. FIRST AID MEASURES

#### First Aid Measures by likely routes of exposure

Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.	
Skin contact:	Do not pull bonded skin apart. Soak in warm soapy water. Gently peel apart using a blunt instrument. If skin is burned due to the rapid generation of heat by a large drop, seek medical attention. If lips are bonded, apply warm water to the lips and encourage wetting and pressure from saliva in mouth. Peel or roll lips apart. Do not pull lips apart with direct opposing force.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. Get medical attention. If eyelids are bonded closed, release eyelashes with warm water by covering with a wet pad. Do not force eye open. Cyanoacrylate will bond to eye protein and will cause a lachrymatory effect which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3 days. Medical attention should be sought in case solid particles of polymerized cyanoacrylate trapped behind the eyelid caused abrasive damage.	
Ingestion:	Ensure breathing passages are not obstructed. The product will polymerize rapidly and bond to the mouth making it almost impossible to swallow. Saliva will separate any solidified product in several hours. Prevent the patient from swallowing any separated mass.	
Most important symptoms and effects (acute and delayed):	The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.	
Indication of any immediate medical attention / special treatment needed:	Surgery is not necessary to separate accidentally bonded tissues. Experience has shown that bonded tissues are best treated by passive, non-surgical first aid. If rapid curing has caused thermal burns they should be treated symptomatically after adhesive is removed.	
5. FIRE FIGHTING MEASURES		
Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.	
Improper extinguishing agents:	Not available.	
Special firefighting procedures:	Wear a self-contained breathing apparatus with a full face piece operated in pressure-demand or other positive pressure mode.	

Product name: LOCTITE 415 INSTANT ADHESIVE known as 415 Super Bonder® Instant Adhe Page 2 of 6 Unusual fire or explosion hazards:

None

Hazardous combustion products:

Trace amounts of toxic and/or irritating fumes may be released and the use of breathing apparatus is recommended.

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:

Clean-up methods:

Ventilate area. Do not allow product to enter sewer or waterways.

Do not use cloths for mopping up. Flood with water to complete polymerization and scrape off the floor. Cured material can be disposed of as non-hazardous waste. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up.

7. HANDLING AND STORAGE

Handling:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Avoid contact with fabric or paper goods. Contact with these materials may cause rapid polymerization which can generate smoke and strong irritating vapors, and cause thermal burns.

Storage:

Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

For safe storage, store between 0 °C (32°F) and 10 °C (50°F)

Shelf Life Statement: Not available.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Methyl-2-cyanoacrylate	0.2 ppm TWA 1 ppm STEL (Respiratory sensitization) (Dermal sensitization)	None	None	None
Engineering controls:	Use positive down-draft exhaust ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits.			
Respiratory protection:	Use NIOSH apj limit(s).	proved respirator if th	ere is potential to exc	eed exposure
Eye/face protection:			n side shields. Full fac or spraying of produc	
Skin protection:	Use nitrile glove PVC, nylon or		essary to prevent con	tact. Do not use

### 9. PHYSICAL AND CHEMICAL PROPERTIES

> 149 °C (> 300.2 °F)None

Not applicable, Product is a liquid 1.09 at 75 °F (23.89 °C)

Colourless / Colorless to light yellow

Not applicable, Product reacts with water.

Liquid

Irritating

1 - 2 ppm

unknown

3 20 °C

Not available.

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure:

Boiling point/range: Melting point/ range: Density/Relative density: Relative vapor density: Flash point: Flammable/Explosive limits - lower:

IDH number: 135449

Product name: LOCTITE 415 INSTANT ADHESIVE known as 415 Super Bonder® Instant Adhe Page 3 of 6

80 - 93 °C (176°F - 199.4 °F) no method / method unknown

< 0.2 mm hg (20 °C (68°F)) < 700 mbar (50 °C (122°F)) no method / method

Flammable/Explosive limits - upper:	Not available.
Autoignition temperature:	Not determined
Flammability:	The product is not flammable.
Evaporation rate:	Not available.
Solubility: Partition coefficient n-octanol/water (logarithmic value):	Polymerises in presence of water. Water Not available.
VOC content:	< 2 %; < 20 g/l (California SCAQMD Method 316B) (Estimated)
Dynamic viscosity:	Not available.
Kinematic viscosity:	> 20.5 mm2/s
Particle characteristics:	Not applicable, Product is a liquid
Decomposition temperature:	Not available.

# **10. STABILITY AND REACTIVITY**

Stability:	Stable under recommended storage conditions.
Hazardous reactions:	Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.
Hazardous decomposition products:	None
Incompatible materials:	Water, amines, alkalis and alcohols.
Reactivity:	Not available.
Conditions to avoid:	Spontaneous polymerization.
11. TOXICOLOGICAL INFORMATION	

Likely routes of exposure: Skin, Inhalation, Eyes, Ingestion

#### Potential Health Effects/Symptoms

Inhalation:	May cause respiratory tract irritation. Exposure to vapors above the established exposure limit results in respiratory irritation, which may lead to difficulty in breathing and tightness in the chest.
Skin contact:	May cause skin irritation. Bonds skin in seconds. Cyanoacrylates have been reported to cause allergic reaction but due to rapid polymerization at the skin surface, an allergic response is rare. Cyanoacrylates generate heat on solidification. In rare circumstances a large drop will burn the skin. Cured adhesive does not present a health hazard even if bonded to the skin.
Eye contact: Ingestion:	Irritating to eyes. Causes excessive tearing. Eyelids may bond. Not expected to be harmful by ingestion. Rapidly polymerizes (solidifies) and bonds in mouth. It is almost impossible to swallow.

Hazardous Component(s)	LD50s and LC50s
Methyl-2-cyanoacrylate	Oral LD50 (Rat) = 1.6 g/kg
Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane	Oral LD50 (Mouse) = 11,000 mg/kg Oral LD50 (Mouse) = 11,000 mg/kg

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
Methyl-2-cyanoacrylate	Irritant	Allergen	Respiratory
Bis(2-hydroxy-3-tert-butyl-5- methylphenyl)methane	Irritant		

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Methyl-2-cyanoacrylate	No	No	No
Bis(2-hydroxy-3-tert-butyl-5- methylphenyl)methane	No	No	No

# 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

## **13. DISPOSAL CONSIDERATIONS**

#### Information provided is for unused product only.

Recommended method of disposal:

Follow all local, state, federal and provincial regulations for disposal.

### **14. TRANSPORT INFORMATION**

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

U.S. Department of Transportation O Proper shipping name: Hazard class or division: Identification number: Packing group:	Ground (49 CFR) Combustible liquid, n.o.s. (Cyanoacrylate ester) Combustible Liquid NA 1993 III
International Air Transportation (ICA Proper shipping name: Hazard class or division: Identification number: Packing group: Exceptions:	AO/IATA) Aviation regulated liquid, n.o.s. (Cyanoacrylate ester) 9 UN 3334 III Primary packs containing less than 500ml are unregulated by this mode of transport and may be shipped unrestricted.
Water Transportation (IMO/IMDG)	
Proper shipping name: Hazard class or division: Identification number: Packing group:	Not regulated None None None
	5. REGULATORY INFORMATION
United States Regulatory Information TSCA 8 (b) Inventory Status:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.
United States Regulatory Information	All components are listed as active or are exempt from listing on the Toxic Substances
United States Regulatory Information TSCA 8 (b) Inventory Status:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.
United States Regulatory Information TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification: CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. None above reporting de minimis None above reporting de minimis. Please refer to the GHS classification in Section 2
United States Regulatory Information TSCA 8 (b) Inventory Status:         TSCA 12 (b) Export Notification:         CERCLA/SARA Section 302 EHS:         CERCLA/SARA Section 311/312:         CERCLA/SARA Section 313:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. None above reporting de minimis None above reporting de minimis. Please refer to the GHS classification in Section 2 None above reporting de minimis.

### **16. OTHER INFORMATION**

This safety data sheet contains changes from the previous version in sections: Expanded chemical information in Section 2 and related sections.

Prepared by:	Product Safety and Regulatory Affairs
--------------	---------------------------------------

Issue date: 03/27/2025

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.