

## Revision Number: 011.0

1. IDENTIFICATION			
Product name:	LOCTITE AA 3341 PVC BONDER known as Loctite(R) 3341 Light Cure Med	IDH number:	230199
Product type/ Recommended use:	Adhesive	Item number:	23440
Restriction of Use: Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticu	None identified t 06067	1-877-671-4608 (toll TRANSPORT EMER 1-800-424-9300 (toll MEDICAL EMERGE 1-877-671-4608 (toll TRANSPORT EMER	571-5100 ENCY Phone: Poison Control Center I free) or 1-303-592-1711 RGENCY Phone: CHEMTREC I free) or 1-703-527-3887 ENCY Phone: Poison Control Center I free) or 1-303-592-1711 RGENCY Phone: CHEMTREC I free) or 1-703-527-3887

# 2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW
DANGER:	DO NOT SPRAY. DO NOT HEAT.
	H227 - COMBUSTIBLE LIQUID.
	H302+H312 - HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN.
	H315 - CAUSES SKIN IRRITATION.
	H317 - MAY CAUSE AN ALLERGIC SKIN REACTION.
	H318 - CAUSES SERIOUS EYE DAMAGE.
	H360 - MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

HAZARD CLASS	HAZARD CATEGORY	
FLAMMABLE LIQUID	4	
ACUTE TOXICITY ORAL	4	
ACUTE TOXICITY DERMAL	4	
SKIN IRRITATION	2	
SERIOUS EYE DAMAGE	1	
SKIN SENSITIZATION	1	
REPRODUCTIVE TOXICITY	1B	

PICTOGRAM(S)	

#### **Precautionary Statements**

Prevention:	<ul> <li>P201 - Obtain special instructions before use.</li> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P210 - Keep away from heat, sparks, open flames, hot surfaces - no smoking.</li> <li>P261 - Avoid breathing mist/vapours.</li> <li>P264 - Wash affected area thoroughly after handling.</li> </ul>
Response:	<ul> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P280 - Wear protective gloves, clothing, eye and face protection.</li> <li>P301+P312+P330 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P302+P352+P312 - IF ON SKIN: Wash with plenty of soap and water. Call a POISON</li> </ul>
IDH number: 230199	Product name: LOCTITE AA 3341 PVC BONDER known as Loctite(R) 3341 Light Cure Med Page 1 of 7

	CENTER or physician if you feel unwell. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P308+P313 - IF exposed or concerned: Get medical attention.
	P333+P313 - If skin irritation or rash occurs: Get medical attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P370+P378 - In case of fire: Use foam, dry chemical or carbon dioxide to extinguish.
Storage:	P403 - Store in a well-ventilated place.
-	P405 - Store locked up.
Disposal:	P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Other hazards Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPC	SITION / INFORMATION ON IN	IGREDIENTS
dous Component(s)	CAS Number	Weight %*

Hazardous Component(s)	CAS Number	Weight %*	
Urethane acrylate oligomer~		30 - 60	
N,N-Dimethylacrylamide	2680-03-7	10 - 30	
Acrylate ester	2399-48-6	10 - 30	
Urethane acrylate oligomer		10 - 30	
Isobornyl acrylate	5888-33-5	5 - 10	
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	75980-60-8	1 - 5	
Acrylate ester	7328-17-8	1 - 5	
2-Hydroxyethyl acrylate	818-61-1	0.1 - 1	

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

# 4. FIRST AID MEASURES

#### First Aid Measures by likely routes of exposure

Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.			
Skin contact:	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. Wash clothing before reuse. Get medical attention.			
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get immediate medical attention.			
Ingestion:	Do not induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical attention.			
Most important symptoms and effects (acute and delayed):	The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.			
Indication of any immediate medical attention / special treatment needed:				
5. FIRE FIGHTING MEASURES				

Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.
Improper extinguishing agents:	Not available.
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. In case of fire, keep containers cool with water spray.

Product name: LOCTITE AA 3341 PVC BONDER known as Loctite(R) 3341 Light Cure Med Page 2 of 7

Unusual fire or explosion hazards:

Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.

Hazardous combustion products:

Oxides of carbon. Oxides of nitrogen. Irritating organic vapours. Toxic fumes.

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

 Environmental precautions:
 Do not allow product to enter sewer or waterways.

 Clean-up methods:
 Remove all sources of ignition. Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean-up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up as much material as possible. Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up.

### 7. HANDLING AND STORAGE

Handling:

Storage:

Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Do not taste or swallow. Refer to Section 8.

For safe storage, store at or below 26 °C (78.8 °F) Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. Protect from direct sunlight. Maintain head space in storage containers to support oxygen requirements of the inhibitor(s).

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
N,N-Dimethylacrylamide	None	None	None	0.1 mg/m3 TWA (Skin) 0.025 ppm TWA (Skin)
Engineering controls:	Provide adequa exposure limits		tilation to maintain wo	rker exposure below
Respiratory protection:	limit(s). If this m	naterial is handled at	ere is potential to exc elevated temperatures ing controls, a NIOSH	s or under mist
Eye/face protection:	be used if the p		h side shields. Full fac or spraying of produc uld be available.	
Skin protection:	Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact. Neoprene gloves.			

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Densit/Relative density: Liquid Transparent, Light yellow Mild Not available. Not applicable, Product is non-soluble (in water). < 6.67 mbar (20.0 °C (68°F)) > 93.0 °C (> 199.4 °F) Not applicable, Product is a liquid 1.094

IDH number: 230199

Product name: LOCTITE AA 3341 PVC BONDER known as Loctite(R) 3341 Light Cure Med Page 3 of 7

Relative vapor density: Flash point: Flammable/Explosive limits - lowe Flammable/Explosive limits - uppe Autoignition temperature: Flammability: Evaporation rate: Solubility: Partition coefficient n-octanol/wate (logarithmic value): VOC content:	er: Not available. Not available. The product is not flammable. Not available. Slight Water	
Dynamic viscosity: Kinematic viscosity: Particle characteristics: Decomposition temperature:	1.02 %; 11.16 g/l (potential) 4.39 %; 48.03 g/l (total) (ASTM D5403) Not available. 365 - 550 mm2/s Not applicable, Product is a liquid Not available.	
	10. STABILITY AND REACTIVITY	
Stability:	Stable under normal conditions of storage and use.	
Hazardous reactions:	May occur with excessive aging, excessive heat, polymerization catalyst, inhibitor depletion, direct sunlight and under oxygen-free atmospheres.	
Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen. Irritating organic vapours.	
Incompatible materials:	Strong oxidizing agents. Reducing agents. Free radical initiators. Peroxides. Acids and bases. Oxygen scavengers. Other polymerization initiators.	
Reactivity:	Not available.	
Conditions to avoid:	Heat, flames, sparks and other sources of ignition. Avoid temperatures above 26°C (80°F). U light. Inert gas blanketing. Direct sunlight. Freezing conditions. Avoid moisture. Store away from incompatible materials. Loss of polymerization inhibitor. Loss of dissolved air.	
11	1. TOXICOLOGICAL INFORMATION	

Likely routes of exposure:

Skin, Inhalation, Eyes, Ingestion

### Potential Health Effects/Symptoms

Inhalation:	Modified acrylamide is harmful if inhaled. Vapors may cause headaches, nausea, dizziness and respiratory tract irritation. Vapors and mists will irritate nose and throat and possibly eyes. DO NOT heat or spray as this increases the inhalation hazard.
Skin contact:	Causes skin irritation. May cause allergic skin reaction. Harmful in contact with skin. Modified acrylamide may be absorbed through skin in harmful amounts.
Eye contact:	Causes serious eye damage.
Ingestion:	Modified acrylamide is harmful if swallowed. Not expected under normal conditions of use.

Hazardous Component(s)	LD50s and LC50s
Urethane acrylate oligomer~	None
N,N-Dimethylacrylamide	None
Acrylate ester	None
Urethane acrylate oligomer	None
Isobornyl acrylate	None
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	None
Acrylate ester	None
2-Hydroxyethyl acrylate	None

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
Urethane acrylate oligomer~	Irritant	Allergen	
N,N-Dimethylacrylamide	Irritant		Eyes Mutagen Kidney
Acrylate ester	Irritant	Allergen	
Urethane acrylate oligomer	Irritant	Allergen	
Isobornyl acrylate	Irritant	Allergen	
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide			
Acrylate ester	Irritant	Allergen	
2-Hydroxyethyl acrylate	Irritant	Allergen	Central nervous system Heart Kidney Liver Lung Some evidence of carcinogenicity Spleen

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Urethane acrylate oligomer~	No	No	No
N,N-Dimethylacrylamide	No	No	No
Acrylate ester	No	No	No
Urethane acrylate oligomer	No	No	No
Isobornyl acrylate	No	No	No
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	No	No	No
Acrylate ester	No	No	No
2-Hydroxyethyl acrylate	No	No	No

# 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

# **13. DISPOSAL CONSIDERATIONS**

#### Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

## **14. TRANSPORT INFORMATION**

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

U.S. Department of Transportation G	i <b>round (49 CFR)</b>
Proper shipping name:	Combustible liquid, n.o.s. (Modified Acrylamide)
Hazard class or division:	Combustible Liquid
Identification number:	NA 1993
Packing group:	III
International Air Transportation (ICA	O/IATA)
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (Isobornyl acrylate)
Hazard class or division:	9
Identification number:	UN 3082
Packing group:	III
Water Transportation (IMO/IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isobornyl
Proper shipping name:	acrylate)
Hazard class or division:	9
Identification number:	UN 3082
Packing group:	III
Marine pollutant:	Isobornyl acrylate
15	5. REGULATORY INFORMATION
•	
United States Regulatory Information	All components are listed as active or are exempt from listing on the Toxic Substances
TSCA 8 (b) Inventory Status:	Control Act (TSCA) inventory.
TSCA 12 (b) Export Notification:	None above reporting de minimis
United States Regulatory Information TSCA 8 (b) Inventory Status:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.
United States Regulatory Information TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification: CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. None above reporting de minimis None above reporting de minimis. Please refer to the GHS classification in Section 2 This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CEPA DSL/NDSL Status: One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

# **16. OTHER INFORMATION**

This safety data sheet contains changes from the previous version in sections: 2,9,10,11,13,15

Prepared by: Product Safety and Regulatory Affairs

Issue date: 04/24/2025

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.