

#### Revision Number: 004.0

1. IDENTIFICATION				
Product name:	TEROSON MS 5510 BK known as LOCTITE 5510 ADH SEAL BLK 300ML	IDH number:	1560557	
Product type/ Recommended use:	Joint sealant, polymer silan-modified	Item number:	1560557	
Restriction of Use: Company address:	None identified	Region: Contact informat	United States ion:	
Henkel CorporationTelephone: +1 (860) 571-5100One Henkel WayMEDICAL EMERGENCY Phone: Poison ContRocky Hill, Connecticut 060671-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: CHEMTI1-800-424-9300 (toll free) or 1-703-527-3887MEDICAL EMERGENCY Phone: Poison Cont1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: Poison Cont1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: CHEMTITRANSPORT EMERGENCY Phone: CHEMTI				
		TRANSPORT EM	ERGENCY Phone: CHEMTREC	
		MEDICAL EMERO	SENCY Phone: Poison Control Center	
		TRANSPORT EM	ERGENCY Phone: CHEMTREC	
		1-800-424-9300 (to Internet: www.hen	oll free) or 1-703-527-3887 kelna.com	

# 2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW
WARNING:	H315 - CAUSES SKIN IRRITATION.
	H319 - CAUSES SERIOUS EYE IRRITATION.
	H361 - SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
REPRODUCTIVE TOXICITY	2

# PICTOGRAM(S)

#### Precautionary Statements

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P264 - Wash affected area thoroughly after handling.
P280 - Wear protective gloves, clothing, eye and face protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical attention.
P332+P313 - If skin irritation occurs: Get medical attention.
P337+P313 - If eye irritation persists: Get medical attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.
P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

#### Other hazards Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Weight %*	
Calcium carbonate	471-34-1	30 - 60	
Phthalic acid, di(C9-11)alkylester, branched, C10-rich	68515-49-1	10 - 30	
Limestone	1317-65-3	10 - 30	
Octadecanoic acid	57-11-4	1 - 5	
Carbon black - Nano	1333-86-4	1 - 5	
Trimethoxyvinylsilane	2768-02-7	0.1 - 1	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	0.1 - 1	
Quartz (SiO2)	14808-60-7	0.1 - 1	

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

## 4. FIRST AID MEASURES

#### First Aid Measures by likely routes of exposure

Inhalation:	Move to fresh air. If symptoms develop and persist, get medical attention.	
Skin contact:	Wipe off paste with paper towel or cloth. Wash with soap and water. If symptoms develop and persist, get medical attention.	
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms develop and persist, get medical attention.	
Ingestion:	Do not induce vomiting. Consult a physician if necessary.	
Most important symptoms and effects (acute and delayed):	The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.	
Indication of any immediate medical attention / special treatment needed:	Not available.	
5. FIRE FIGHTING MEASURES		

Extinguishing media: Improper extinguishing agents: Special firefighting procedures:	Water spray (fog), foam, dry chemical or carbon dioxide. Not available. Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
Unusual fire or explosion hazards:	In case of fire, keep containers cool with water spray.
Hazardous combustion products:	Oxides of carbon. Oxides of silicon. Toxic and irritating vapors.

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Do not allow product to enter sewer or waterways.
Clean-up methods:	Scrape up as much material as possible. Store in a partly filled, closed container until disposal.

# 7. HANDLING AND STORAGE

Handling:Avoid contact with eyes, skin and clothing. Do not wear contact lenses.Storage:Keep in a cool, well ventilated area away from heat, sparks and open flame.<br/>Keep container tightly closed until ready for use.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Calcium carbonate	3 mg/m3 TWA Respirable particles. 10 mg/m3 TWA Inhalable particles.	15 mg/m3 PEL Total dust. 5 mg/m3 PEL Respirable fraction. 15 mg/m3 TWA Total dust. 50 MPPCF TWA Total dust. 15 MPPCF TWA Respirable fraction. 5 mg/m3 PEL Total dust. 5 mg/m3 PEL Respirable fraction.	None	None
Limestone	10 mg/m3 TWA Inhalable particles. 3 mg/m3 TWA Respirable particles. 10 mg/m3 TWA Total dust.	5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust. 5 mg/m3 TWA Respirable fraction. 50 MPPCF TWA Total dust. 15 mg/m3 TWA Total dust. 15 MPPCF TWA Respirable fraction.	None	None
Octadecanoic acid	10 mg/m3 TWA Inhalable fraction. 3 mg/m3 TWA Respirable fraction.	None	None	None
Carbon black - Nano	3 mg/m3 TWA Inhalable fraction.	3.5 mg/m3 PEL 5 mg/m3 TWA Respirable fraction. 50 MPPCF TWA Total dust. 15 MPPCF TWA Respirable fraction. 15 mg/m3 TWA Total dust.	None	None
Methanol	200 ppm TWA (SKIN) 250 ppm STEL	200 ppm (260 mg/m3) PEL	None	None
Quartz (SiO2)	0.025 mg/m3 TWA Respirable fraction.	0.05 mg/m3 TWA (Respirable dust.) (Respirable dust.) 0.025 mg/m3 OSHA_ACT (Respirable dust.) 0.05 mg/m3 PEL Respirable dust. 2.4 MPPCF TWA Respirable 0.1 mg/m3 TWA Respirable	None	None

Engineering controls:

General room ventilation is usually adequate. Use local exhaust ventilation if the potential for airborne exposure exists.

Respiratory protection:

Use NIOSH approved respirator if there is potential to exceed exposure  $\mathsf{limit}(s).$ 

Eye/face protection:

Safety goggles or safety glasses with side shields.

IDH number: 1560557

Product name: TEROSON MS 5510 BK known as LOCTITE 5510 ADH SEAL BLK 300ML Page 4 of 8

#### Skin protection:

Chemical resistant, impermeable gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES		
Physical state:	Paste	
Color:	Black	
Odor:	Slight	
Odor threshold:	Not available.	
pH:	Not available.	
Vapor pressure:	Not available.	
Boiling point/range:	Not available.	
Melting point/ range:	Not available.	
Density/Relative density:	1.4	
Relative vapor density:	Not available.	
Flash point:	> 93 °C (> 199.4 °F) ASTM D3278 Setaflash Closed Cup	
Flammable/Explosive limits - low		
Flammable/Explosive limits - upp		
Autoignition temperature:	Not available.	
Flammability:	Not applicable	
Evaporation rate:	Not available.	
Solubility:	Not available.	
Partition coefficient n-octanol/wa	ater Not available.	
(logarithmic value):		
VOC content:	1.74 % (ASTM D2369)	
Dynamic viscosity:	Not available.	
Kinematic viscosity:	Not available.	
Particle characteristics:	Not available.	
Decomposition temperature:	Not available.	
	10. STABILITY AND REACTIVITY	
Stability:	Stable under recommended storage conditions.	
Hazardous reactions:	None under normal processing.	
Hazardous decomposition products:	Oxides of carbon. Oxides of silicon.	

Incompatible materials: Acids and bases. Oxidizing agents.

Not available.

Conditions to avoid:

Reactivity:

## **11. TOXICOLOGICAL INFORMATION**

Excessive heat. Store away from incompatible materials.

Likely routes of exposure:

Skin, Inhalation, Eyes, Ingestion

### Potential Health Effects/Symptoms

Inhalation:	Abrasion of cured material such as by sanding or grinding could release respirable particles of silica quartz, a cancer hazard by inhalation. Normal use of this product causes no such release. May cause respiratory tract irritation.
Skin contact:	Causes skin irritation.
Eye contact:	Causes serious eye irritation.
Ingestion:	Not expected under normal conditions of use. May cause gastrointestinal tract irritation if swallowed.

Hazardous Component(s)	LD50s and LC50s		
Calcium carbonate	Oral LD50 (Rat) = 6,450 mg/kg Oral LD50 (Mouse) = 6,450 mg/kg Inhalation LC50 (Rat, 4 h) = > 3 mg/l		
Phthalic acid, di(C9-11)alkylester, branched, C10-rich	None		
Limestone	None		
Octadecanoic acid	Oral LD50 (Rat) = 4.6 g/kg Inhalation LC50 (Rat, 4 h) = > 0.1621 mg/l		
Carbon black - Nano	Oral LD50 (Rat) = > 8,000 mg/kg		
Trimethoxyvinylsilane	Inhalation LC50 (Rat, 4 h) = 2773 ppm		
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	Inhalation LC50 (Rat, 4 h) = 500 mg/m3		
Quartz (SiO2)	None		

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
Calcium carbonate	Nuisance dust		
Phthalic acid, di(C9-11)alkylester, branched, C10-rich	Irritant		
Limestone	Nuisance dust		
Octadecanoic acid	Irritant		
Carbon black - Nano			
Trimethoxyvinylsilane	Irritant	Allergen	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate			
Quartz (SiO2)			Immune system Lung Some evidence of carcinogenicity

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Calcium carbonate	No	No	No
Phthalic acid, di(C9-11)alkylester, branched, C10-rich	No	No	No
Limestone	No	No	No
Octadecanoic acid	No	No	No
Carbon black - Nano	Known To Be Human Carcinogen.	Group 2B	No
Trimethoxyvinylsilane	No	No	No
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	No	No	No
Quartz (SiO2)	Known To Be Human Carcinogen.	Group 1	Yes

# 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

## **13. DISPOSAL CONSIDERATIONS**

#### Information provided is for unused product only.

Recommended method of disposal:

Follow all local, state, federal and provincial regulations for disposal.

## **14. TRANSPORT INFORMATION**

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

#### U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Hazard class or division: Identification number: Packing group: Not regulated None None None

#### International Air Transportation (ICAO/IATA)

Proper shipping name: Hazard class or division: Identification number: Packing group: Not regulated None None None

Water Transportation (IMO/IMDG)

Proper shipping name: Hazard class or division: Identification number: Packing group: Not regulated None None None

## 15. REGULATORY INFORMATION

United States Regulatory Information TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. None above reporting de minimis	
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:	None above reporting de minimis. Please refer to the GHS classification in Section 2 None above reporting de minimis.	
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.	
Canada Regulatory Information		
CEPA DSL/NDSL Status:	Contains one or more components listed on the Non-Domestic Substances List. All other components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities. Please contact Regulatory Affairs for additional details.	

## 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 2,3,8,9,11

Prepared by: Product Safety and Regulatory Affairs

Issue date: 05/02/2025

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.