

		Page: 1
SAFETY DATA SHEET		Revision Date: 01/08/2017
		Print Date: 3/21/2017
		SDS Number: 000000093480
Pliogrip™ 7773B/220 ADHESIVE ™ Trademark, Ashland or its subsidiaries, registered in various countries 140516		Version: 1.5

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Pliogrip™ 7773B/220
ADHESIVE
™ Trademark, Ashland or its subsidiaries, registered in various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Adhesives
Industrial chemical

Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America (USA) 614-790-3333 EHSProductSafety@ashland.com	Emergency telephone number 1-800-ASHLAND (1-800-274-5263) Regulatory Information Number 1-800-325-3751 Product Information 614-790-3333
---	---

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation : Category 2

Eye irritation : Category 2A

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ systemic toxicity - single exposure : Category 3 (Respiratory system)

Specific target organ systemic toxicity - repeated : Category 2 (Respiratory system, Respiratory Tract)

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

exposure (Inhalation)

GHS label elements

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: Causes skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye irritation.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause respiratory irritation.
 Suspected of damaging fertility or the unborn child.
 May cause damage to organs (Respiratory system, Respiratory Tract) through prolonged or repeated exposure if inhaled.

Precautionary Statements

: **Prevention:**
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
 Wash skin thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 Wear respiratory protection.
Response:
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 IF exposed or concerned: Get medical advice/ attention.
 If skin irritation or rash occurs: Get medical advice/ attention.
 If eye irritation persists: Get medical advice/ attention.
 Take off contaminated clothing and wash before reuse.
Storage:
 Store in a well-ventilated place. Keep container tightly closed.
 Store locked up.
Disposal:

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Version: 1.5

Dispose of contents/ container to an approved waste disposal
 plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**PART A**

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
POLYMER	254504001-5759	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Resp. Sens. 1A; H334 Skin Sens. 1A; H317 STOT SE 3; H335 STOT RE 2; H373	>= 10.00 - < 15.00
SCAVENGER	254504001-5709	This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).	>= 10.00 - < 15.00
URETHANE PREPOLYMER	800986-5572P	Resp. Sens. 1; H334 Skin Sens. 1; H317	>= 5.00 - < 10.00

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

4,4'-DIPHENYLMETHANE DIISOCYANATE	101-68-8	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 STOT RE 2; H373	35.5153
TALC	14807-96-6	This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).	10.224
PROPYLENE CARBONATE	108-32-7	Eye Irrit. 2A; H319	1.4964

PART B

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
TALC	14807-96-6	This material is not considered hazardous under the OSHA Hazard Communication	22.731

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

		Standard (HazCom 2012).	
PIPERAZINE	110-85-0	Flam. Sol. 1; H228 Skin Corr. 1B; H314 Eye Dam. 1; H318 Resp. Sens. 1B; H334 Skin Sens. 1B; H317 Repr. 2; H361	0.767

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Call a physician or poison control centre immediately.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Obtain medical attention.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Most important symptoms and effects, both acute and delayed : Pulmonary edema may be delayed.
 Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
 stomach or intestinal upset (nausea, vomiting, diarrhea)
 irritation (nose, throat, airways)
 Cough
 Headache
 chest pain
 lung edema (fluid buildup in the lung tissue)
 Difficulty in breathing
 Causes skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye irritation.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause respiratory irritation.
 Suspected of damaging fertility or the unborn child.
 May cause damage to organs through prolonged or repeated exposure if inhaled.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Foam
 Carbon dioxide (CO₂)
 Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide
 Hydrogen cyanide (hydrocyanic acid)
 Isocyanates
 Nitrogen oxides (NO_x)
 toxic fumes
 Aldehydes
 Ketones

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

halogenated hydrocarbons
 nitrogen oxides (NOx)
 Bromine
 Hydrocarbons

Specific extinguishing
 methods :

Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must
 be disposed of in accordance with local regulations.

Special protective equipment
 for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,
 protective equipment and
 emergency procedures : Use personal protective equipment.
 Ensure adequate ventilation.
 Persons not wearing protective equipment should be excluded
 from area of spill until clean-up has been completed.

Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform
 respective authorities.

Methods and materials for
 containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,
 acid binder, universal binder, sawdust).
 Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid formation of aerosol.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Do not breathe vapours/dust.
 Do not smoke.
 Persons susceptible to skin sensitisation problems or asthma,
 allergies, chronic or recurrent respiratory disease should not
 be employed in any process in which this mixture is being
 used.

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Container hazardous when empty.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the
 application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national
 regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated
 place.
 Observe label precautions.
 Electrical installations / working materials must comply with
 the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters****PART A**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
SCAVENGER	254504001- 5709	TWA	1 mg/m3 Respirable fraction (Aluminium)	ACGIH

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

4,4'-DIPHENYLMETHANE DIISOCYANATE	101-68-8	TWA	0.005 ppm	ACGIH
		TWA	0.005 ppm 0.05 mg/m3	NIOSH REL
		C	0.02 ppm 0.2 mg/m3	NIOSH REL
		C	0.02 ppm 0.2 mg/m3	OSHA Z-1
		C	0.02 ppm 0.2 mg/m3	OSHA P0
		PEL	0.005 ppm 0.051 mg/m3	CAL PEL
TALC	14807-96-6	TWA	20 Million particles per cubic	OSHA Z-3

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

			foot Dust	
		TWA	2 mg/m3 respirable dust fraction	OSHA P0
		TWA	2 mg/m3 Respirable	NIOSH REL
		PEL	2 mg/m3 Respirable dust	CAL PEL
		TWA	0.1 fibre/cm3	ACGIH
		TWA	2 mg/m3 Respirable fraction	ACGIH

Hazardous components without workplace control parameters**PART A**

Components	CAS-No.

PART B

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
TALC	14807-96-6	TWA	20 Million particles per cubic foot Dust	OSHA Z-3
		TWA	2 mg/m3 respirable dust fraction	OSHA P0
		TWA	2 mg/m3 Respirable	NIOSH REL
		PEL	2 mg/m3 Respirable dust	CAL PEL
		TWA	0.1 fibre/cm3	ACGIH
		TWA	2 mg/m3 Respirable fraction	ACGIH
CARBON BLACK	1333-86-4	TWA	3 mg/m3 Inhalable fraction	ACGIH
		TWA	3.5 mg/m3	NIOSH REL
		TWA	3.5 mg/m3	OSHA Z-1
		TWA	3.5 mg/m3	OSHA P0
		PEL	3.5 mg/m3	CAL PEL
		TWA	0.1 mg/m3 (PAHs)	NIOSH REL

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

PIPERAZINE	110-85-0	TWA	0.03 ppm Inhalable fraction and vapor (piperazine)	ACGIH
------------	----------	-----	---	-------

Hazardous components without workplace control parameters**PART B**

Components	CAS-No.
PIPERAZINE	110-85-0

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
 Diisocyanates have poor warning properties. An air-purifying respirator with an organic vapor cartridge and an N95 prefilter can be used safely and effectively to reduce exposure, provided that appropriate cartridge change schedules are developed to ensure that cartridges are changed before breakthrough occurs. The employer is required to select the appropriate respirator for each situation and must consider potential exposure to chemicals in addition to diisocyanates.

Hand protection**Remarks**

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection

: Wear as appropriate:
 Impervious clothing
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Discard gloves that show tears, pinholes, or signs of wear.
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures

: Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 When using do not smoke.

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**PART A**

Appearance	: viscous
Physical state	: liquid
Colour	: beige
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: > 392 °F / > 200 °C
Flash point	: > 100 °C
Evaporation rate	: < 1 n-Butyl Acetate
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: < 0.01333 hPa (25 °C)
Relative vapour density	: > 1AIR=1
Relative density	: No data available
Density	: 1.288 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: practically insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-	: No data available

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

octanol/water

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : ca. 20,000 mPa.s

Viscosity, kinematic : No data available

Oxidizing properties : No data available

PART B

Physical state : liquid

Colour : black

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : > 93.4 °C
 Method: Seta closed cup

Evaporation rate : 1
 Ethyl Ether

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : 3 hPa (25 °C)
 Calculated Vapor Pressure

Relative vapour density : No data available

Relative density : 1.23 (77.00 °F)

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Density : 1.23 g/cm³ (77.00 °F)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : 20,000 mPa.s

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : heat
 Freezing temperatures.
 Exposure to moisture

Incompatible materials : Acids
 Alcohols
 aluminum
 Amines
 Ammonia
 Bases
 Copper alloys
 fluorides
 Iron
 isocyanates
 Oxidizing agents
 oxidizers
 Phosphorus compounds
 strong alkalis

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

strong reducing agents
 water
 Zinc
 Humid air

Hazardous decomposition
 products

carbon dioxide and carbon monoxide
 Hydrocarbons
 Hydrogen cyanide (hydrocyanic acid)
 Isocyanates
 Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin contact
 Eye Contact
 Ingestion

Acute toxicity

Not classified based on available information.

Components:**POLYMER:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
 Method: OECD Test Guideline 425
 GLP: yes

Acute inhalation toxicity : Assessment: The component/mixture is classified as acute inhalation toxicity, category 4.

Acute dermal toxicity : (Rabbit): > 9,400 mg/kg
 Remarks: Information given is based on data obtained from similar substances.

Components:**4,4'-DIPHENYLMETHANE DIISOCYANATE:**

Acute oral toxicity : LD50 (Rat): 9,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.369 mg/l
 Exposure time: 4 h

LC50 (Rat): > 2.24 mg/l
 Exposure time: 1 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Assessment: The component/mixture is classified as acute

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

inhalation toxicity, category 4.

Acute dermal toxicity : LD50 (Rabbit): > 7,900 mg/kg

PROPYLENE CARBONATE:

Acute oral toxicity : LD50 (Rat): 29.1 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 24 g/kg

PIPERAZINE:

Acute oral toxicity : LD50 (Rat): ca. 2,600 mg/kg
 Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male and female): 1.61 mg/l
 Exposure time: 8 h
 Test atmosphere: vapour

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:**POLYMER:**

Result: Irritating to skin.

Remarks: Information given is based on data obtained from similar substances.

SCAVENGER:

Result: Slight, transient irritation

URETHANE PREPOLYMER:

Result: No skin irritation

Components:**4,4'-DIPHENYLMETHANE DIISOCYANATE:**

Result: Irritating to skin.

TALC:

Result: Slight, transient irritation

PROPYLENE CARBONATE:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

PIPERAZINE:

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Result: Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:**POLYMER:**

Result: No eye irritation

Remarks: Information given is based on data obtained from similar substances.

Result: Irritating to eyes.

SCAVENGER:

Result: Slight, transient irritation

URETHANE PREPOLYMER:

Result: No eye irritation

Components:**4,4'-DIPHENYLMETHANE DIISOCYANATE:**

Result: Irritating to eyes.

TALC:

Result: Slight, transient irritation

PROPYLENE CARBONATE:

Species: Rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

PIPERAZINE:

Result: Corrosive

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction.

Respiratory sensitisation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**POLYMER:**

Test Type: Maximisation Test

Species: Guinea pig

Assessment: May cause sensitisation by skin contact.

Result: The product is a skin sensitiser, sub-category 1A.

Assessment: May cause sensitization by inhalation.

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Result: The product is a respiratory sensitiser, sub-category 1A.

URETHANE PREPOLYMER:

Assessment: May cause sensitisation by skin contact.

Assessment: May cause sensitization by inhalation.

Components:**4,4'-DIPHENYLMETHANE DIISOCYANATE:**

Assessment: May cause sensitization by inhalation.

Assessment: May cause sensitisation by skin contact.

PIPERAZINE:

Assessment: The product is a respiratory sensitiser, sub-category 1B.

Assessment: The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Components:**POLYMER:**

Genotoxicity in vitro : Test Type: Ames test
 Result: negative
 Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Test species: Rat
 Method: OECD Test Guideline 474
 Remarks: Information given is based on data obtained from similar substances.

Components:**PROPYLENE CARBONATE:**

Genotoxicity in vitro : Test Type: Ames test
 Test species: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Test species: Mouse
 Cell type: Bone marrow
 Method: OECD Test Guideline 474
 Result: negative

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment : Methylene bisphenylisocyanate (MDI) aerosol has been reported to be irritating to lungs at a concentration of 1 mg/m³ with no effect observed at 0.2 mg/m³. Although MDI has been reported to cause an increase in non-carcinogenic lung tumors and a single carcinogenic lung tumor at very high concentrations (6 mg/m³), it is not classified as a carcinogen by IARC, NTP or OSHA.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:**PIPERAZINE:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT - single exposure

May cause respiratory irritation.

Components:**POLYMER:**

Exposure routes: Inhalation
 Target Organs: Respiratory Tract
 Assessment: May cause respiratory irritation.

Components:**4,4'-DIPHENYLMETHANE DIISOCYANATE:**

Exposure routes: Inhalation
 Target Organs: Respiratory system
 Assessment: May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Respiratory system, Respiratory Tract) through prolonged or repeated exposure if inhaled.

Components:**POLYMER:**

Exposure routes: Inhalation
 Target Organs: Respiratory Tract
 Assessment: May cause damage to organs through prolonged or repeated exposure.

Components:**4,4'-DIPHENYLMETHANE DIISOCYANATE:**

Exposure routes: Inhalation
 Target Organs: Respiratory system
 Assessment: May cause damage to organs through prolonged or repeated exposure.



SAFETY DATA SHEET	Revision Date: 01/08/2017
	Print Date: 3/21/2017
	SDS Number: 000000093480
Pliogrip™ 7773B/220 ADHESIVE ™ Trademark, Ashland or its subsidiaries, registered in various countries 140516	Version: 1.5

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Components:**POLYMER:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 3,000 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : (*Daphnia magna* (Water flea)): > 1,000 mg/l
 Exposure time: 24 h
 Test Type: static test
 Method: OECD Test Guideline 202
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae : NOEC (*Desmodesmus subspicatus* (green algae)): 1,640 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201
 Remarks: Information given is based on data obtained from similar substances.

4,4'-DIPHENYLMETHANE DIISOCYANATE:

Toxicity to fish : LC50 (*Oryzias latipes* (Orange-red killifish)): > 3,000 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
 Exposure time: 24 h

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Test Type: static test
 Method: OECD Test Guideline 202
 Remarks: Information given is based on data obtained from
 similar substances.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 10 mg/l
 Exposure time: 21 d
 End point: Reproduction Test
 Test Type: semi-static test
 Method: OECD Test Guideline 211
 Remarks: Information given is based on data obtained from similar substances.

PROPYLENE CARBONATE:
 Toxicity to fish

: LC50 (Cyprinus carpio (Carp)): > 1,000 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
 Exposure time: 48 h
 Test Type: static test
 Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 900 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 900 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201

PIPERAZINE:
 Toxicity to fish

: LC50 (Poecilia reticulata (guppy)): > 1,800 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 21 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Persistence and degradability**Components:****POLYMER:**

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 0 %
 Exposure time: 28 d
 Method: OECD Test Guideline 302C

4,4'-DIPHENYLMETHANE DIISOCYANATE:

Biodegradability : Result: Not biodegradable
 Biodegradation: 0 %
 Exposure time: 28 d
 Method: OECD Test Guideline 302C
 Remarks: Information given is based on data obtained from similar substances.

PROPYLENE CARBONATE:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 87.1 %
 Exposure time: 29 d
 Method: OECD Test Guideline 301B

PIPERAZINE:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 70 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

No data available

Bioaccumulative potential**Components:****PROPYLENE CARBONATE:**

Partition coefficient: n-octanol/water : log Pow: -0.41

PIPERAZINE:

Partition coefficient: n-octanol/water : log Pow: -1.17

No data available

Mobility in soil**Components:**

No data available

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 00000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Other adverse effects

No data available

Product:

Additional ecological : No data available
 information

Components:**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

General advice

: Do not dispose of waste into sewer.
 Do not contaminate ponds, waterways or ditches with
 chemical or used container.
 Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and
 federal regulations.

Contaminated packaging

: Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste
 handling site for recycling or disposal.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

MX_DG

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TDG_INWT_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant

no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION**PART A****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
4,4'-DIPHENYLMETHANE	101-68-8	5000	14206.159791

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

DIISOCYANATE

SARA 311/312 Hazards : Acute Health Hazard
 Chronic Health Hazard

SARA 313

4,4'-DIPHENYLMETHANE 101-68-8 35.51 %
 DIISOCYANATE

California Prop 65

WARNING! This product contains a chemical known to the
 State of California to cause cancer.
 QUARTZ / SAND 14808-60-7

PART B

SARA 311/312 Hazards : Chronic Health Hazard

SARA 313

This material does not contain any chemical components with
 known CAS numbers that exceed the threshold (De Minimis)
 reporting levels established by SARA Title III, Section 313.

California Prop 65

WARNING! This product contains a chemical known to the
 State of California to cause cancer.
 CARBON BLACK 1333-86-4
 QUARTZ / SAND 14808-60-7
 FURAN 110-00-9
 PROPYLENE OXIDE 75-56-9
 ACETALDEHYDE 75-07-0

The components of this product are reported in the following inventories:

TSCA	:	On TSCA Inven
DSL	:	All components
AICS	:	On the invento
ENCS	:	Exempt
KECI	:	On the invento

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

PICCS :

Not in complian

IECSC :

On the inventor

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

Registration: Trade Secret

Chemical name	Identification number
POLYMER	254504001-5759
SCAVENGER	254504001-5709
URETHANE PREPOLYMER	800986-5572P

SECTION 16. OTHER INFORMATION**Further information**

Revision Date: 01/08/2017

PART A

NFPA:	HMIS III:						
<p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tbody> <tr> <td>HEALTH</td> <td></td> </tr> <tr> <td>FLAMMABILITY</td> <td></td> </tr> <tr> <td>PHYSICAL HAZARD</td> <td></td> </tr> </tbody> </table> <p>0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH		FLAMMABILITY		PHYSICAL HAZARD	
HEALTH							
FLAMMABILITY							
PHYSICAL HAZARD							

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

PART B

NFPA:	HMIS III:

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Version: 1.5

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

<p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td style="background-color: blue; color: white;">HEALTH</td> <td></td> </tr> <tr> <td style="background-color: red; color: white;">FLAMMABILITY</td> <td></td> </tr> <tr> <td style="background-color: yellow; color: black;">PHYSICAL HAZARD</td> <td></td> </tr> </table> <p>0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH		FLAMMABILITY		PHYSICAL HAZARD	
HEALTH							
FLAMMABILITY							
PHYSICAL HAZARD							

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements**PART A**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.

PART B

H228	Flammable solid.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H361	Suspected of damaging fertility or the unborn child.

Sources of key data used to compile the Safety Data Sheet
 Ashland internal data including own and sponsored test reports
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.



SAFETY DATA SHEET	Revision Date: 01/08/2017
	Print Date: 3/21/2017
	SDS Number: 000000093480
Pliogrip™ 7773B/220 ADHESIVE ™ Trademark, Ashland or its subsidiaries, registered in various countries 140516	Version: 1.5

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
 BEI : Biological Exposure Index
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
 FG : Food grade
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
 H-statement : Hazard Statement
 IATA : International Air Transport Association.
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
 IMDG : International Maritime Code for Dangerous Goods
 ISO : International Organization for Standardization
 logPow : octanol-water partition coefficient
 LCxx : Lethal Concentration, for xx percent of test population
 LDxx : Lethal Dose, for xx percent of test population.
 ICxx : Inhibitory Concentration for xx of a substance
 Ecxx : Effective Concentration of xx
 N.O.S.: Not Otherwise Specified
 OECD : Organization for Economic Co-operation and Development
 OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
 DOT : Department of Transportation
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
 HMIRC : Hazardous Materials Information Review Commission
 HMIS : Hazardous Materials Identification System
 NFPA : National Fire Protection Association
 NIOSH : National Institute for Occupational Safety and Health
 OSHA : Occupational Safety and Health Administration

**SAFETY DATA SHEET**

Revision Date: 01/08/2017

Print Date: 3/21/2017

SDS Number: 000000093480

Pliogrip™ 7773B/220 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 140516

Version: 1.5

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System