

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2015

Reviewed on 06/02/2015

1 Identification

- Product identifier
- Trade name: 6020
- Application of the substance / the mixture Cleaning agent/ Cleaner
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cyberbond LLC 401 North Raddant Road Batavia, IL 60510 USA sales@cyberbond1.com 630-761-8900
- Information department: Product safety department • Emergency telephone number: International-1-(352)-323-3500 US & Canada-1-(800)-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



Acute Tox. 4 H302 Harmful if swallowed.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Harmful

Harmful if swallowed.

Heating may cause an explosion. Flammable.

Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Page 1/8

Printing date 06/02/2015

Trade name: 6020

Reviewed on 06/02/2015

(Contd. of page 1)

· Hazard pictograms



- Signal word Warning Hazard-determining components of labeling: nitromethane Hazard statements Flammable liquid and vapour. Harmful if swallowed. Suspected of causing cancer. **Precautionary statements** If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Wear protective gloves / eye protection / face protection. Ground/bond container and receiving equipment. Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If swallowed: Call a poison center/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention. Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards • Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances · CAS No. Description 75-52-5 nitromethane Identification number(s) · EC number: 200-876-6
- Index number: 609-036-00-7
- Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

[•] Dangerous components:

75-52-5 nitromethane

50-100%

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Printing date 06/02/2015

Trade name: 6020

Reviewed on 06/02/2015

(Contd. of page 2)

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed Breathing difficulty
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- [•] Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters

Protective equipment:

Mouth respiratory protective device. Wear self-contained respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

• Handling:

Precautions for safe handling

Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect from heat. Protect against electrostatic charges.

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:
- Store in a cool location.

Store only in the original receptacle.

- [•] Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• **Specific end use(s)** No further relevant information available.

Printing date 06/02/2015

Trade name: 6020

Reviewed on 06/02/2015

(Contd. of page 3)

	(F- J)	
8 Exposure controls/personal p	rotection	
Additional information about design	of technical systems: No further data; see item 7.	
· Control parameters		
Components with limit values that require monitoring at the workplace:		
75-52-5 nitromethane		
PEL Long-term value: 250 mg/m ³ , 100 ppr	m	
TLV Long-term value: 50 mg/m ³ , 20 ppm		
Additional information: The lists that were valid during the creation were used as basis.		
Exposure controls		
 Personal protective equipment: General protective and hygienic measures: 		
The usual precautionary measures for han	dling chemicals should be followed.	
Keep away from foodstuffs, beverages and feed.		
 Breathing equipment: Not necessary if room is well-ventilated. Protection of hands: 		
Impervious gloves		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.		
 Selection of the glove material on consider Material of gloves Nitrile rubber, NBR 	ation of the penetration times, rates of diffusion and the degradation	
Penetration time of glove material		
	and out by the manufacturer of the protective gloves and has to be observed.	
Not suitable are gloves made of the	following materials:	
Cotton or natural fibers PVC gloves		
Eye protection:		
Safety glasses		
Tightly sealed goggles		
Body protection: Protective work clothin	ng	
9 Physical and chemical properties		
Information on basic physical and c	hemical properties	
General Information		
· Appearance:		
Form:	Fluid	
Color: · Odor:	Colorless Characteristic	
Odour threshold:	Not determined.	
· pH-value:	Not determined.	
•		
 Change in condition Melting point/Melting range: 	-29.2 °C (-21 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	35 °C (95 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
ignition temperature:	415 °C (779 °F)	

Not determined.

Heating may cause an explosion.

Danger of explosion:

• Auto igniting:

• Decomposition temperature:

Printing date 06/02/2015

Trade name: 6020

Reviewed on 06/02/2015

(Contd. of page 4)

• Explosion limits:	·
Lower: Upper:	7.1 Vol % 63 Vol %
[·] Vapor pressure at 20 °C (68 °F):	36 hPa (27 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	1.138 g/cm³ (9.497 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water at 20 °C (68 °F): 	5 g/l
· Partition coefficient (n-octanol/wate	r): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: Other information 	0.0 % No further relevant information available.
10 Stability and reactivity	

10 Stability and reactivity

· Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

* Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

• Acute toxicity:

LD/LC50 values that are relevant for classification:

75-52-5 nitromethane

Oral LD50 940 mg/kg (rat)

Primary irritant effect:

· on the skin: No irritant effect.

· on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

IARC (International Agency for Research on Cancer)	
75-52-5 nitromethane	2B
• NTP (National Toxicology Program)	
75-52-5 nitromethane	R
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
	(Contd on page 6)

(Contd. on page 6)

Printing date 06/02/2015

Trade name: 6020

Reviewed on 06/02/2015

(Contd. of page 5)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number DOT, IMDG, IATA UN1261 · UN proper shipping name · DOT Nitromethane · IMDG, IATA NITROMETHANE Transport hazard class(es) DOT · Class **3** Flammable liquids Label 3 · IMDG. IATA · Class **3 Flammable liquids** · Label 3 Packing group DOT, IMDG, IATA Ш • Environmental hazards: Marine pollutant: No Special precautions for user Warning: Flammable liquids Danger code (Kemler): · EMS Number: F-E,S-D (Contd. on page 7)

Printing date 06/02/2015

Trade name: 6020

Reviewed on 06/02/2015

· Transport in bulk according to Annex II of	(Contd. of page
MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	
DOT	
[•] Quantity limitations	On passenger aircraft/rail: Forbidden On cargo aircraft only: 60 L
·IMDG	
Limited quantities (LQ)	1L
 Excepted quantities (EQ) 	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
[•] UN "Model Regulation":	UN1261, Nitromethane, 3, II
15 Regulatory information	
Safety, health and environmental regulation Sara	ons/legislation specific for the substance or mixture
Section 355 (extremely hazardous substa	nces):
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listin	gs):
All ingredients are listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemicals known to cause cancer:	
All ingredients are listed.	
Chemicals known to cause reproductive t	oxicity for females:
None of the ingredients is listed.	
Chemicals known to cause reproductive t	oxicity for males:
None of the ingredients is listed.	
Chemicals known to cause developmenta	I toxicity:
None of the ingredients is listed.	
· Carcinogenic categories	
• EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by	y ACGIH)
75-52-5 nitromethane	A
NIOSH-Ca (National Institute for Occupati	onal Safety and Health)
None of the ingredients is listed.	
GHS label elements The product is classified a	and labeled according to the Globally Harmonized System (GHS).

[•] Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: nitromethane [•] Hazard statements

Flammable liquid and vapour.

Printing date 06/02/2015

Trade name: 6020

Reviewed on 06/02/2015

(Contd. of page 7)

Harmful if swallowed. Suspected of causing cancer. **Precautionary statements** If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Wear protective gloves / eye protection / face protection. Ground/bond container and receiving equipment. Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If swallowed: Call a poison center/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention. Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

Date of preparation / last revision 06/02/2015 / 1

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Carc. 2: Carcinogenicity, Hazard Category 2