Permabond [*]
Engineering Adhesives

Permabond Engineering Adhesives

Revision nr.4 Dated 3/24/2025 Printed on 3/24/2025 Page n. 1 / 10 Replaced revision:3 (Dated 3/1/2024)

Permabond HL126

Safety Data Sheet

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

IGODTITIOGTICE				
Identification				
1. Product identifier				
Product name		Permabond HL12	6	
2. Relevant identified uses of	f the substance of	r mixture and uses ad	vised against	
Intended use		Adhesive		
Identified Uses Use		Industrial	Professional	Consumer
		\checkmark	✓.	-
3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the supp	ne safety data she	eet		
Name			eering Adhesives	
Full address District and Country		Niederkasseler Lo 40547 Düs	seldorf	
District and Country			nany	
			(0)1962 711 661	
e-mail address of the compete				
responsible for the Safety Dat	a Sheet	info.europe@perr	nabond.com	
Supplier:		Permabond LCC		
		14 Robinson Stre	et	
		Pottstown, PA 194	464, USA	
		tel 732-868-1372 C		
		www. permabond	.com	
4. Emergency telephone num	nber			
For urgent inquiries refer to		Medical: Poison C	Control Center 866-827-6282 (to	ll free) or 303-389-1109
		Transport: CHEM	TREC 800-424-9300 (toll free) o	or 1-703-741-5970
. Hazards identification	on			
	-			
.1. Classification of the subst	ance or mixture			
.1. Classification of the subst Classification and Hazard Sta	ance or mixture			
.1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2	ance or mixture		Causes serious eye irritation.	
 Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 	ance or mixture tement		Causes skin irritation.	on.
.1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2	ance or mixture tement			on.
Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category	ance or mixture tement		Causes skin irritation.	on.
.1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category	ance or mixture tement		Causes skin irritation.	on.
1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category	ance or mixture tement		Causes skin irritation.	on.
 Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category 	ance or mixture tement		Causes skin irritation.	on.
 Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category 	ance or mixture tement		Causes skin irritation.	on.
1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms:	ance or mixture tement y 1		Causes skin irritation.	on.
1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms:	ance or mixture tement y 1		Causes skin irritation.	on.
 1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms: Signal words: Hazard statements: 	ance or mixture tement y 1 Warning	eye irritation.	Causes skin irritation.	on.
 1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms: Vision Vision	ance or mixture tement y 1 Warning Causes serious Causes skin irrita	eye irritation.	Causes skin irritation.	on.
1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms: Signal words: Hazard statements: H319 H315	ance or mixture tement y 1 Warning Causes serious Causes skin irrita	eye irritation. ation.	Causes skin irritation.	on.
 1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms: Words: Signal words: Hazard statements: H319 H315 H317 	ance or mixture tement y 1 Warning Causes serious Causes skin irrita	eye irritation. ation.	Causes skin irritation.	on.
 1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms: Signal words: Hazard statements: H319 H315 H317 Precautionary statements: 	ance or mixture tement y 1 Warning Causes serious Causes skin irrita May cause an al Avoid breathing	eye irritation. ation. lergic skin reaction. vapors or aerosols.	Causes skin irrita ^t ion. May cause an allergic skin reacti	on.
1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms: View Signal words: Hazard statements: H319 H315 H317 Precautionary statements: Prevention: P261 P280	ance or mixture tement y 1 Warning Causes serious of Causes skin irrita May cause an al Avoid breathing Wear protective	eye irritation. ation. lergic skin reaction. vapors or aerosols. gloves / eye protection	Causes skin irritation. May cause an allergic skin reacti	on.
1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms: Signal words: Hazard statements: H319 H315 H317 Precautionary statements: Prevention: P261 P280 P264	ance or mixture tement y 1 Warning Causes serious of Causes skin irrita May cause an al Avoid breathing Wear protective Wash contamina	eye irritation. ation. lergic skin reaction. vapors or aerosols. gloves / eye protection ated skin thoroughly afte	Causes skin irritation. May cause an allergic skin reacti / face protection. er handling.	on.
1. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms: Signal words: Hazard statements: H319 H315 H317 Precautionary statements: Prevention: P261 P280 P264 P272	ance or mixture tement y 1 Warning Causes serious of Causes skin irrita May cause an al Avoid breathing Wear protective Wash contamina	eye irritation. ation. lergic skin reaction. vapors or aerosols. gloves / eye protection ated skin thoroughly afte	Causes skin irritation. May cause an allergic skin reacti	on.
 I. Classification of the subst Classification and Hazard Sta Eye irritation, category 2 Skin irritation, category 2 Skin sensitization, category Hazard pictograms: Signal words: Hazard statements: H319 H315 H317 Precautionary statements: Prevention: P261 P280 P264 	ance or mixture tement y 1 Warning Causes serious of Causes skin irrita May cause an al Avoid breathing Wear protective Wash contamina	eye irritation. ation. lergic skin reaction. vapors or aerosols. gloves / eye protection ated skin thoroughly afte	Causes skin irritation. May cause an allergic skin reacti / face protection. er handling.	on.

ΕN

Dormohon d [*]		Permabond Engineering Adh	Revision nr.4 Dated 3/24/2025 Printed on 3/24/2025	EN		
Perman Engineering A	ONC dhesives	Permabond HL126	Baga p. 2 / 10			
2. Hazards ider	ntification	/>>	1			
P305+P351		IF IN EYES: Rinse cautiously with water for several minute do. Continue rinsing.				
P333+P313 P337+P313		If skin irritation or rash occurs: Get medical advice / atte If eye irritation persists: Get medical advice / attention.	ntion.			
P302+P352		IF ON SKIN: Wash with plenty of soap and water.				
P362+P364			Take off contaminated clothing and wash it before reuse.			
P363		Wash contaminated clothing before reuse.				
Storage:						
Disposal:						
P501		Dispose of the product according to current regulations.				
2.2. Other hazard	ls					
No other hazar	ds known.					
3. Composit	ion/info	mation on ingredients				
3.2. Mixtures						
Contains:						
Identification		x = Conc. % Classification:				
Triethylene GI	vcol Dimet	hacrylate				
,		$60 \le x < 100$ Skin sensitization, catego	ory 1B H317			
EC	203-652-6	-				
CAS	109-16-0					

sensitization, category 1 H317

Eye irritation, category 2 H319, Skin irritation, category 2 H315, Skin

4.1. Description of first aid measures

4. First-aid measures

REACH Reg. 01-2119969287-21-2-HYDROXYETHYL METHACRYLATE 607-124-00-X

212-782-2

868-77-9 REACH Reg. 01-2119490169-29-XXXX

* There is a batch to batch variation.

INDEX

EC

CAS

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

10 ≤ x < 30

In case of more severe symptoms, ask for immediate medical aid.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

Permabond^{*}

FN

4. First-aid measures ... / >>

4.3. Indication of any immediate medical attention and special treatment needed

If symptoms occur, whether acute or delayed, consult a doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

5. Fire-fighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS DUE TO EXPOSURE IN THE EVENT OF FIRE Avoid breathing combustion products, carbon monoxide (CO), carbon dioxide (CO2), and nitric oxides (NOx).

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7. Handling and storage ... / >>

7.3. Specific end use(s)

Information not available

8. Exposure controls/personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations. HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (OSHA 29 CFR 1910.138): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing. EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance Colour Odour		Value liquid green characteristic			Information		
Odour threshold		not available					
рН		not available				0	stance/mixture is
					non-soluble	(in	water)
Melting point / freezing point		not available					
Initial boiling point		not available					
Boiling range		not available					
Flash point	>	100	°C	(212 °F)			
Evaporation rate		not available					
Flammability		not available					
Lower explosive limit		not available					
Upper explosive limit		not available					
Vapour pressure		not available					
Vapour density		not available					
Relative density		1					
Solubility		not available					
Partition coefficient: n-octanol/water		not available					
Auto-ignition temperature		not available					
Decomposition temperature		not available					
Viscosity		not available					
Explosive properties		not available					
Oxidising properties		not available					

Revision nr.4 Dated 3/24/2025 Printed on 3/24/2025 Page n. 5 / 10 Replaced revision:3 (Dated 3/1/2024)

Permabond HL126

9. Physical and chemical properties ... / >>

9.2. Other information

Information not available

10. Stability and reactivity

10.1. Reactivity

The following materials may react with the product: Strong oxidizing agents, Reducing agents, strong acids and bases.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Stable under normal conditions of storage and use. Protect from direct sunlight. Avoid contact with acids and oxidizing agents.

10.5. Incompatible materials

See the reactivity section.

10.6. Hazardous decomposition products

By thermal decomposition, carbon monoxide, carbon dioxide and ed other unidentified organic compounds.

11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the

toxicological effects of exposure to the product. **11.1. Information on toxicological effects**

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

2-HYDROXYETHYL METHACRYLATE LD50 (Oral): LD50 (Dermal):

> 5000 mg/kg > 5000 mg/kg

SKIN CORROSION / IRRITATION

Causes skin irritation

Revision nr.4 Dated 3/24/2025 Printed on 3/24/2025 Page n. 6 / 10 Replaced revision:3 (Dated 3/1/2024)

Permabond HL126

11. Toxicological information ... / >>

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

2-HYDROXYETHYL	METHACRYLATE
ZINDROALEINIE	

LC50 - for Fish	> 100 mg/l/96h
EC50 - for Crustacea	380 mg/l/48h
EC50 - for Algae / Aquatic Plants	836 mg/l/72h

12.2. Persistence and degradability

2-HYDROXYETHYL METHACRYLATE Rapidly degradable

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

ΕN

Permabond HL126

12. Ecological information ... / >>

12.6. Other adverse effects

Information not available

13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA:

All components of this product are listed on US Toxic Substances Control Act (TSCA) Inventory or are exempt from the listing / notification requirements.

Clean Air Act Section 112(b): No component(s) listed.



Revision nr.4 Dated 3/24/2025 Printed on 3/24/2025 Page n. 8 / 10 Replaced revision:3 (Dated 3/1/2024)

Permabond HL126

15. Regulatory information ... / >>

Clean Air Act Section 602 Class I Substances: No component(s) listed.

Clean Air Act Section 602 Class II Substances: No component(s) listed.

Clean Water Act – Priority Pollutants: No component(s) listed.

Clean Water Act – Toxic Pollutants: No component(s) listed.

DEA List I Chemicals (Precursor Chemicals): No component(s) listed.

DEA List II Chemicals (Essential Chemicals): No component(s) listed.

EPA List of Lists: 313 Category Code: 80-15-9 CUMYL HYDROPEROXIDE

EPCRA 302 EHS TPQ: No component(s) listed.

EPCRA 304 EHS RQ: No component(s) listed.

CERCLA RQ: 80-15-9

CUMYL HYDROPEROXIDE

EPCRA 313 TRI: 80-15-9 CUMYL HYDROPEROXIDE

RCRA Code: 80-15-9 CUMYL HYDROPEROXIDE

CAA 112 (r) RMP TQ: No component(s) listed.

State Regulations

Massachussetts: 80-15-9 CUMYL HYDROPEROXIDE

Minnesota: No component(s) listed.

New Jersey: 80-15-9

CUMYL HYDROPEROXIDE

New York: 80-15-9

30-15-9 CUMYL HYDROPEROXIDE

Pennsylvania: 80-15-9

CUMYL HYDROPEROXIDE

California: No component(s) listed.

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

15. Regulatory information ... / >>

Substances subject to the Stockholm Convention:

16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: Regulation (EC) 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REACH: Regulation (EC) 1907/2006
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.

ΕN

16. Other information ... / >>

- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Product classification derives from criteria established by the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless determined otherwise in Section 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.

Changes to previous review: The following sections were modified: 03 / 09 / 11 / 12 / 13 / 15.