Printing date 02/18/2016

Resin

Reviewed on 07/07/2015

## **1 Identification**

- · Product identifier
- · Trade name: <u>URETHANE 071607-D2 PART A</u>
- · Article number: UR071607-D2 p.A

Designs, LLC

- $\cdot$  Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Resin Designs, LLC 11 State Street WOBURN, MA 01801
- · Information department: Product safety department
- Emergency telephone number: Within the U.S. call Chemtrec: +1 (800) 262-8200 Outside the U.S. call Chemtrec: +1 (703) 741-5500

## **2** Hazard(s) identification

 $\cdot$  Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### · Label elements

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). • **Hazard pictograms** 



· Signal word Danger

· Hazard-determining components of labeling:

- 4,4'-methylenedi(cyclohexyl isocyanate)
- · Hazard statements
- H330 Fatal if inhaled.
- H315 Causes skin irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.

(Contd. on page 2)

<sup>-</sup> US

Printing date 02/18/2016

Resin

#### Reviewed on 07/07/2015

## Trade name: URETHANE 071607-D2 PART A

		(Contd. of page
· Precauti	ionary statements	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.	
P284	[In case of inadequate ventilation] wear respiratory protection.	
P280	Wear protective gloves.	
P264	Wash thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P310	Immediately call a POISON CENTER/doctor.	
P320	Specific treatment is urgent (see on this label).	
P342+P3	311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.	
	340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P363	Wash contaminated clothing before reuse.	
P333+P3	313 If skin irritation or rash occurs: Get medical advice/attention.	
	352 IF ON SKIN: Wash with plenty of water.	
	364 Take off contaminated clothing and wash it before reuse.	
P405	Store locked up.	
P403+P2	233 Store in a well-ventilated place. Keep container tightly closed.	
P501	Dispose of contents/container in accordance with local/regional/national/international i	regulations.
· Classific	cation system:	0
2	Health = 2 Fire = 1 Reactivity = $0$	
· HMIS-r	atings (scale 0 - 4)	
HEALTH FIRE REACTIV	<ul> <li>Health = *2</li> <li>Fire = 1</li> <li>Reactivity = 0</li> </ul>	
· Other h	azards	
· Results	of PBT and vPvB assessment	
· PBT: No	ot applicable.	
	lot applicable.	
	م و م	
3 Compo	osition/information on ingredients	
	al characterization: Mixtures	
	tion: Mixture of the substances listed below with nonhazardous additions.	
-		
· Dangero	Pus components: -1 4,4'-methylenedi(cyclohexyl isocyanate)	50-1009

## **4 First-aid measures**

## · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### · After inhalation:

Supply fresh air or oxygen; call for doctor.

(Contd. on page 3)

US

Printing date 02/18/2016

Resin/L

Reviewed on 07/07/2015

Trade name: URETHANE 071607-D2 PART A

Designs, LLC

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: No special measures required.
  Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

<sup>-</sup>US

Printing date 02/18/2016

Resin

Reviewed on 07/07/2015

(Contd. of page 3)

Trade name: URETHANE 071607-D2 PART A

esigns, LLC

· Control parameters

- · Components with limit values that require monitoring at the workplace:
- 5124-30-1 4,4'-methylenedi(cyclohexyl isocyanate)
- REL Ceiling limit value: 0.11 mg/m<sup>3</sup>, 0.01 ppm
- TLV Long-term value: 0.054 mg/m<sup>3</sup>, 0.005 ppm
- Additional information: The lists that were valid during the creation were used as basis.

#### $\cdot$ Exposure controls

- · Personal protective equipment:
- $\cdot$  General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

· Information on basic physical and chemical properties · General Information						
· Appearance:						
Form:	Liquid					
Color:	Clear					
· Odor:	Characteristic					
· Odor threshold:	Not determined.					
· pH-value:	Not determined.					
· Change in condition						
Melting point/Melting range:	Undetermined.					

Printing date 02/18/2016

Trade name: URETHANE 071607-D2 PART A

Resin/Designs, LLC

Reviewed on 07/07/2015

		(Contd. of page
Boiling point/Boiling range:	251 °C (484 °F)	(**************************************
Flash point:	200 °C (392 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.07 g/cm <sup>3</sup> (8.929 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0~%	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- $\cdot$  Information on toxicological effects
- · Acute toxicity:

#### $\cdot$ LD/LC50 values that are relevant for classification:

- 5124-30-1 4,4'-methylenedi(cyclohexyl isocyanate)
- Inhalative LC50/4 h 0.464 mg/l (rat)
- · Primary irritant effect:
- $\cdot$  on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.

(Contd. on page 6)

<sup>·</sup>US

Printing date 02/18/2016

Resin/Designs, LLC

#### Reviewed on 07/07/2015

#### Trade name: URETHANE 071607-D2 PART A

(Contd. of page 5)

• **Sensitization:** Sensitization possible through inhalation.

Sensitization possible through skin contact.

 $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Irritant

Very toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- $\cdot$  Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- $\cdot$  Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT	UN3082	
ADN, IMDG	not regulated	
IATA	UN3334	

Printing date 02/18/2016

Resin/Designs, LLC

Reviewed on 07/07/2015

ade name: URETHANE 071607-D2 PA	RT A
	(Contd. of page 6)
<ul> <li>UN proper shipping name</li> <li>DOT</li> </ul>	Environmentally hazardous substances, liquid, n.o.s. (4,4'- methylenedi(cyclohexyl isocyanate))
· ADN, IMDG · IATA	not regulated Aviation regulated liquid, n.o.s. (4.4'-methylenedi(cyclohexyl isocyanate))
· Transport hazard class(es)	
· DOT, IATA	
· Class	9 Miscellaneous dangerous substances and articles
·Label	9
· ADN/R Class:	not regulated
· Packing group · DOT, IATA	III
· IMDG	not regulated
<ul> <li>Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>x II of</b> Not applicable.
· UN "Model Regulation":	not regulated

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
Section 313 (Specific toxic chemical listings):
5124-30-1 4,4'-methylenedi(cyclohexyl isocyanate)
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
(Contd. on page 8)

Printing date 02/18/2016

Resin

Reviewed on 07/07/2015

### Trade name: URETHANE 071607-D2 PART A

Designs, LLC

(Contd. of page 7)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). • **Hazard pictograms** 



· Signal word Danger

#### · Hazard-determining components of labeling:

4,4'-methylenedi(cyclohexyl isocyanate)

#### · Hazard statements

- H330 Fatal if inhaled.
- H315 Causes skin irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

#### · Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P284 [In case of inadequate ventilation] wear respiratory protection.
- P280 Wear protective gloves.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P310 Immediately call a POISON CENTER/doctor.
- P320 Specific treatment is urgent (see on this label).
- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P363 Wash contaminated clothing before reuse.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 02/18/2016

Resin/Designs, LLC

#### Reviewed on 07/07/2015

Trade name: URETHANE 071607-D2 PART A

	(Contd. of page
Department issuing SDS: Environment protection department.	
Contact: Mr. Edward Poznysz, VP of Technologies: epoznysz@resindesigns.com	
Date of preparation / last revision 02/18/2016 / 4	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement	t concerning the International Carri
of Dangerous Goods by Road)	concerning the international carri
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 2: Acute toxicity, Hazard Category 2	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	