Printing date 07/10/2015

Resin/

Reviewed on 05/15/2015

## **1 Identification**

- · Product identifier
- · Trade name: <u>URETHANE 51606-MV PART B</u>
- · Article number: UR51606-MV PT B

Designs, LLC

 $\cdot$  Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Resin Designs, LLC 11 State Street WOBURN, MA 01801 USA epoznysz@resindesigns.com

- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (781) 935-3133

## 2 Hazard(s) identification

• Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labeled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations according to directives on hazardous materials.

- · Classification system:
- NFPA ratings (scale 0 4)

 $\begin{array}{c} 1 \\ 0 \\ 0 \\ \end{array}$ Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

Printing date 07/10/2015

Resin/Designs, LLC

Reviewed on 05/15/2015

Trade name: URETHANE 51606-MV PART B

(Contd. of page 1)

 $\leq 2.5\%$ 

## · Dangerous components:

1067-33-0 dibutyltin di(acetate)

## **4 First-aid measures**

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: No special measures required.

## **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions: None.
- $\cdot$  Specific end use(s) No further relevant information available.

(Contd. on page 3)

Printing date 07/10/2015

Resin

#### Reviewed on 05/15/2015

Trade name: URETHANE 51606-MV PART B

esigns, LLC

(Contd. of page 2)

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

1067	-33-0	dibuty	ltin	di(acet	ate)	
The second	-			0.1		_

- PEL Long-term value: 0.1 mg/m<sup>3</sup> as Sn
- REL Long-term value: 0.1 mg/m<sup>3</sup> as Sn, Skin
- TLV Short-term value: 0.2 mg/m<sup>3</sup> Long-term value: 0.1 mg/m<sup>3</sup> as Sn; Skin

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- $\cdot$  General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

<ul> <li>Information on basic physical and o</li> <li>General Information</li> </ul>	chemical properties	
· Appearance:		
Form:	Fluid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	> 300 °C (> 572 °F)	
· Flash point:	206 °C (403 °F)	
		(Contd. on page

Printing date 07/10/2015

Resin/

Reviewed on 05/15/2015

## Trade name: URETHANE 51606-MV PART B

Designs, LLC

		(Contd. of page 3)
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	370 °C (698 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	0.98 g/cm <sup>3</sup> (8.178 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
$\cdot$ Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0~%	
· Other information	No further relevant information available.	

# **10 Stability and reactivity**

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- $\cdot$  on the eye: No irritating effect.
- $\cdot$  Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 5)

<sup>—</sup> US

Printing date 07/10/2015

Resin/Designs, LLC

#### Reviewed on 05/15/2015

#### Trade name: URETHANE 51606-MV PART B

(Contd. of page 4)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

 $\cdot$  NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- $\cdot$  Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:		
Marine pollutant:	No	

Printing date 07/10/2015

Resin/Designs, LLC

Reviewed on 05/15/2015

Trade name: URETHANE 51606-MV PART B

	(Contd. of page 5)
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· UN "Model Regulation":	-

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

 $\cdot$  Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

69102-90-5 1,3-butadiene, homopolymer, hydroxy-terminated

25723-16-4 Propoxylated trimethylolpropane

67762-90-7 Siloxanes and silicones, Di-Me, Reaction Products with Silica

1067-33-0 dibutyltin di(acetate)

125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate

Proposition 65

#### · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

## · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1067-33-0 dibutyltin di(acetate)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

## · Product related hazard informations:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations according to directives on hazardous materials.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

A4

Printing date 07/10/2015

Resin

#### Reviewed on 05/15/2015

#### Trade name: URETHANE 51606-MV PART B

Designs, LLC

(Contd. of page 6)

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact: Mr. Edward Poznysz, VP of Technologies: epoznysz@resindesigns.com
- · Date of preparation / last revision 07/10/2015 / -

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)