

Revision Number 1

Revision Date 01-Aug-2017

Section 1: IDENTIFICATION**Product identifier****Product Name** CONATHANE® CE-1155 Part B Curative**Other means of identification****Product Code(s)** 0006153**Recommended use of the chemical and restrictions on use****Recommended Use** Curative for polyurethane prepolymer**Details of the supplier of the safety data sheet****Manufacturer Address**ELANTAS PDG, INC.
1405 Buffalo Street
Olean, New York 14760**Emergency telephone number****Company Phone Number** (716) 372-9650**E-mail address** Ross.Roberson@altana.com**Emergency Telephone** INFOTRAC - 1-800-535-5053**Section 2: HAZARDS IDENTIFICATION****Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2B
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements**Danger****Hazard statements**Causes skin irritation
Causes eye irritation
Suspected of damaging fertility or the unborn child
May cause damage to organs through prolonged or repeated exposure

Revision Date 01-Aug-2017

Revision Number1

May be fatal if swallowed and enters airways
Extremely flammable liquid and vapor



Appearance Liquid

Physical state Liquid

Odor Characteristic

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not breathe dust/fume/gas/mist/vapors/spray
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use only non-sparking tools
Take precautionary measures against static discharge

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
If skin irritation occurs: Get medical advice/attention
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do NOT induce vomiting
In case of fire: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

May be harmful if swallowed

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Revision Date 01-Aug-2017

Revision Number1

Mixture**Chemical nature** Mixture.

Chemical name	CAS No.	Weight-%	Trade secret
Toluene	108-88-3	10 - 20	*
1-Methoxy-2-propanol acetate	108-65-6	10 - 20	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES**Description of first aid measures**

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed**Symptoms** No information available.**Indication of any immediate medical attention and special treatment needed****Note to physicians** Treat symptomatically.**Section 5: FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical No information available.

Hazardous combustion products Carbon monoxide. Nitrogen oxides (NOx).

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Revision Date 01-Aug-2017

Revision Number1

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of waterways. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for containment Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Reference to other sections See section 13 for more information.

Section 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Contents under pressure. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. See section 8 for more information. Take precautionary measures against static discharges. S53 - Avoid exposure - obtain special instructions before use. Dispose of in accordance with local regulations.

Conditions for safe storage, including any incompatibilities

Storage Conditions Observe technical data sheet. P210 - Keep away from heat. - No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Observe all label precautions until container is cleaned, reconditioned or destroyed.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs
Toluene 108-88-3	TWA: 20 ppm	TWA: 200 ppm (vacated) TWA: 100 ppm (vacated) TWA: 375 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 560 mg/m ³ Ceiling: 300 ppm	
1-Methoxy-2-propanol acetate 108-65-6	No data available	-	50 ppm TWA

Revision Date 01-Aug-2017

Revision Number1

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield. Tight sealing safety goggles.

Hand protection Impervious gloves.

Skin and body protection Impervious clothing. Wear suitable protective clothing.

Respiratory protection Use appropriate respiratory protection.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Color amber
Odor Characteristic
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	> 35 °C / 95 °F	
Flash point	= 13 °C / 55 °F	Tag Closed Cup
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.95	
Water solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Revision Date 01-Aug-2017

Revision Number1

Softening point No information available
 Molecular weight No information available
 VOC Content (%) No information available
 Liquid Density No information available
 Bulk density No information available

Section 10: STABILITY AND REACTIVITY

Reactivity No information available.
 Chemical stability Stable under normal conditions.
 Possibility of hazardous reactions None under normal processing.
 Conditions to avoid Heat, flames and sparks.
 Incompatible materials Strong oxidizing agents, strong acids, and strong bases.
 Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO₂).

Section 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.
 Eye contact Specific test data for the substance or mixture is not available.
 Skin contact Specific test data for the substance or mixture is not available.
 Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3,678.00 mg/kg
 ATEmix (dermal) 7,117.00 mg/kg
 ATEmix (inhalation-dust/mist) 12.70 mg/l

Unknown acute toxicity No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene 108-88-3	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h
1-Methoxy-2-propanol acetate 108-65-6	= 8532 mg/kg (Rat)	> 5 g/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Revision Date 01-Aug-2017

Revision Number1

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Toluene 108-88-3	-	Group 3	-	-

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects liver, kidney, Respiratory system, Eyes, Skin, Central nervous system.

Subchronic toxicity Not applicable.

Neurological effects None known.

Other adverse effects No information available.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity No information available.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Toluene 108-88-3	12.5: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 433: 96 h Pseudokirchneriella subcapitata mg/L EC50	12.6: 96 h Pimephales promelas mg/L LC50 static 5.89 - 7.81: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 50.87 - 70.34: 96 h Poecilia reticulata mg/L LC50 static 5.8: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 15.22 - 19.05: 96 h Pimephales promelas mg/L LC50 flow-through 54: 96 h Oryzias latipes mg/L LC50 static 14.1 - 17.16: 96 h Oncorhynchus mykiss mg/L LC50 static 28.2: 96 h Poecilia reticulata mg/L	-	11.5: 48 h Daphnia magna mg/L EC50 5.46 - 9.83: 48 h Daphnia magna mg/L EC50 Static

Revision Date 01-Aug-2017

Revision Number1

		LC50 semi-static 11.0 - 15.0: 96 h Lepomis macrochirus mg/L LC50 static		
1-Methoxy-2-propanol acetate 108-65-6	-	161: 96 h Pimephales promelas mg/L LC50 static	-	500: 48 h Daphnia magna mg/L EC50

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Bioconcentration factor (BCF) No data available

Component Information

Chemical name	Partition coefficient
Toluene 108-88-3	2.7
1-Methoxy-2-propanol acetate 108-65-6	0.43

Mobility No information available.

Other adverse effects No information available.

Section 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty remaining contents.

US EPA Waste Number U220 D001.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Toluene 108-88-3	U220	Included in waste streams: F005, F024, F025, F039, K015, K036, K037, K149, K151	-	U220

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Toluene 108-88-3	-	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free	-

Revision Date 01-Aug-2017

Revision Number1

			radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	
--	--	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Toluene 108-88-3	Toxic Ignitable

Section 14: TRANSPORT INFORMATION

DOT

UN/ID no. UN1993
Proper shipping name Flammable liquid, n.o.s [Contains toluene and 2-methoxypropyl acetate]
Hazard Class 3
Packing Group II
Reportable Quantity (RQ) 6,000 Reportable Quantity of Product (lbs.)

IATA

UN/ID no. UN1993
Proper shipping name Flammable liquid, n.o.s [Contains toluene and 2-methoxypropyl acetate]
Hazard Class 3
Packing Group II

IMDG

UN/ID no. UN1993
Proper shipping name Flammable liquid, n.o.s [Contains toluene and 2-methoxypropyl acetate]
Hazard Class 3
Packing Group II

Section 15: REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify

Revision Date 01-Aug-2017

Revision Number1

the appropriate hazard categories for reporting purposes.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene 108-88-3	1000 lb	-

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Toluene - 108-88-3	Developmental

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Toluene 108-88-3	X	X	X

U.S. EPA Label Information

Section 16: OTHER INFORMATION

NFPA

Health hazards 2

Flammability 4

Instability 0

HMIS

Chronic Hazard Star Legend

* = Chronic Health Hazard

Revision Date

01-Aug-2017

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet