

Revision Number 1.2

Revision Date 09-Aug-2017

Section 1: IDENTIFICATION**Product identifier****Product Name** CONAPOXY® AD-10 Resin**Other means of identification****Product Code(s)** 0008096**Recommended use of the chemical and restrictions on use****Recommended Use** Adhesives**Details of the supplier of the safety data sheet****Manufacturer Address**ELANTAS PDG, INC.
1405 Buffalo Street
Olean, New York 14760**Emergency telephone number****Company Phone Number** (716) 372-9650**E-mail address** Ross.Roberson@altana.com**Emergency Telephone** INFOTRAC - 1-800-535-5053**Section 2: HAZARDS IDENTIFICATION****Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements**Danger****Hazard statements**Harmful if swallowed
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction

Revision Date 09-Aug-2017

Revision Number 1.2

May cause cancer
Causes damage to organs through prolonged or repeated exposure



Appearance Viscous liquid

Physical state Liquid

Odor Characteristic

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN: Wash with plenty of soap and water
Take off contaminated clothing and wash before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

May be harmful in contact with skin

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical nature Mixture.

Revision Date 09-Aug-2017

Revision Number 1.2

Chemical name	CAS No.	Weight-%	Trade secret
Oxirane, 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer	25085-99-8	50 - 60	*
Silica, quartz	14808-60-7	20 - 30	*
Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl- (Diuron)	330-54-1	5 - 10	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

Description of first aid measures

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Carbon monoxide. Nitrogen oxides (NOx).
Explosion data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

Revision Date 09-Aug-2017

Revision Number 1.2

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of waterways. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for containment Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Reference to other sections See section 13 for more information.

Section 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Contents under pressure. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. See section 8 for more information. Take precautionary measures against static discharges. S53 - Avoid exposure - obtain special instructions before use. Dispose of in accordance with local regulations.

Conditions for safe storage, including any incompatibilities

Storage Conditions Observe technical data sheet. P210 - Keep away from heat. - No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Observe all label precautions until container is cleaned, reconditioned or destroyed.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs
Silica, quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 0.1 mg/m ³ respirable dust	

Revision Date 09-Aug-2017

Revision Number 1.2

		: (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction	
		: (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	
Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl- (Diuron) 330-54-1	TWA: 10 mg/m ³	(vacated) TWA: 10 mg/m ³	

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers. Ventilation systems. Physical degradation of the cured product (i.e. sanding, abrading, etc) may pose a dust hazard. Repeated inhalation of such dust may cause lung injury. Eyewash stations.

Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield. Tight sealing safety goggles.

Hand protection Impervious gloves.

Skin and body protection Impervious clothing. Wear suitable protective clothing.

Respiratory protection Use appropriate respiratory protection.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Viscous liquid
Color tan
Odor Characteristic
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range		None known
Flash point	> 100 °C / 212 °F	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.27	
Water solubility	No data available	None known
Solubility in other solvents	No data available	None known

Revision Date 09-Aug-2017

Revision Number 1.2

Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk density	No information available

Section 10: STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Strong acids. Strong bases. Amines.
Hazardous decomposition products	Carbon oxides. Nitrogen oxides (NOx). Ammonia. Phenols.

Section 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
-----------------	---------------------------

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	675.00 mg/kg
ATEmix (dermal)	2,028.00 mg/kg

Unknown acute toxicity	No information available
-------------------------------	--------------------------

Revision Date 09-Aug-2017

Revision Number 1.2

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silica, quartz 14808-60-7	= 500 mg/kg (Rat)	-	-
Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl- (Diuron) 330-54-1	= 1017 mg/kg (Rat) = 4990 mg/kg (Rat)	> 2000 mg/kg (Rat) > 5 g/kg (Rat)	> 0.265 mg/L (Rat)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Silica, quartz 14808-60-7	A2	Group 1	Known	X

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin, blood, Lungs.
Subchronic toxicity	Not applicable.
Neurological effects	None known.
Other adverse effects	No information available.
Aspiration hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity	No information available.
--------------------	---------------------------

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl- (Diuron) 330-54-1	0.022: 96 h Desmodesmus subspicatus mg/L EC50 0.1: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.0007: 96 h Pseudokirchneriella subcapitata mg/L EC50	13.4 - 15: 96 h Pimephales promelas mg/L LC50 static 4: 96 h Lepomis macrochirus mg/L LC50 2.3 - 3.3: 96 h Lepomis macrochirus mg/L LC50 static 1.5 - 2.54: 96 h Oncorhynchus mykiss mg/L LC50 static	-	1.4: 48 h Daphnia magna mg/L EC50 6.3 - 13: 48 h Daphnia magna mg/L EC50 Static

Revision Date 09-Aug-2017

Revision Number 1.2

	static 0.036: 72 h Desmodosmus subspicatus mg/L EC50 static	13.4 - 15: 96 h Pimephales promelas mg/L LC50 flow-through 2.9: 96 h Cyprinus carpio mg/L LC50 14.7: 96 h Oncorhynchus mykiss mg/L LC50		
--	--	---	--	--

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Bioconcentration factor (BCF) No data available

Component Information

Chemical name	Partition coefficient
Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl- (Diuron) 330-54-1	2.82

Mobility No information available.

Other adverse effects No information available.

Section 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty remaining contents.

US EPA Waste Number Not applicable.

Section 14: TRANSPORT INFORMATION

DOT

UN/ID no. UN3082
Proper shipping name Environmentally hazardous substance, liquid, n.o.s. [Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl (Diuron)]
Hazard Class 9
Packing Group III

IATA

UN/ID no. UN3082
Proper shipping name Environmentally hazardous substance, liquid, n.o.s. [Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl (Diuron)]
Hazard Class 9
Packing Group III

Revision Date 09-Aug-2017

Revision Number 1.2

IMDG

UN/ID no. UN3082
 Proper shipping name Environmentally hazardous substance, liquid, n.o.s. [Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl (Diuron)]
 Hazard Class 9
 Packing Group III

Section 15: REGULATORY INFORMATION

International Inventories

TSCA Complies
 DSL/NDSL Complies

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl- (Diuron) 330-54-1	100 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl- (Diuron) 330-54-1	100 lb	-

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Silica, quartz - 14808-60-7	Carcinogen
Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl- (Diuron) - 330-54-1	Carcinogen

U.S. State Right-to-Know Regulations

US State Regulations

Revision Date 09-Aug-2017

Revision Number 1.2

Chemical name	New Jersey	Massachusetts	Pennsylvania
Silica, quartz 14808-60-7	X	X	X
Urea, N'-(3,4-dichlorophenyl)-N,N-dimethyl- (Diuron) 330-54-1	X	X	X

U.S. EPA Label Information

Section 16: OTHER INFORMATION

NFPA **Health hazards 2** **Flammability 1** **Instability 0** **HMS**
Chronic Hazard Star Legend * = *Chronic Health Hazard*

Revision Date 09-Aug-2017

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet