

*

*

Page 1/9

Safety Data Sheet acc. to OSHA HCS

	acc. to USHA HCS	
nting Date 10/16/2017	Revision Number 2	Revision Date 10/16/2017
Identification		
Product identifier		
v		(04006)
Details of the supplier of the safety Manufacturer/Supplier: Royal Adhesives & Sealants 800 E. Anaheim Street Wilmington. CA 90744 (310) 830-9904	v data sheet	
Information department: Environ Emergency telephone number: ChemTrec: Day or Night within US Outside USA and Canada: +1 703	5A and Canada: 1-800-424-9300.	
Hazard(s) identification		
Classification of the substance or	mixture	
GHS07		
Skin Irrit. 2 H315 Causes skin ir	ritation.	
Eye Irrit. 2A H319 Causes serious	s eye irritation.	
Skin Sens. 1 H317 May cause an	allergic skin reaction.	
STOT SE 3 H335 May cause res	piratory irritation.	
Label elements GHS label elements The product is Hazard pictograms	s classified and labeled according to the C	Globally Harmonized System (GHS).
\wedge		
GHS07		
C' I IW '		
• Signal word Warning		
Hazard statements		
Hazard statements Causes skin irritation. Causes serious eye irritation.		

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

⁻ USA

Printing Date 10/16/2017

Revision Number 2

Revision Date 10/16/2017

Trade name: Double Bubble Epoxy Regular Setting Black Package Part A (04006)

	(Contd. of page 1)
Contaminated work clothing must not be allowed out of the workplace. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	ent and easy to do.
Continue rinsing.	
Specific treatment (see on this label).	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Call a POISON CENTER/doctor if you feel unwell.	
Wash contaminated clothing before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water.	
Take off contaminated clothing and wash it before reuse.	
Store locked up.	
Store in a well-ventilated place. Keep container tightly closed.	
Dispose of contents/container in accordance with local/regional/national/international reg	gulations.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 1	
2 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 1 Fire = 1	
PHYSICAL HAZARD Physical Hazard = 0	
• Other hazards	
• Results of PBT and vPvB assessment • PBT: Not applicable.	
• vPvB : Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture	
Hazardous components:	
25068-38-6 Bisphenol A Epoxy Resin	50-100%
68460-21-9 trimethylol ethane triglycidyl ether polymer	25-50%
4 First-aid measures	
· Description of first aid measures	
• After inhalation:	
Supply fresh air or oxygen; call for doctor.	
In case of unconsciousness place patient stably in side position for transportation.	
After skin contact:	

• After skin contact: Wipe excess from skin.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

USA

Printing Date 10/16/2017

Revision Number 2

Revision Date 10/16/2017

Trade name: Double Bubble Epoxy Regular Setting Black Package Part A (04006)

• Information for doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use water fog, dry chemical, foam, Carbon Dioxide.
- Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing.*

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

25068-38-6 Bisphenol A Epoxy Resin

· PAC-2:

25068-38-6 Bisphenol A Epoxy Resin

• PAC-3:

25068-38-6 Bisphenol A Epoxy Resin

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

90 mg/m3

990 mg/m3

5,900 mg/m3

(Contd. of page 2)

USA

Printing Date 10/16/2017

Revision Number 2

Revision Date 10/16/2017

Trade name: Double Bubble Epoxy Regular Setting Black Package Part A (04006)

(Contd. of page 3)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not necessary if room is well-ventilated.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses with side shields.

· Body protection: Protective work clothing

*

9 Physical and chemical properties

• Information on basic phys • General Information	ical and chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Characteristic	
• Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point:	Undetermined.	
Boiling point:	Undetermined	
· Flash point:	> 96 °C (> 205 °F)	
· Auto igniting:	Product is not selfigniting.	
		(Contd. on page

Printing Date 10/16/2017

Revision Number 2

Revision Date 10/16/2017

Trade name: Double Bubble Epoxy Regular Setting Black Package Part A (04006)

		(Contd. of page 4
· Danger of explosion:	Product does not present an explosion hazard.	
· Flammable limits:		
Lower:	Not determined	
Upper:	Not determined	
· Vapor pressure:	Not determined.	
· Specific gravity at 20 °C (6	8 •F): 1.18 g/cm ³ (9.847 lbs/gal)	
· Vapor density	Not determined.	
· Evaporation rate	Not determined	
· Solubility in / Miscibility w	th	
Water:	Not miscible or difficult to mix.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0%	
VOC (Per EPA 24)	9.35 GMS/L	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Exposure to high temperatures.
- · Incompatible materials: Reacts with oxidizing agents.
- Hazardous decomposition products:
- Carbon monoxide and carbon dioxide
- Aldehydes
- Acids

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Skin Contact May cause allergic skin reaction.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

(Contd. on page 6)

USA -

Printing Date 10/16/2017

Revision Number 2

Revision Date 10/16/2017

Trade name: Double Bubble Epoxy Regular Setting Black Package Part A (04006)

(Contd. of page 5)

USA

 \cdot NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

· Ecotoxical effects:

- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT IMDG, IATA	not regulated UN3082
UN proper shipping name	
DOT	not regulated
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (Bisphenol A Epoxy Resin), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (Bisphenol A Epoxy Resin)

Printing Date 10/16/2017

Revision Number 2

Revision Date 10/16/2017

Trade name: Double Bubble Epoxy Regular Setting Black Package Part A (04006)

	(Contd. of pa
Transport hazard class(es)	
DOT	
Class	not regulated
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles 9
Packing group	
DOT	not regulated
IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
EMS Number:	F-A,S-F
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Product packaging conforms to 49 CFR 173.4 - Requirements for "Small Quantity Exceptions"
UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s. (Bisphenol A Epoxy Resin), 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 8)

USA

Printing Date 10/16/2017

Revision Number 2

Revision Date 10/16/2017

Trade name: Double Bubble Epoxy Regular Setting Black Package Part A (04006)

(Contd. of page 7)

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

• (DSL) Canada Dosmestic Substance List All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

· Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· Department issuing SDS: Environment protection department.

- · Creation Date: 10/16/2017
- · Date of preparation / last revision 10/16/2017 / 1
- Abbreviations and acronyms: RID: Realement international concernant le transp

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

ADR: Accord europeen sur le transport de. Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 9)

Printing Date 10/16/2017

Revision Number 2

Revision Date 10/16/2017

Trade name: Double Bubble Epoxy Regular Setting Black Package Part A (04006)

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

(Contd. of page 8)

USA