

**SAFETY DATA SHEET****DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red Pkg. Part B (04001)**

Version 1.1

Revision Date 04/07/2021

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red Pkg. Part B (04001)  
Product code : 100000006860

**Manufacturer or supplier's details**

Company : H.B. Fuller Company  
Address : 1200 Willow Lake Boulevard  
Vadnais Heights, MN 55110  
Telephone : 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

**Recommended use of the chemical and restrictions on use**

Recommended use : Epoxy curing agent  
Restrictions on use : For industrial use only.

**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

Appearance	liquid
Color	amber
Odor	characteristic

**GHS Classification**

Skin corrosion : Category 1  
Serious eye damage : Category 1

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

**Hazard Statements:**

H314 Causes severe skin burns and eye damage.

**Precautionary Statements:**

## SAFETY DATA SHEET

**DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red  
Pkg. Part B (04001)**

Version 1.1

Revision Date 04/07/2021

**Prevention:** P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER. P363 Wash contaminated clothing before reuse.

**Storage:** P405 Store locked up.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

**Potential Health Effects****Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical name	CAS-No.	Concentration [%]
tertiary amine	90-72-2	5 - 10
bis[(dimethylamino)methyl]phenol	71074-89-0	1 - 5

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

- General advice** : Show this material safety data sheet to the doctor in attendance.
- If inhaled** : Move to fresh air.  
If not breathing, give artificial respiration.  
Keep patient warm and at rest.  
Consult a physician after significant exposure.
- In case of skin contact** : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Call a physician if irritation develops or persists.

**SAFETY DATA SHEET****DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red  
Pkg. Part B (04001)**

Version 1.1

Revision Date 04/07/2021

---

Wash contaminated clothing before re-use.

- In case of eye contact : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention. Protect unharmed eye.
- If swallowed : If swallowed, call a poison control center or doctor immediately. Do NOT induce vomiting. If victim is fully conscious, give a cupful of water. If possible drink milk afterwards.
- 

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific extinguishing methods :  
Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material. Shovel into suitable container for disposal.
- 

**SECTION 7. HANDLING AND STORAGE**

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Wear personal protective equipment. Do not get on skin or clothing. Use only in an area equipped with a safety shower.
-

**SAFETY DATA SHEET****DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red  
Pkg. Part B (04001)**

Version 1.1

Revision Date 04/07/2021

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.

Materials to avoid : No special restrictions on storage with other products.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Personal protective equipment**

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapor type

Hand protection  
Material : butyl-rubber

Eye protection : Safety goggles  
Face-shield  
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Long sleeved clothing  
Chemical resistant apron

Protective measures : Avoid contact with skin.

Hygiene measures : Avoid contact with skin, eyes and clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid  
Color : amber  
Odor : characteristic  
Odor Threshold : No data available  
Melting point/freezing point : is not determined  
Boiling point/boiling range : is not determined  
Flash point : > 121 °C  
Evaporation rate : is not determined

## SAFETY DATA SHEET

**DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red  
Pkg. Part B (04001)**

Version 1.1

Revision Date 04/07/2021

---

Flammability (solid, gas)	: Not classified as a flammability hazard
Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Density	: 1.13 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: immiscible is not determined
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: is not determined
Viscosity	
Viscosity, kinematic	: is not determined

---

**SECTION 10. STABILITY AND REACTIVITY**

Chemical stability	: The product is chemically stable.
Hazardous decomposition products	: Stable under normal conditions.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

**Components:****tertiary amine:**

Acute oral toxicity	: LD50 Oral Rat: 1,000 mg/kg
Acute dermal toxicity	: LD50 Dermal Rat: 1,280 mg/kg

**Skin corrosion/irritation**

**SAFETY DATA SHEET****DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red  
Pkg. Part B (04001)**

Version 1.1

Revision Date 04/07/2021

---

No data available

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**STOT-single exposure**

No data available

**STOT-repeated exposure**

No data available

**Aspiration toxicity**No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential****Mobility in soil**

No data available

**Other adverse effects**No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

---

**SAFETY DATA SHEET****DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red  
Pkg. Part B (04001)**

Version 1.1

Revision Date 04/07/2021

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

**SECTION 14. TRANSPORT INFORMATION****Special precautions for user**

Not applicable

**Domestic regulation****49 CFR**

Not regulated as a dangerous good

**International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**SECTION 15. REGULATORY INFORMATION**

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SAFETY DATA SHEET**
**DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red Pkg. Part B (04001)**

Version 1.1

Revision Date 04/07/2021

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**US State Regulations**


**California Prop 65** : Please contact Supplier for more information.

**The ingredients of this product are reported in the following inventories:**

**TSCA** All substances listed as active on the TSCA inventory  
**DSL** All components of this product are on the Canadian DSL  
**Inventories Legend** TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

**SECTION 16. OTHER INFORMATION**

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

**Further information**
**NFPA:**

**HMIS III:**

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is



**SAFETY DATA SHEET****DOUBLE/BUBBLE® Double Bubble Epoxy Extra Fast Setting Red  
Pkg. Part B (04001)**

Version 1.1

Revision Date 04/07/2021

---

the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.