SAFETY DATA SHEET		ELANTAS Electrical Insulation
CONAPOXY® FR-183	0 Part B Hardener	
Version 1	Revision Date 11/16/2017	Print Date 11/16/2017
SECTION 1. IDENTIFICATION		
Product name	: CONAPOXY® FR-1830 Part B H	lardener
Manufacturer or supplier'	s details	
Company	: ELANTAS PDG, INC. 5200 North 2nd Street St. Louis MO 63147	
Telephone Visit our web site E-mail address Emergency telephone number	: (314) 621-5700 : www.elantas.com : Todd.Thomas@altana.com : INFOTRAC - 1-800-535-5053	
Recommended use of the	chemical and restrictions on use	
Recommended use	: Electrical Insulation	
Restrictions on use	: Refer to Section 15 for any restrie	ctions that may apply
ECTION 2. HAZARDS IDENT	FICATION	
GHS Classification Acute toxicity (Dermal)	: Category 4	
Skin corrosion	: Category 1B	
Serious eye damage	: Category 1	
Skin sensitisation	: Category 1	
Reproductive toxicity	: Category 2	
GHS label elements		
Hazard pictograms		
Signal word	: Danger	
Hazard statements	: H312 Harmful in contact with skir H314 Causes severe skin burns H317 May cause an allergic skin H361 Suspected of damaging fer	and eye damage. reaction.
Precautionary statements	: Prevention: P201 Obtain special instructions P202 Do not handle until all safet	

C ELANTAS Electrical Insulation

CONAPOXY® FR-1830 Part B Hardener

	Revision Date 11/16/2017	Print Date 11/16/20
on 1 Revision Date 11/16/2017 Print Date 11 and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spr P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed the workplace. P280 Wear protective gloves/ protective clothing/ eye proface protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do induce vomiting. P301 + P361 + P353 IF ON SKIN (or hair): Take off imme all contaminated clothing. Rinse skin with water/shower. P304 + P361 + P351 IF INHALED: Remove person to freand keep comfortable for breathing. Immediately call a P4 CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautious water for several minutes. Remove contact lenses, if presand easy to do. Continue rinsing. Immediately call a P018 CENTER/doctor. P303 + P313 IF exposed or concerned: Get medical adviattention. P333 + P313 If skin irritation or rash occurs: Get medical adviattention. P333 + P313 If skin irritation or rash occurs: Get medical attention. P363 Wash contaminated clothing before reuse. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved wash disposal plant.		andling. should not be allowed out of ective clothing/ eye protection WED: Rinse mouth. Do NOT (or hair): Take off immediate in with water/shower. Remove person to fresh air g. Immediately call a POISO EYES: Rinse cautiously with e contact lenses, if present mmediately call a POISON rned: Get medical advice/ sh occurs: Get medical advice before reuse.
Other hazards		
Other hazards None known.		
None known.	/INFORMATION ON INGREDIENTS : Alkylphenol / Amine Blend	Concentration (%)
None known. TION 3. COMPOSITION Chemical nature Hazardous component Component	/INFORMATION ON INGREDIENTS : Alkylphenol / Amine Blend s CAS-No.	
None known. TION 3. COMPOSITION Chemical nature Hazardous component Component Nonylphenol	/INFORMATION ON INGREDIENTS : Alkylphenol / Amine Blend s CAS-No. 84852-15-3	>= 32 - < 33
None known. TION 3. COMPOSITION Chemical nature Hazardous component Component Nonylphenol Ethyleneamine	/INFORMATION ON INGREDIENTS : Alkylphenol / Amine Blend s CAS-No.	>= 32 - < 33 >= 26 - < 27
None known. CTION 3. COMPOSITION Chemical nature Hazardous component Component Nonylphenol Ethyleneamine Amino Ether	/INFORMATION ON INGREDIENTS : Alkylphenol / Amine Blend s CAS-No. 84852-15-3	>= 32 - < 33 >= 26 - < 27 >= 14 - < 15
None known. CTION 3. COMPOSITION Chemical nature Hazardous component Component Nonylphenol Ethyleneamine Amino Ether Cycloaliphatic Amine	/INFORMATION ON INGREDIENTS : Alkylphenol / Amine Blend s CAS-No. 84852-15-3 140-31-8 - -	>= 32 - < 33 >= 26 - < 27 >= 14 - < 15 >= 12 - < 13
None known. CTION 3. COMPOSITION Chemical nature Hazardous component Component Nonylphenol Ethyleneamine Amino Ether	/INFORMATION ON INGREDIENTS : Alkylphenol / Amine Blend s CAS-No. 84852-15-3 140-31-8 - -	>= 32 - < 33 >= 26 - < 27 >= 14 - < 15

AFETY DATA SHEET	CELANTAS Electrical Insulation			
ONAPOXY® FR-1830 Part B Hardener				
ersion 1	Revision Date 11/16/2017 Print Date 11/16/201			
Phenol, 2-nonyl-, branched	91672-41-2 >= 0.1 - < 1			
ECTION 4. FIRST AID MEASUR	ES			
General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. 			
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. 			
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Take victim immediately to hospital. If on skin, rinse well with water. If on clothes, remove clothes. Speed in removing phenol and/or methyl phenol from the affected area is of primary importance. Apply polyethylene glycol (PEG) to the affected area and rinse with large amounts of water. Repeat application of PEG and Washing of affected area until burning and odor are gone. If PEG is not available, wash with large amounts of soap and water. Do not use alcohol-based products to wash affected area. Alcohol will adversely promote absorption of phenol and/or methyl phenol into skin. Small amounts splashed into eyes can cause irreversible 			
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 			
If swallowed	 Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. 			
Most important symptoms and effects, both acute and delayed	 Phenol poisoning can occur via the lungs and skin, or by swallowing. Acute overexposure to phenol causes collapse, convulsions, 			
delayed	Acute overexposure to phenol causes collapse, convulsions,			

SAFETY DATA SHEET		CELANTAS Electrical Insulation
ONAPOXY® FR-1830 I	Part B Hardener	
/ersion 1	Revision Date 11/16/2017	Print Date 11/16/201
	cyanosis (blue discoloration of lips or skin) and coma. Symptoms may be delayed up to several hours. Widespread skin contact can result in rapid onset of symptoms and death.	
ECTION 5. FIREFIGHTING MEAS	SURES	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fightir courses.	ng to enter drains or water
Further information	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	aratus for firefighting if
ECTION 6. ACCIDENTAL RELEA		
Personal precautions, protective equipment and emergency procedures	: Use personal protective equipmen	t.
Environmental precautions	: Prevent product from entering drai Prevent further leakage or spillage If the product contaminates rivers a respective authorities.	if safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, sawd Keep in suitable, closed containers	lust).
ECTION 7. HANDLING AND STO	DRAGE	
Advice on safe handling	 Do not breathe vapours/dust. Avoid exposure - obtain special ins Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking shou application area. To avoid spills during handling kee Dispose of rinse water in accordan regulations. Persons susceptible to skin sensiti 	n 8. Id be prohibited in the op bottle on a metal tray. Ice with local and national

٦

Γ

SAFETY DATA SHEET

C ELANTAS Electrical Insulation

CONAPOXY® FR-1830 Part B Hardener

Conditions for safe storage : S Conditions for safe storage : S C CTION 8. EXPOSURE CONTROLS/F Components with workplace com Contains no substances with occup Engineering measures : L A Personal protective equipment Respiratory protection : In Remarks : T Eye protection : In Skin and body protection : In Skin and body protection : In C C Hygiene measures : V	ntrol parameters
CTION 8. EXPOSURE CONTROLS/F Components with workplace come Contains no substances with occup Engineering measures Engineering measures Engineering measures Hand protection Remarks Eye protection Skin and body protection Hygiene measures Hygiene measures	Data Sheet to maintain product quality. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. PERSONAL PROTECTION htrol parameters bational exposure limit values. Use with adequate ventilation. All application areas should be ventilated in accordance with applicable OSHA regulations. (29 CFR 1910.94) In the case of vapour formation use a respirator with an approved filter. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye wash bottle with pure water
Ett CTION 8. EXPOSURE CONTROLS/F Components with workplace come Contains no substances with occup Engineering measures : L A Personal protective equipment Respiratory protection : Hand protection : Remarks : Eye protection : Skin and body protection : Hygiene measures :	Electrical installations / working materials must comply with the technological safety standards. PERSONAL PROTECTION Introl parameters pational exposure limit values. Use with adequate ventilation. All application areas should be ventilated in accordance with applicable OSHA regulations. (29 CFR 1910.94) In the case of vapour formation use a respirator with an approved filter. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye wash bottle with pure water
Components with workplace components of workplace components no substances with occupEngineering measures:LEngineering measures:LPersonal protective equipmentRespiratory protection:Hand protection:InRemarks:TEye protection:InSkin and body protection:InHygiene measures:V	Atrol parameters Dational exposure limit values. Use with adequate ventilation. All application areas should be ventilated in accordance with applicable OSHA regulations. (29 CFR 1910.94) In the case of vapour formation use a respirator with an approved filter. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye wash bottle with pure water
Contains no substances with occup Engineering measures : U Personal protective equipment Respiratory protection : In a Hand protection Remarks : T W Eye protection : E T V Skin and body protection : In C C Hygiene measures : V	 bational exposure limit values. Use with adequate ventilation. All application areas should be ventilated in accordance with applicable OSHA regulations. (29 CFR 1910.94) In the case of vapour formation use a respirator with an approved filter. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye wash bottle with pure water
Engineering measures:.Personal protective equipment Respiratory protection:.Hand protection Remarks:.Eye protection:.Eye protection:.Skin and body protection:.Hygiene measures:.	Use with adequate ventilation. All application areas should be ventilated in accordance with applicable OSHA regulations. (29 CFR 1910.94) In the case of vapour formation use a respirator with an approved filter. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye wash bottle with pure water
Personal protective equipment Respiratory protection : In A Hand protection Remarks : T Eye protection : E Skin and body protection : In C G Hygiene measures : V	All application areas should be ventilated in accordance with applicable OSHA regulations. (29 CFR 1910.94) In the case of vapour formation use a respirator with an approved filter. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye wash bottle with pure water
Respiratory protection:In aHand protection Remarks:T wEye protection:E T v pSkin and body protection:In C cHygiene measures:V	approved filter. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye wash bottle with pure water
Hand protection Remarks : T Eye protection : E T V Skin and body protection : In C C Hygiene measures : V	approved filter. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye wash bottle with pure water
Remarks : T Eye protection : E Skin and body protection : In Operation : In Hygiene measures : V	with the producers of the protective gloves. Eye wash bottle with pure water
Eye protection : E T V Skin and body protection : In C Hygiene measures : V	with the producers of the protective gloves. Eye wash bottle with pure water
Skin and body protection : In Control of the second	
Skin and body protection : In Skin and body protection : In Hygiene measures : V	Lightly fifting safety goggles
Hygiene measures : V	Wear face-shield and protective suit for abnormal processing problems.
C Hygiene measures : V	Impervious clothing
	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
V	When using do not eat or drink.
	When using do not smoke. Wash hands before breaks and at the end of workday.
CTION 9. PHYSICAL AND CHEMICA	AL PROPERTIES
Appearance : I	liquid
Odour Threshold :	No data available

	Revision Date 11/16/2017	Print Date 11/16/2
рН	No data available	
Melting point/freezing point	No data available	
Initial boiling point and boiling range	No data available	
Vapour pressure	No data available	
Flash point Upper explosion limit	 > 201 °F (> 94 °C) Method: No information availal Information taken from referent No data available 	
Lower explosion limit	No data available	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Relative vapour density	No data available	
Relative Density/Specific Gravity	No data available	
Density	: 0.984 g/cm3 (77 °F (25 °C))	
Solubility(ies) Water solubility	No data available	
Solubility in other solvents	No data available	
Partition coefficient: n- octanol/water	No data available	
Auto-ignition temperature	No data available	
Thermal decomposition	No data available	
Viscosity Viscosity, dynamic	No data available	
	: > 22 mm2/s (104 °F (40 °C))	



sion 1	Revision Date 11/16/2017	Print Date 11/16/2
Reactivity	: No decomposition if stored and a	pplied as directed.
Chemical stability	: No decomposition if stored and a	pplied as directed.
Possibility of hazardous reactions	: No decomposition if stored and a	pplied as directed.
Conditions to avoid	: No data available	
Hazardous decomposition products	: Carbon monoxide in a fire. Nitrogen oxides in a fire. Ammonia when heated.	
TION 11. TOXICOLOGICAL	INFORMATION	
Information on likely route	s of exposure	
Acute toxicity		
<u>Product:</u> Acute oral toxicity	: Acute toxicity estimate : 3,087 mg Method: Calculation method	/kg
Acute dermal toxicity	: Acute toxicity estimate : 1,133 mg Method: Calculation method	/kg
Components:		
84852-15-3 Nonylphenol: Acute oral toxicity	: LD50 (Rat): 1,882 mg/kg	
Acute dermal toxicity	: LD50 (Rabbit): 3,160 mg/kg	
140-31-8 Ethyleneamine: Acute oral toxicity	: LD50 (Rat, male): 2,097 mg/kg	
Acute dermal toxicity	: LD50 (Rabbit, male): 866 mg/kg	
9046-10-0 Polyoxypropyler		
Acute oral toxicity	: LD50 (Rat): 1,100 mg/kg	
Acute dermal toxicity	: LD50 (Rabbit): 1,560 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosiv	e and destructive to tissue.	
Components:		
84852-15-3 Nonylphenol:		

C ELANTAS

Electrical Insulation

CONAPOXY® FR-1830 Part B Hardener

Version 1

Revision Date 11/16/2017

Print Date 11/16/2017

Result: Corrosive

Result: Corrosive

140-31-8 Ethyleneamine: Species: Rabbit Result: Corrosive

9046-10-0 Polyoxypropyleneamine: Species: Rabbit Method: Draize Test

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Components:

84852-15-3 Nonylphenol: Result: Severe eye irritation

140-31-8 Ethyleneamine:

Species: Rabbit Result: Risk of serious damage to eyes.

9046-10-0 Polyoxypropyleneamine:

Species: Rabbit Result: Severe eye irritation Method: Draize Test

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Components:

140-31-8 Ethyleneamine: Test Type: Maximisation Test Exposure routes: Dermal Species: Guinea pig Method: OECD Test Guideline 406 Result: May cause sensitisation by skin contact.

9046-10-0 Polyoxypropyleneamine:

Test Type: Buehler Test Species: Guinea pig Result: Did not cause sensitisation on laboratory animals.

sion 1	Revision Date 11/16/2017	Print Date 11/16/20
Germ cell mutagenicity		
Components:		
84852-15-3 Nonylphenol:		
Genotoxicity in vitro	: Test Type: Ames test Result: negative	
Carcinogenicity		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	No component of this product present equal to 0.1% is identified as a carcino carcinogen by ACGIH.	
OSHA	No component of this product present equal to 0.1% is identified as a carcino carcinogen by OSHA.	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	
Further information		
Product:		
<u>Product:</u> Remarks: No data available		
	ORMATION	
Remarks: No data available	DRMATION	
Remarks: No data available	DRMATION	
Remarks: No data available TION 12. ECOLOGICAL INFO Ecotoxicity <u>Components:</u> 140-31-8 Ethyleneamine:		
Remarks: No data available TION 12. ECOLOGICAL INFO Ecotoxicity <u>Components:</u>	: LC50 (Pimephales promelas (fathe	ad minnow)): 2,190 mg/l
Remarks: No data available TION 12. ECOLOGICAL INFO Ecotoxicity <u>Components:</u> 140-31-8 Ethyleneamine:	: LC50 (Pimephales promelas (fathe Exposure time: 96 h	ad minnow)): 2,190 mg/l
Remarks: No data available TION 12. ECOLOGICAL INFO Ecotoxicity <u>Components:</u> 140-31-8 Ethyleneamine:	: LC50 (Pimephales promelas (fathe	ad minnow)): 2,190 mg/l
Remarks: No data available TION 12. ECOLOGICAL INFO Ecotoxicity Components: 140-31-8 Ethyleneamine: Toxicity to fish Toxicity to daphnia and other	 LC50 (Pimephales promelas (father Exposure time: 96 h Test Type: static test EC50 (Daphnia magna (Water flea) 	
Remarks: No data available CTION 12. ECOLOGICAL INFO Ecotoxicity <u>Components:</u> 140-31-8 Ethyleneamine: Toxicity to fish	 : LC50 (Pimephales promelas (father Exposure time: 96 h Test Type: static test : EC50 (Daphnia magna (Water flea) Exposure time: 48 h)): 58 mg/l
Remarks: No data available TION 12. ECOLOGICAL INFO Ecotoxicity Components: 140-31-8 Ethyleneamine: Toxicity to fish Toxicity to daphnia and other	 LC50 (Pimephales promelas (father Exposure time: 96 h Test Type: static test EC50 (Daphnia magna (Water flea))): 58 mg/l
Remarks: No data available CTION 12. ECOLOGICAL INFO Ecotoxicity Components: 140-31-8 Ethyleneamine: Toxicity to fish Toxicity to daphnia and other aquatic invertebrates	 : LC50 (Pimephales promelas (father Exposure time: 96 h Test Type: static test : EC50 (Daphnia magna (Water flea) Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes)): 58 mg/l
Remarks: No data available TION 12. ECOLOGICAL INFO Ecotoxicity Components: 140-31-8 Ethyleneamine: Toxicity to fish Toxicity to daphnia and other	 : LC50 (Pimephales promelas (father Exposure time: 96 h Test Type: static test : EC50 (Daphnia magna (Water flea) Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes : ErC50 (Selenastrum capricornutum))): 58 mg/l
Remarks: No data available CTION 12. ECOLOGICAL INFO Ecotoxicity Components: 140-31-8 Ethyleneamine: Toxicity to fish Toxicity to daphnia and other aquatic invertebrates	 : LC50 (Pimephales promelas (father Exposure time: 96 h Test Type: static test : EC50 (Daphnia magna (Water flea) Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes : ErC50 (Selenastrum capricornutum mg/l Exposure time: 72 h)): 58 mg/l
Remarks: No data available CTION 12. ECOLOGICAL INFO Ecotoxicity Components: 140-31-8 Ethyleneamine: Toxicity to fish Toxicity to daphnia and other aquatic invertebrates	 LC50 (Pimephales promelas (father Exposure time: 96 h Test Type: static test EC50 (Daphnia magna (Water flea) Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes ErC50 (Selenastrum capricornutum mg/l Exposure time: 72 h Method: OECD Test Guideline 201)): 58 mg/l
Remarks: No data available CTION 12. ECOLOGICAL INFO Ecotoxicity Components: 140-31-8 Ethyleneamine: Toxicity to fish Toxicity to daphnia and other aquatic invertebrates	 : LC50 (Pimephales promelas (father Exposure time: 96 h Test Type: static test : EC50 (Daphnia magna (Water flea) Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes : ErC50 (Selenastrum capricornutum mg/l Exposure time: 72 h)): 58 mg/l

SAFETY DATA SHEET

CONAPOXY® FR-1830 Part B Hardener

sion 1	Revision Date 11/16/2017	Print Date 11/16/2	
9046-10-0 Polyoxypropylenea			
Toxicity to fish	: LC50 (Leuciscus idus (Golden or	rfe)): lower 220 mg/l	
	Exposure time: 96 h Remarks: Information given is based on data obtained fr		
	similar substances.		
	LC50 (Leuciscus idus (Golden or	rfe)): upper 460 mg/l	
	Exposure time: 96 h	// 11 34	
	Remarks: Information given is ba	ased on data obtained from	
	similar substances.		
Persistence and degradability	y		
Components:			
140-31-8 Ethyleneamine:			
Biodegradability	: Result: Not readily biodegradable		
	Method: OECD Test Guideline 3 GLP: yes	UTF	
	OLF. YES		
Bioaccumulative potential			
<u>Components:</u>			
140-31-8 Ethyleneamine:			
Partition coefficient: n-	: log Pow: -1.48 (20 °C)		
octanol/water			
Mobility in soil			
<u>Components:</u>			
140-31-8 Ethyleneamine:			
Distribution among	: Medium: Soil		
environmental compartments	Koc: 37000		
Other adverse effects			
No data available			
Product:			
Regulation	40 CFR Protection of Environme		
	Stratospheric Ozone - CAA Sect	ion 602 Class I Substances	
Remarks	This product neither contains, no	or was manufactured with a	
	Class I or Class II ODS as define	ed by the U.S. Clean Air Act	
	Section 602 (40 CFR 82, Subpt.	A, App.A + B).	
Additional ecological	: No data available		
information			

ersion 1	Revision Date 11/16/2017	Print Date 11/16/201
ECTION 13. DISPOSAL CONSI	DERATIONS	
Disposal methods EPA Hazardous Waste Code(s)	: none	
Waste from residues	: Do not dispose of waste into sewer. Do not contaminate ponds, waterway chemical or used container. Send to a licensed waste manageme	-
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	
ECTION 14. TRANSPORT INFO	DRMATION	
International Regulations		
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft)	 : UN 1760 : Corrosive liquid, n.o.s. (Nonylphenol, Aminoethylpiperazine) : 8 : III : Corrosive : 856)
Packing instruction (passenger aircraft)	: 852	
IMDG-Code UN number Proper shipping name	: UN 1760 : CORROSIVE LIQUID, N.O.S. (NONYLPHENOL, AMINOETHYLPI	PERAZINE)
Class Packing group Labels EmS Code Marine pollutant	: 8 : III : 8 : F-A, S-B : no	
	g to Annex II of MARPOL 73/78 and the	IBC Code
Not applicable for product as	supplied.	
National Regulations		
49 CFR UN/ID/NA number Proper shipping name	: UN 1760 : Corrosive liquids, n.o.s.	


ersion 1	Revision Date 11/16	D/2017	Print Date 11/16/201
	(Nonylphenol, Amin	oethylpiperazine)	
Class	: 8	, , , , , , , , , , , , , , , , , , ,	
Packing group	: 111		
Labels	: Corrosive		
ERG Code	: 154		
Marine pollutant	: no		
CTION 15. REGULATORY IN	FORMATION		
EPCRA - Emergency Plan	ning and Community Righ	nt-to-Know Act	
US. EPA CERCLA Hazard	ous Substances (40 CFR 3	302)	
Calculated RQ exceeds rea	sonably attainable upper lin	nit.	
SARA 304 - Emergency R	elease Notification		
Calculated RQ exceeds rea	sonably attainable upper lin	nit.	
US. EPA Emergency Plan Section 302 Extremely Ha			A) SARA Title III
Calculated RQ exceeds rea	sonably attainable upper lin	nit.	
SARA 311/312 Hazards	harmonized the EPC 2012 OSHA hazard and labeling of chem	6 Federal Register notio RA 311/312 hazard cate communication standard licals (i.e. GHS). Please y the appropriate hazard	egories with the I for classifying refer to Section 2
SARA 302		nents are subject to rep A Title III, Section 302:	orting levels
	Phenol	108-95-2	.2 %
SARA 313	to the reporting requ	s the following toxic che irements of Section 313 ents and Reauthorization	of Title III of the
	Nonylphenol	84852-15-3	32.6 %
Clean Air Act			
This product does not conta Act Section 112 (40 CFR 67		ants (HAP), as defined b	y the U.S. Clean Ai
This product does not conta Accidental Release Prevent			t Section 112(r) for

ersion 1	Revision Date 11/16/2017	Print Date 11/16/2017
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).		
Non-volatile (Wt) :	Refer to the product technic	al data sheet for VOC information.
US State Regulations		
Massachusetts Right To Know		
Ethyleneamine		140-31-8
Phenol		108-95-2
Pennsylvania Right To Know		
Nonylphenol		84852-15-3
Ethyleneamine		140-31-8
Amino Ether		-
Cycloaliphatic /	Amine	_
Polyoxypropyle		9046-10-0
Phenol		108-95-2
New Jansey Diskt To Kasaw		
New Jersey Right To Know		
Nonylphenol		84852-15-3
Ethyleneamine		140-31-8
Amino Ether	A vez in a	-
Cycloaliphatic /		-
Polyoxypropyle Phenol	nearnine	9046-10-0 108-95-2
	Not Applicable	106-95-2
Registry Number for the product (NJ TSRN)		
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
The components of this product are reported in the following inventories:TSCA: We certify that all of the components of this product are either listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).: Section 4 / 12(b): Nonylphenol (84852-15-3)		
Section 5	Not applicable	
	Not applicable	
DSL :	We certify that all of the components of this product are listed on the DSL.	
13 / 14		

SAFETY DATA SHEET

ELANTAS Electrical Insulation

CONAPOXY® FR-1830 Part B Hardener



information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.