

# **CONATHANE® EN-2534 Part B Black Curative**

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

#### **SECTION 1. IDENTIFICATION**

Product name : CONATHANE® EN-2534 Part B Black Curative

## Manufacturer or supplier's details

Company : ELANTAS PDG, INC.

5200 North 2nd Street St. Louis MO 63147

Telephone : (314) 621-5700 Visit our web site : www.elantas.com

E-mail address : Todd.Thomas@altana.com Emergency telephone : INFOTRAC - 1-800-535-5053

number

#### Recommended use of the chemical and restrictions on use

Recommended use :

Restrictions on use : Refer to Section 15 for any restrictions that may apply

#### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Carcinogenicity : Category 1A

Specific target organ toxicity

- repeated exposure

(Inhalation)

: Category 1 (Lungs)

### **GHS** label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H350 May cause cancer.

H372 Causes damage to organs (Lungs) through prolonged or

repeated exposure if inhaled.

Precautionary statements : **Prevention**:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/



# **CONATHANE® EN-2534 Part B Black Curative**

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

face protection. **Response:** 

P308 + P313 IF exposed or concerned: Get medical advice/

attention. **Storage:** 

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Hazardous components**

Component	CAS-No.	Concentration (%)	
Quartz	14808-60-7	>= 49 - < 50	
Kaolin	1332-58-7	>= 1 -< 2	
Carbon black	1333-86-4	>= 0.1 -<1	

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.



# CONATHANE® EN-2534 Part B Black Curative

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

#### **SECTION 5. FIREFIGHTING MEASURES**

Unsuitable extinguishing

media

: High volume water jet

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if

necessary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

**Environmental precautions** : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Store under conditions specified on the product Technical

Data Sheet to maintain product quality.

Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.



# **CONATHANE® EN-2534 Part B Black Curative**

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz	14808-60-7	TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable fraction)	0.025 mg/m3 (Silica)	ACGIH
Kaolin	1332-58-7	TWA (Respirable fraction)	2 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
_		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Carbon black	1333-86-4	TWA	3.5 mg/m3	ACGIH
		TWA	3.5 mg/m3	OSHA Z-1

Engineering measures

: Use with adequate ventilation.

All application areas should be ventilated in accordance with

applicable OSHA regulations. (29 CFR 1910.94)

This product contains a particulate(s) that is considered hazardous per OSHA (29 CFR 1910.1200) and is listed in

Section III as a precautionary warning.

Under normal conditions of use, this product as supplied does not pose a health risk from particulate matter. Physical degradation of the cured product (i.e. sanding,

abrading, etc.) may pose a dust hazard.

Repeated inhalation of such dust may cause lung injury.

### Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an



# **CONATHANE® EN-2534 Part B Black Curative**

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

approved filter.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

: No data available

Vapour pressure : No data available

Flash point :  $> 201 \,^{\circ}\text{F} \, (> 94 \,^{\circ}\text{C})$ 

Method: No information available.

Information taken from reference works and the literature.

Upper explosion limit : No data available

Lower explosion limit : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Relative vapour density : No data available

Relative Density/Specific

Gravity

: No data available

Density : 1.44 g/cm3 (77 °F (25 °C))



# **CONATHANE® EN-2534 Part B Black Curative**

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : > 22 mm2/s (104 °F (40 °C))

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

: No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Hazardous decomposition

products

: Carbon monoxide in a fire. Nitrogen oxides in a fire.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

Acute toxicity

Skin corrosion/irritation

Serious eye damage/eye irritation

Respiratory or skin sensitisation

Carcinogenicity

IARC Group 1: Carcinogenic to humans



## **CONATHANE® EN-2534 Part B Black Curative**

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

Quartz 14808-60-7

Group 2B: Possibly carcinogenic to humans

Carbon black 1333-86-4

ACGIH Suspected human carcinogen

Quartz 14808-60-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP Known to be human carcinogen

Quartz 14808-60-7

**Further information** 

**Product:** 

Remarks: No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No data available

### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

### Other adverse effects

No data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological

information

: No data available



## **CONATHANE® EN-2534 Part B Black Curative**

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

**EPA Hazardous Waste** 

Code(s)

: none

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**49 CFR** 

Not regulated as a dangerous good

#### SECTION 15. REGULATORY INFORMATION

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 - Emergency Release Notification

This material does not contain any components with a section 304 EHS RQ.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

This material does not contain any components with a SARA 302 RQ.

SARA 311/312 Hazards : Per the June 13, 2016 Federal Register notice, EPA

harmonized the EPCRA 311/312 hazard categories with the



### CONATHANE® EN-2534 Part B Black Curative

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

> 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for

reporting purposes.

**SARA 302** : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Non-volatile (Wt) : Refer to the product technical data sheet for VOC information.

### **US State Regulations**

Massachusetts Right To Know

Quartz 14808-60-7 Kaolin 1332-58-7

Pennsylvania Right To Know

Quartz 14808-60-7 Castor oil 8001-79-4 Kaolin 1332-58-7

**New Jersey Right To Know** 

Quartz 14808-60-7 Castor oil 8001-79-4



# **CONATHANE® EN-2534 Part B Black Curative**

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

Zeolites Zeolites are

considered to be mixtures of the substances

used to manufacture them and are

listed

separately on the TSCA inventory 1332-58-7

 Kaolin
 1332-58-7

 Carbon black
 1333-86-4

New Jersey Trade Secret Registry Number for the

product (NJ TSRN)

: Not Applicable

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

 Quartz
 14808-60-7

 Kaolin
 1332-58-7

 Carbon black
 1333-86-4

## The components of this product are reported in the following inventories:

TSCA: We certify that all of the components of this product are either

listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

Section 4 / 12(b) : Not applicable

Section 5 Not applicable

DSL : We certify that all of the components of this product are listed

on the DSL.




# **CONATHANE® EN-2534 Part B Black Curative**

Version 1 Revision Date 11/06/2017 Print Date 11/06/2017

## **SECTION 16. OTHER INFORMATION**

### **Further information**

#### NFPA:



Special hazard.

#### HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Revision Date : 11/06/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.