

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: HazCom 2012

# 621-T

Issuing Date 11-Nov-2021 Revision date 11-Nov-2021 Revision Number 30

# 1. Identification

**Product identifier** 

Product Name 621-T

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Adhesives.

**Restrictions on use**No information available.

Details of the supplier of the safety data sheet

Manufacturer

Dymax Corporation 318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010

Fax: 860-496-0608 **E-mail address** 

 $Product\_Regulatory@dymax.com\\$ 

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

# 2. Hazard(s) identification

	Emergency Overview	
Appearance transparent	Physical state Liquid	Odor Characteristic

# Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

# Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Signal word Danger

Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.



# **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

## **Precautionary Statements - Response**

Get medical advice/attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

# Other information

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Environmental product testing for acute and chronic aquatic effects determined classification to be Category 3. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

# 3. Composition/information on ingredients

## **Substance**

Not applicable.

### Mixture

Chemical name	CAS No	Trade secret	Weight-%
Acrylate Ester	Proprietary	*	25-39
Methacrylate Ester Monomer	Proprietary	*	25-39
Acrylic Acid	79-10-7	*	3-<5
tert-Butyl Perbenzoate	614-45-9	*	1-<3
Photoinitiator	Proprietary	*	1-<3
Maleic Acid	110-16-7	*	1-<3
Silane Coupling Agent	Proprietary	*	<1

\_\_\_\_\_

Epoxy Resin	Proprietary	*	<1
-------------	-------------	---	----

# 4. First-aid measures

## Description of first aid measures

#### **General advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

#### Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.

#### Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

### Eye contact

Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

### Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

#### Most important symptoms and effects, both acute and delayed

Burning sensation. Itching. Rashes. Hives.

## Indication of any immediate medical attention and special treatment needed

## Note to physicians

May cause sensitization in susceptible persons. Treat symptomatically.

# 5. Fire-fighting measures

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical or CO2.

## Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

# Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

# **Hazardous combustion products**

Carbon dioxide (CO2). Carbon monoxide. Hydrocarbons. Nitrogen oxides (NOx).

### **Explosion data**

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### Other information

Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

## Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

### Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### Reference to other sections

See section 8 for more information. See section 13 for more information.

# Section 7: Handling and storage, including how the chemical may be safely used

# Precautions for safe handling

#### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Protect from light.

### Conditions for safe storage, including any incompatibilities

## **Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place. Protect from light.

# 8. Exposure controls/personal protection

# Control parameters

### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Acrylic Acid	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
	S*	(vacated) TWA: 30	TWA: 6 mg/m <sup>3</sup>
		mg/m³	
		(vacated) S*	

# Appropriate engineering controls

#### **Engineering controls**

Ensure adequate ventilation, especially in confined areas.

## Individual protection measures, such as personal protective equipment

### **General hygiene considerations**

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

### Hand protection

Wear suitable gloves. Nitrile rubber, Butyl rubber.

# Eye/face protection

Tight sealing safety goggles.

## Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

### **Environmental exposure controls**

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

# 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state: Liquid transparent

Color: colorless, light yellow, to

Odor: Characteristic

Odor threshold: No information available

PropertyValuesRemarks • MethodpH:No data availableNo information available

**pH** (as aqueous solution): No data available Not applicable

Melting point / freezing point:No data availableNo information availableBoiling point / boiling range:No data availableNo information available

Flash point: 101 °C / 214 °F Pensky-Martens Closed Cup (PMCC)

**Evaporation rate:** No data available No information available

Flammability (solid, gas): No data available Not applicable

Flammability Limit in Air

Upper flammability or explosive No data available No information available

limits:

Lower flammability or explosive No data available No information available

limits:

Vapor pressure: No data available No information available No information available Relative vapor density: No data available Relative density: No data available No information available Water solubility: partially soluble No information available Solubility(ies): No data available No information available Partition coefficient: No data available No information available **Autoignition temperature:** No data available No information available **Decomposition temperature:** No data available No information available Kinematic viscosity: No data available No information available

**Dynamic viscosity:** 3,500 cP

#### Other information

Explosive properties:

Oxidizing properties:

No information available
VOC Content (%):
No information available
Liquid Density:
No information available
No information available

# 10. Stability and reactivity

## Reactivity

No information available.

#### Chemical stability

Stable under normal conditions.

# Possibility of hazardous reactions

None under normal processing.

### Hazardous polymerization

None under normal processing.

## Conditions to avoid

Protect from light. Heat, flames and sparks.

## Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

# Hazardous decomposition products

None under normal use conditions.

# 11. Toxicological information

### Information on likely routes of exposure

## **Product Information**

### Inhalation:

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

# Eye contact:

Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.

# Skin contact:

Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.

#### Ingestion

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

### Acute toxicity

## The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 3,897.90 mg/kg
ATEmix (dermal): 5,480.40 mg/kg
ATEmix (inhalation-dust/mist): 57.30 mg/l

### Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

**Component Information:** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acrylate Ester	= 4890 mg/kg (Rat)	> 3000 mg/kg ( Rabbit )	-
Methacrylate Ester Monomer	= 5050 mg/kg (Rat)	> 3000 mg/kg(Rabbit)	-
Acrylic Acid	= 193 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L (Rat) 4 h
tert-Butyl Perbenzoate	= 1012 mg/kg (Rat)	= 3817 mg/kg ( Rabbit )	1.01 - 4.9 mg/L (Rat) 4 h
Maleic Acid	= 708 mg/kg (Rat)	= 1560 mg/kg ( Rabbit )	> 720 mg/m³ (Rat) 1 h
Silane Coupling Agent	= 23.5 g/kg ( Rat )	> 2000 mg/kg (Rat)	> 2.28 mg/L (Rat) 6 h
Epoxy Resin	= 11400 mg/kg (Rat)	-	-

## Symptoms related to the physical, chemical and toxicological characteristics

Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation:** Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation: Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

**Respiratory or skin sensitization:** May cause sensitization by skin contact.

**Germ cell mutagenicity:** Not classified. Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemic	al name	ACGIH	IARC	NTP	OSHA
Acryli	c Acid	-	Group 3	ı	-

## Legend:

# IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**Reproductive toxicity:** Not classified. Based on available data, the classification criteria are not met.

**STOT - single exposure:** May cause respiratory irritation. May cause drowsiness or dizziness.

**STOT - repeated exposure:** May cause damage to organs through prolonged or repeated exposure.

Target organ effects: Respiratory system. Eyes. Skin.

Aspiration hazard: Not classified. Based on available data, the classification criteria are not met.

# 12. Ecological information

### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

### **Product Information**

Environmental product testing for acute and chronic aquatic effects determined classification to be Category 3. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Acrylate Ester	ErC 50 = 2.7 mg/L 96 h (Pseudokirchneriella subcapitata)	LC50: =0.704mg/L (96h, Danio rerio)	-	EC 50 = 1.1 mg/L 48 h (Daphnia magna)
Methacrylate Ester Monomer	-	LC50: 213 - 242mg/L (96h, Pimephales promelas) LC50: =227mg/L (96h, Pimephales promelas)	-	EC50 > 380 mg/l 48 h (Daphnia magna)
Acrylic Acid	EC50: =0.04mg/L (72h, Desmodesmus subspicatus) EC50: =0.17mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =222mg/L (96h, Brachydanio rerio) NOEC: >= 10.1mg/L (45d, Oryzias latipes, OECD 210)	-	EC50: =95mg/L (48h, Daphnia magna) NOEC: =3.8mg/L (21d, Daphnia magna)
tert-Butyl Perbenzoate	-	LC50: =1.6mg/L (96h, Danio rerio)	-	-
Maleic Acid	-	LC50: =5mg/L (96h, Pimephales promelas)	_	EC50: 250 - 400mg/L (48h, Daphnia magna)
Silane Coupling Agent	EC50 > 536,00 mg/l 72 h (Scenedesmus subspicatus)	LC50: >100mg/L (96h Danio rerio)	<u>-</u>	EC50 > 876,00 mg/l 48 h (Daphnia magna)

# Persistence and degradability

No information available.

## Bioaccumulation

There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Acrylate Ester	4.52
Methacrylate Ester Monomer	0.47
Acrylic Acid	0.46
Maleic Acid	0.32
Silane Coupling Agent	2.1

# Other adverse effects

No information available.

# 13. Disposal considerations

# Waste treatment methods

# Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

# Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number: U008

# 14. Transport information

IMDGNot regulatedIATANot regulatedDOTNot regulated

# 15. Regulatory information

International Inventories

## TSCA Complies

\*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

AIIC Not Listed
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Not Listed

IECSC Simplified Notification

KECLCompliesPICCSNot ListedNZIOCNot ListedTCSINot Listed

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AIICS - Australian Industrial Chemicals IntroductionScheme

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**NZIOC** - New Zealand Inventory of Chemicals **TCSI** - Taiwan Chemical Substance Inventory

# **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Acrylic Acid	1.0

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic	CWA - Priority	CWA - Hazardous

	Quantities	Pollutants	Pollutants	Substances
Maleic Acid	5000 lb	•	•	Х

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances	Extremely Hazardous	Reportable Quantity (RQ)
	RQs	Substances RQs	
Acrylic Acid	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Maleic Acid	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acrylic Acid	X	X	X
tert-Butyl Perbenzoate	X	X	X
Maleic Acid	X	X	X
tert-Butyl hydroperoxide	X	X	X

### U.S. EPA Label Information

#### **EPA Pesticide Registration Number**

Not applicable

# 16. Other information

<u>NFPA</u>	Health hazards 3	Flammability 1	Instability 0	Special hazards -
<u>HMIS</u>	Health hazards 3 *	Flammability 1	Physical hazards 0	Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

## Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average)	STEL (Short Term Exposure Limit)
Ceiling: Maximum limit value	*: Skin designation

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 11-Nov-2021

Revision Note Disclaimer The symbol (\*) in the margin of this SDS indicates that this line has been revised

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Dymax Corporation and its subsidiaries and affiliates (DYMAX). The information in this SDS relates only to the specific material designated herein. DYMAX assumes no legal responsibility for use of or reliance upon the information in this SDS.

**End of Safety Data Sheet**