

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: HazCom 2012

9-20351-UR

Issuing Date 24-Jul-2023 Revision date 24-Jul-2023 Revision Number 32

1. Identification

Product identifier

Product Name 9-20351-UR

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Adhesives and/or sealants.

Restrictions on use Consumer use.

Details of the supplier of the safety data sheet

Manufacturer

Dymax Corporation 318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010

Fax: 860-496-0608

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

2. Hazard(s) identification

	Emergency Overview	
Appearance translucent	Physical state Liquid	Odor Characteristic

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Signal word

Danger

Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause cancer.

Suspected of damaging fertility or the unborn child.

May cause respiratory irritation.



Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/clothing and eye/face protection.

Wash face, hands and any exposed skin thoroughly after handling.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Precautionary Statements - Response

Get medical advice/attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

1E-05 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Environmental product testing for acute and chronic aquatic effects determined classification to be Category 3. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Trade secret	Weight-%
Acrylate Ester	Proprietary	*	25-39
Acrylic oligomer	Proprietary	*	10-24
Methacrylate Ester Monomer	Proprietary	*	10-24
Acrylate monomer	Proprietary	*	5-9
Fumed Silica	Proprietary	*	3-<5
Acrylic Acid	79-10-7	*	3-<5
Peroxide	Proprietary	*	<1
Silane Coupling Agent	Proprietary	*	<1
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	75980-60-8	*	<1
Visible photoinitiator	Proprietary	*	<1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Eye contact

Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians

May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical or CO2.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous combustion products

Carbon dioxide (CO2). Carbon monoxide. Hydrocarbons. Nitrogen oxides (NOx).

Explosion data

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Protect from light.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from light.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Fumed Silica	-	TWA: 50 µg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 6 mg/m³ <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA	IDLH: 3000 mg/m ³ TWA: 6 mg/m ³
Acrylic Acid	TWA: 2 ppm S*	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m³ (vacated) S*	TWA: 2 ppm TWA: 6 mg/m³

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Hand protection

Wear suitable gloves. Nitrile rubber, Butyl rubber.

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:

Appearance:

Color:

Odor:

Liquid

translucent

colorless

Characteristic

Odor threshold: No information available

Property
pH:

Values
No data available

pH: No data available
pH (as aqueous solution): No data available

Melting point / freezing point:

Boiling point / boiling range:

No data available

No data available

Flash point: 101 °C / 213.8 °F Evaporation rate: No data available

No data available

No data available

No data available

Flammability (solid, gas):

Flammability Limit in Air

Upper flammability or explosive

limits:
Lower flammability or explosive

limits:

Vapor pressure: No data available Relative vapor density: No data available Relative density: No data available Water solubility: partially soluble Solubility(ies): No data available Partition coefficient: No data available 238 °C / 460.4 °F Autoignition temperature: **Decomposition temperature:** No data available Kinematic viscosity: No data available

Dynamic viscosity: 14,500 cP

Other information

Explosive properties:

Oxidizing properties:

No information available
VOC content:
No information available
Liquid Density:
No information available
Bulk density:
No information available

10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Protect from light. Heat, flames and sparks.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Remarks • Method

No information available

Not applicable

No information available No information available

Pensky-Martens Closed Cup (PMCC)

No information available

Not applicable

No information available

No information available

No information available No information available No information available No information available No information available No information available No information available No information available No information available

None under normal use conditions.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation:

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye contact:

Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact:

Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Ingestion:

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 4,728.50 mg/kg
ATEmix (dermal): 4,552.10 mg/kg
ATEmix (inhalation-gas): 99,999.00 ppm
ATEmix (inhalation-dust/mist): 71.60 mg/l
ATEmix (inhalation-vapor): 99,999.00 mg/l

Unknown acute toxicity

1E-05 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acrylate Ester	= 4890 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Methacrylate Ester Monomer	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Acrylate monomer	-	> 2000 mg/kg (Rabbit) 1000 - 2000 mg/kg (Rabbit)	-
Fumed Silica	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 58.8 mg/L (Rat)4 h
Acrylic Acid	= 193 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L (Rat) 4 h
Peroxide	= 1012 mg/kg (Rat)	= 3817 mg/kg (Rabbit)	1.01 - 4.9 mg/L (Rat) 4 h
Silane Coupling Agent	= 23.5 g/kg (Rat)	> 2000 mg/kg (Rat)	> 2.28 mg/L (Rat)6 h
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Visible photoinitiator	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Symptoms related to the physical, chemical and toxicological characteristics

Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation:

Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation:

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Respiratory or skin sensitization:

May cause sensitization by skin contact.

Germ cell mutagenicity:

Not classified. Based on available data, the classification criteria are not met.

Carcinogenicity:

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Fumed Silica	-	Group 3	Known	X
Acrylic Acid	-	Group 3	-	-

Legend:

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity:

Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.

STOT - single exposure:

May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure:

Not classified. Based on available data, the classification criteria are not met.

Target organ effects:

Respiratory system. Eyes. Skin.

Aspiration hazard:

Not classified. Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Product Information

Environmental product testing for acute and chronic aquatic effects determined classification to be Category 3. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

	Chemical name	Algae/aquatic plants	Fish	Crustacea
Г	Acrylate Ester	ErC 50 = 2.7 mg/L 96h	LC50: =0.704mg/L 96h	EC 50 = 1.1 mg/L 48 h
L		(Pseudokirchneriella subcapitata)	(Danio rerio)	(Daphnia magna)
Г	Methacrylate Ester Monomer	-	LC50: 213 - 242mg/L (96h,	EC50 > 380 mg/l 48 h (Daphnia

		Pimephales promelas)	magna)
		LC50: =227mg/L (96h,	
		Pimephales promelas)	
Fumed Silica	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h,	EC50: =7600mg/L (48h,
	Pseudokirchneriella subcapitata)	Brachydanio rerio)	Ceriodaphnia dubia)
Acrylic Acid	EC50: =0.04mg/L	LC50: =222mg/L (96h,	EC50:=95mg/L (48h, Daphnia
	(72h, Desmodesmus subspicatus)	Brachydanio rerio) NOEC: >=	magna)
	EC50: =0.17mg/L	10.1mg/L (45d, Oryzias latipes,	NOEC: =3.8mg/L (21d, Daphnia
	(96h, Pseudokirchneriella	OECD 210)	magna)
	subcapitata)		
Peroxide	ErC50 = 0.8 mg/l 72h } par (Green	LC50: =1.6mg/L 96h	EC50 = 11 mg/l 48h
	Algae)	(Danio rerio)	(Daphnia magna)
Silane Coupling Agent	EC50 > 536,00 mg/l 72 h	LC50: >100mg/L	EC50 > 876,00 mg/l 48 h
	(Scenedesmus subspicatus)	(96h Danio rerio)	(Daphnia magna)
Diphenyl (2,4,6-trimethylbenzoyl) phosphine	-	LC50 10 mg/l 48 h	-
oxide		(Oryzias latipes)	
Visible photoinitiator	-	LC50: >90µg/L	-
		(96h, Danio rerio)	

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Component Information

somponent information			
Chemical name	Partition coefficient		
Acrylate Ester	4.52		
Acrylic oligomer	2.03		
Methacrylate Ester Monomer	0.42		
Acrylate monomer	1.2		
Acrylic Acid	0.46		
Peroxide	3		
Silane Coupling Agent	2.1		
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	3.1		
Visible photoinitiator	5.8		

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number: U008 U220

14. Transport information

<u>IMDG</u> Not regulated

IATA Not regulated

15. Regulatory information

International Inventories

US TSCA inactive/active designation - Active

TSCA - Complies

DOT

AIIC Complies **DSL/NDSL** Listed on NDSL **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies Complies **KECL PICCS** Not Listed Complies **NZIoC** Complies TCSI

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AIICS - Australian Industrial Chemicals Introduction Scheme

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Not regulated

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

NZIOC - New Zealand Inventory of Chemicals **TCSI** - Taiwan Chemical Substance Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Acrylate monomer	1.0
Acrylic Acid	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name Hazardous Substances Extremely Hazardous Reportable Quantity (RC	Chemical name	Hazardous Substances	Extremely Hazardous	Reportable Quantity (RQ)
--	---------------	----------------------	---------------------	--------------------------

	RQs	Substances RQs	
Acrylic Acid	5000 lb	-	RQ 5000 lb final RQ
•			RQ 2270 kg final RQ

California Proposition 65

This product contains the following Proposition 65 chemicals:



Chemical name	California Proposition 65
Fumed Silica	Carcinogen
(3-<5)	
Phenyl glycidyl ether	Carcinogen
122-60-1 (<0.1)	
Toluene	Developmental
108-88-3 (<0.1)	·

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acrylate monomer	X	-	X
Fumed Silica	-	X	X
Acrylic Acid	X	X	X
Peroxide	X	X	X
Phenyl glycidyl ether	X	X	X
alcohol ether	X	X	X
tert-Butyl hydroperoxide	X	X	X
Toluene	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number

Not applicable

16. Other information

NFPA Health hazards 3 Flammability 1 Instability 0 Special hazards - Health hazards 3 * Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend: *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average)	STEL (Short Term Exposure Limit)	
Ceiling: Maximum limit value	*: Skin designation	

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

9-20351-UR

Issuing Date 24-Jul-2023 Revision date 24-Jul-2023 Revision Number 32

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 24-Jul-2023

Revision NoteThe symbol (*) in the margin of this SDS indicates that this line has been revised

Disclaimer

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Dymax Corporation and its subsidiaries and affiliates (DYMAX). The information in this SDS relates only to the specific material designated herein. DYMAX assumes no legal responsibility for use of or reliance upon the information in this SDS.

End of Safety Data Sheet