

Safety Data Sheet

according to HazCom 2012

SDS # : 921

921

Issue Date 2020-10-19

Revision Date 2020-10-19

Version 3.01

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name 921

Other means of identification

Product Code 921

Synonyms Not applicable

Recommended use of the chemical and restrictions on use

Identified uses Adhesives.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Dymax Corporation
318 Industrial Lane
Torrington, CT 06790
Tel: 860-482-1010
Fax: 860-496-0608

Information department: North American Safety Department @ 1-860-482-1010

Emergency Telephone North America: Chemtrec @ 1-800-424-9300 (24hrs)

2. HAZARDS IDENTIFICATION

Emergency Overview

Physical state	liquid	Color	colorless to light yellow
Odor	Characteristic	Appearance	transparent

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

Target Organ Effects

Respiratory system, EYES, Skin.

GHS Label elements, including precautionary statements



Signal word Danger

Hazard statements

H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water
 Take off contaminated clothing and wash before reuse
 If skin irritation or rash occurs: Get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Information

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity.

Environmental product testing for acute and chronic aquatic effects determined classification to be Category 3

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret	Classification (Reg. 1272/2008)
Isobornyl Acrylate	5888-33-5	25-39	*	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335) Aquatic Chronic 2 (H411)
2-Hydroxyethyl methacrylate	868-77-9	25-39	*	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317)
Acrylic acid	79-10-7	3-<5	*	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1 (H314) Aquatic Acute 1 (H400)
tert-Butyl Perbenzoate	614-45-9	1-<3	*	Org. Perox C (H242) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)
Photoinitiator	Proprietary	1-<3	*	Aquatic Acute 1 (H400)

				Aquatic Chronic 1 (H410)
Maleic Acid	110-16-7	1-<3	*	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) STOT SE 3 (H335) Aquatic Acute 3 (402)
Silane Coupling Agent	Proprietary	<1	*	Skin Sens. 1 (H317)
Epoxy Resin	Proprietary	<1	*	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411) EUH205

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact

Flush eyes with water for at least 15 minutes. Get medical attention if eye irritation develops or persists.

Skin Contact

Wash off immediately with plenty of water, Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air, If symptoms persist, call a physician.

Ingestion

If swallowed, Rinse mouth, Get medical attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Main Symptoms

No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO₂, dry chemical, or foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal precautions**

Ensure adequate ventilation, Wear protective gloves/clothing and eye/face protection.

Environmental precautions**Environmental precautions**

Do not allow material to contaminate ground water system, Try to prevent the material from entering drains or water courses, See Section 12 for additional Ecological Information, Local authorities should be advised if significant spillages cannot be contained.

Other Information

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up**Methods for containment**

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

7. HANDLING AND STORAGE**Precautions for safe handling****Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice

Ensure adequate ventilation

Protect from light

Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed in a dry and well-ventilated place

Protect from light

Incompatible products

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers, Thiosulfates.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters**

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acrylic acid 79-10-7 (3-<5 %)	TWA: 2 ppm S*	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m ³ S*	TWA: 2 ppm TWA: 6 mg/m ³

ACGIH (American Conference of Governmental Industrial Hygienists)

TLV - Threshold Limit Value

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL - Permissible Exposure Limits

NIOSH IDLH

Immediately Dangerous to Life or Health

Appropriate engineering controls**Engineering Measures**

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Safety glasses with side-shields If splashes are likely to occur, wear: Goggles

Hand Protection

Nitrile rubber, (NBR: 6mm), Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Respiratory protection

Ensure adequate ventilation, A NIOSH-approved respirator with a minimum APF of 50, or 1000 if spray applied, in accordance with 29 CFR 1910.134, Do not breathe vapors, mist or gas.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice, When using do not eat, drink or smoke, Wear suitable gloves and eye/face protection, Wash hands before breaks and at the end of workday, Contaminated work clothing should not be allowed out of the workplace, Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	liquid	Odor	Characteristic
Appearance	transparent	Odor threshold	No information available
Color	colorless to light yellow		
Property	Values	Remarks / • Method	
pH		No information available	
Melting point / freezing point		No information available	
Boiling point / boiling range		No information available	
Flash point	101 °C / 214 °F		
Evaporation rate		No information available	
Flammability (solid, gas)		No information available	
Flammability Limit in Air			
Upper flammability limit	-		
Lower flammability limit	-		
Vapor pressure		No information available	
Vapor density		No information available	
Specific Gravity		No information available	
Water Solubility	Practically insoluble		
Solubility in other solvents		No information available	

Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Dynamic viscosity	750 cP	
Kinematic viscosity		No information available
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY**Reactivity**

No information available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Protect from light. Heat, flames and sparks.

Incompatible materials

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers.

Hazardous Decomposition Products

No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION**Information on toxicological effects****Acute toxicity****Information on likely routes of exposure**

Inhalation	There is no data for this product
Eye contact	There is no data for this product
Skin Contact	There is no data for this product
Ingestion	There is no data for this product
Symptoms	No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	Risk of serious damage to eyes.

Sensitization	May cause sensitization of susceptible persons.
Mutagenic effects	No information available.
Reproductive toxicity	No information available.
Carcinogenicity	Contains no ingredients above reportable quantities listed as a carcinogen
<u>Other Information</u>	
Developmental Toxicity	No information available.
STOT - single exposure Target Organ Effects	Respiratory system, EYES, Skin.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Chronic toxicity	Repeated contact may cause allergic reactions in very susceptible persons Avoid repeated exposure

Numerical measures of toxicity - Product Information

0 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	4469 mg/kg
ATEmix (dermal)	5824 mg/kg
ATEmix (inhalation-dust/mist)	23.1 mg/l
ATEmix (inhalation-vapor)	169.7 mg/l

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isobornyl Acrylate	= 4890 mg/kg (Rat)	-	-
2-Hydroxyethyl methacrylate	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Acrylic acid	= 193 mg/kg (Rat) = 33500 µg/kg (Rat)	= 280 µL/kg (Rabbit) = 295 mg/kg (Rabbit)	= 5300 mg/m ³ (Rat) 2 h
tert-Butyl Perbenzoate	= 4838 mg/kg (Rat)	= 3,817 mg/kg (Rabbit)	-
Photoinitiator	>2000 mg/kg (Rat)	-	-
Maleic Acid	= 708 mg/kg (Rat)	= 1560 mg/kg (Rabbit)	> 720 mg/m ³ (Rat) 1 h
Silane Coupling Agent	> 5000 mg/kg (Rat)	-	-
Epoxy Resin	= 11400 mg/kg (Rat)	-	-

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Acute aquatic toxicity**Product Information**

Environmental product testing for acute and chronic aquatic effects determined classification to be Category 3

Component Information

Chemical Name	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	Toxicity to algae
Isobornyl Acrylate	LC50 = 1.8 mg/L 96 h (Danio rerio)	EC 50 = 1.1 mg/L 48 h (Daphnia magna)	ErC 50 = 2.7 mg/L 96 h (Pseudokirchneriella subcapitata)
2-Hydroxyethyl methacrylate	LC50 = 227 mg/L 96 h (Pimephales promelas)	EC50 > 380 mg/l 48 h (Daphnia magna)	-
Acrylic acid	LC50 = 222 mg/L 96 h (Brachydanio rerio)	EC50 = 95 mg/L 48 h (Daphnia magna)	EC50 0.04 mg/L 72 h (Desmodesmus subspicatus)
tert-Butyl Perbenzoate	LC50 1.6 mg/l 96 h (Brachydanio rerio)	EC50 11 mg/L 48 h (Daphnia magna)	EC50 1.3 mg/l 72 h (Pseudokirchneriella subcapitata)
Photoinitiator	LC50 6 mg/L 96 h (Lepomis macrochirus)	EC50 26 mg/L 48 h (Daphnia magna)	EC50 0.17 mg/L 72 h
Maleic Acid	LC50= 5 mg/L 96 h (Pimephales promelas)	EC50 250-400 48 h (Daphnia magna)	-
Silane Coupling Agent	LC50 > 1024,00 mg/l 96 h (Brachydanio rerio)	EC50 > 876,00 mg/l 48 h (Daphnia magna)	EC50 > 536,00 mg/l 72 h (Scenedesmus subspicatus)
Epoxy Resin	-	EC50 = 1.4 mg/L 48 h (Daphnia magna)	-

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical Name	log Pow
Isobornyl Acrylate	4.52
2-Hydroxyethyl methacrylate	0.47
Acrylic acid	0.46
tert-Butyl Perbenzoate	3
Maleic Acid	0.32
Epoxy Resin	2.821

Mobility in soil

No product level data available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods

Dispose of waste in compliance with local and national regulations.

Contaminated packaging

Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

AICS	Not listed
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Not listed
IECSC	Simplified Notification
KECI	Complies
NZIoC	Not listed
PICCS	Not listed
TCSI	Not listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
AICS - Australian Inventory of Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
NZIoC - New Zealand Inventory of Chemicals
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations**OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Acrylic acid	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):. This material, as supplied, contains one or more substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or as extremely hazardous substances under the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acrylic acid	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Maleic Acid	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Acrylic acid 3-<5	X	X	X

tert-Butyl Perbenzoate 1-<3	X	X	X
Maleic Acid 1-<3	X	X	X
tert-Butyl hydroperoxide <0.1	X	X	X

California Proposition 65

This product does not contain any Proposition 65 chemicals

Additional information

None

16. OTHER INFORMATION

Prepared By EHS Department
Revision Date 2020-10-19

Revision Note No information available

Disclaimer

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Dymax Corporation and its subsidiaries and affiliates (DYMAX). The information in this SDS relates only to the specific material designated herein. DYMAX assumes no legal responsibility for use of or reliance upon the information in this SDS.

end