

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: HazCom 2012

EMAX 903-E

Issuing Date 10-Jul-2023 Revision date 10-Jul-2023 Revision Number 30.01

1. Identification

Product identifier

Product Name EMAX 903-E

Other means of identification

Additional Information

The Environmental Protection Agency prohibits processing and distribution of this chemical/product for any use other than: (1) In hydraulic fluids either for the aviation industry or to meet military specifications for safety and performance where no alternative chemical is available that meets U.S. Department of Defense specification requirements, (2) lubricants and greases, (3) New or replacement parts for motor and aerospace vehicles, (4) as an intermediate in the manufacture of cyanoacrylate glue, (5) In specialized engine air filters for locomotive and marine applications, (6) In adhesives and sealants before January 6, 2025, after which use in adhesives and sealants is prohibited, and (7) in other articles before October 31, 2024, after which use in articles other than new or replacement parts for motor and aerospace vehicles or specialized engine air filters for locomotive and marine applications is prohibited. In addition, all persons are prohibited from releasing PIP (3:1) to water during manufacturing, processing, and distribution in commerce, and must follow all existing regulations and best practices to prevent the release of PIP (3:1) to water during the commercial use of PIP (3:1)

Recommended use of the chemical and restrictions on use

Recommended use Adhesives and/or sealants.

Restrictions on use Consumer use.

Details of the supplier of the safety data sheet

Manufacturer

Dymax Corporation 318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010

Fax: 860-496-0608

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

2. Hazard(s) identification

Emergency Overview

Appearance transparent Physical state Liquid Odor Characteristic

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Signal word Danger

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.



Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/clothing and eye/face protection.

Wash face, hands and any exposed skin thoroughly after handling.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Precautionary Statements - Response

Get medical advice/attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS	Trade secret	Weight-%
Acrylate polymer	Proprietary	*	40-69
Acrylate Ester	Proprietary	*	25-39
Methacrylate monomer	Proprietary	*	10-24
Photoinitiator	Proprietary	*	1-<3
Halogen free fire retardant	Proprietary	*	1-<3
Visible Photoinitiator	Proprietary	*	1-<3
Photoinitator	Proprietary	*	1-<3
Silane Coupling Agent	Proprietary	*	1-<3
Silane Coupling Agent	Proprietary	*	<1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Ingestion

Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

Inhalation

Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.

Skin contact

May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians

May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical or CO2.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous combustion products

Carbon dioxide (CO2). Carbon monoxide. Hydrocarbons. Nitrogen oxides (NOx).

Explosion data

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Protect from light.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from light.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

Hand protection

Wear suitable gloves. Nitrile rubber, Butyl rubber.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:

Appearance:

Color:

Odor:

Liquid

transparent

amber light

Characteristic

Odor threshold: No information available

PropertyValuesRemarks • MethodpH:No data availableNo information available

pH (as aqueous solution): No data available Not applicable

Melting point / freezing point:No data availableNo information availableBoiling point / boiling range:No data availableNo information available

Flash point: 101 °C / 213.8 °F Pensky-Martens Closed Cup (PMCC)

Evaporation rate: No data available No information available

Flammability (solid, gas): No data available Not applicable

Flammability Limit in Air

Upper flammability or explosive No data available No information available

limits:

Lower flammability or explosive No data available No information available

limits:

EMAX 903-E

Issuing Date 10-Jul-2023 Revision date 10-Jul-2023 Revision Number 30.01

No data available No information available Vapor pressure: Relative vapor density: No data available No information available Relative density: No data available No information available partially soluble No information available Water solubility: Solubility(ies): No data available No information available Partition coefficient: No data available No information available 438 °C / 820.4 °F Autoignition temperature: No information available **Decomposition temperature:** No data available No information available Kinematic viscosity: No data available No information available

Dynamic viscosity: 125 cP

Other information

Explosive properties:

Oxidizing properties:

No information available
VOC content:
No information available
Liquid Density:
No information available
Bulk density:
No information available

10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Protect from light. Heat, flames and sparks.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

None under normal use conditions.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation:

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye contact:

Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

Skin contact:

May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Ingestion:

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 7,782.30 mg/kg
ATEmix (dermal): 13,579.10 mg/kg
ATEmix (inhalation-gas): 99,999.00 ppm
ATEmix (inhalation-dust/mist): 99,999.00 mg/l
ATEmix (inhalation-vapor): 99,999.00 mg/l

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acrylate Ester	= 4890 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Methacrylate monomer	-	LD50 = 4000 mg/kg (Rat, OECD 401)	-
Photoinitiator	= 1694 mg/kg (Rat)	= 6929 mg/kg (Rat)	-
Halogen free fire retardant	> 5000 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 200 mg/L (Rat) 1 h
Visible Photoinitiator	-	> 2000 mg/kg (Rat)	•
Photoinitator	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 10.6 mg/L (Rat) 4 h
Silane Coupling Agent	= 23.5 g/kg (Rat)	> 2000 mg/kg (Rat)	> 2.28 mg/L (Rat)6 h
Silane Coupling Agent	= 7340 µL/kg (Rat)	= 3.54 mL/kg (Rabbit)	= 16.8 mg/L (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation:

Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation:

Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization:

May cause sensitization by skin contact.

Germ cell mutagenicity:

Not classified. Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

STOT - single exposure:

May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure:

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard:

Not classified. Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

Product Information

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Acrylate Ester	ErC 50 = 2.7 mg/L 96h	LC50: =0.704mg/L 96h	EC 50 = 1.1 mg/L 48 h
	(Pseudokirchneriella subcapitata)	(Danio rerio)	(Daphnia magna)
Methacrylate monomer	-	LC50: 31.1 - 38.8mg/L (96h,	-
-		Pimephales promelas)	
Halogen free fire retardant	-	LC50: =1.15mg/L (96h,	EC50: =14mg/L (48h, Daphnia
		Oncorhynchus mykiss)	magna)
		LC50: =1000mg/L (96h,	
		Brachydanio rerio)	
		LC50: =10.8mg/L (96h,	
		Pimephales promelas)	
Visible Photoinitiator	-	LC50 10 mg/l 48 h	-
		(Oryzias latipes)	
Silane Coupling Agent	EC50 > 536,00 mg/l 72 h	LC50: >100mg/L	EC50 > 876,00 mg/l 48 h
	(Scenedesmus subspicatus)	(96h Danio rerio)	(Daphnia magna)
Silane Coupling Agent	-	LC50: =191mg/L	-
		(96h, Oncorhynchus mykiss)	

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Acrylate polymer	4.9
Acrylate Ester	4.52
Methacrylate monomer	1.76
Photoinitiator	1.62
Halogen free fire retardant	5.17
Visible Photoinitiator	3.1
Photoinitator	1.9
Silane Coupling Agent	2.1

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

EMAX 903-E

Issuing Date 10-Jul-2023 Revision date 10-Jul-2023 Revision Number 30.01

Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number: U008 U154 U239

14. Transport information

IMDG Not regulated

<u>IATA</u> Not regulated

DOT

15. Regulatory information

International Inventories

This product contains a TSCA Section 6 restricted substance(s). Please see listed references to understand requirements and obligations under TSCA. Not all products containing restricted substances will necessarily be restricted.

Chemical name	CAS	References
Phenol, isopropylated, phosphate (3:1) [Triphenyl	68937-41-7	See 40 CFR Part 751.407
phosphate > 5%]		

Additional Information

The Environmental Protection Agency prohibits processing and distribution of this chemical/product for any use other than: (1) In hydraulic fluids either for the aviation industry or to meet military specifications for safety and performance where no alternative chemical is available that meets U.S. Department of Defense specification requirements, (2) lubricants and greases, (3) New or replacement parts for motor and aerospace vehicles, (4) as an intermediate in the manufacture of cyanoacrylate glue, (5) In specialized engine air filters for locomotive and marine applications, (6) In adhesives and sealants before January 6, 2025, after which use in adhesives and sealants is prohibited, and (7) in other articles before October 31, 2024, after which use in articles other than new or replacement parts for motor and aerospace vehicles or specialized engine air filters for locomotive and marine applications is prohibited. In addition, all persons are prohibited from releasing PIP (3:1) to water during manufacturing, processing, and distribution in commerce, and must follow all existing regulations and best practices to prevent the release of PIP (3:1) to water during the commercial use of PIP (3:1)

US TSCA inactive/active designation - Active

TSCA - Complies

AIIC Low Volume Exemption (LVE)

DSL/NDSL Complies Complies **EINECS/ELINCS ENCS** Complies Complies **IECSC** Complies **KECL** Not Listed **PICCS NZIoC** Not Listed **TCSI** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AIICS - Australian Industrial Chemicals Introduction Scheme

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

NZIOC - New Zealand Inventory of Chemicals **TCSI** - Taiwan Chemical Substance Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product contains the following Proposition 65 chemicals:



Chemical name	California Proposition 65
Methanol	Developmental
67-56-1 (< 0.1)	·

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acrylic Acid	X	X	X
Methanol	X	X	X
Xylene	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number

Not applicable

16. Other information

NFPA Health hazards 2 Flammability 1 Instability 0 Special hazards - HMIS Health hazards 2 * Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend: *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EMAX 903-E

Issuing Date 10-Jul-2023 Revision date 10-Jul-2023 Revision Number 30.01

TWA (time-weighted average)	STEL (Short Term Exposure Limit)
Ceiling: Maximum limit value	*: Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 10-Jul-2023

Revision NoteThe symbol (*) in the margin of this SDS indicates that this line has been revised

Disclaimer

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Dymax Corporation and its subsidiaries and affiliates (DYMAX). The information in this SDS relates only to the specific material designated herein. DYMAX assumes no legal responsibility for use of or reliance upon the information in this SDS.

End of Safety Data Sheet