

In accordance with OSHA 29 CFR 1910.1200

VITEL® 2200B Revision Number 5.01 Revision date 07-Feb-2025 Supersedes date 05-Feb-2024

Other means of identification Other information Not applicable 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use Restrictions on use Coatings Resin No information available 1.3. Details of the supplier of the safety data sheet Responsible Party Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1(800) 726-7845 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) E-mail msds@bostik.com		
Other means of identification Other information Not applicable 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use Coatings Resin Restrictions on use No information available 1.3. Details of the supplier of the safety data sheet Responsible Party Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1(800) 726-7845 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) E-mail msds@bostik.com 1.4. Emergency telephone number Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center) Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)		
Other information Not applicable 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use Coatings Resin Restrictions on use No information available 1.3. Details of the supplier of the safety data sheet Image: Coating State Stat		
Recommended use Restrictions on use Coatings Resin No information available 1.3. Details of the supplier of the safety data sheet Responsible Party Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1(800) 726-7845 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) E-mail msds@bostik.com 1.4. Emergency telephone number Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center) Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)		
Restrictions on use No information available 1.3. Details of the supplier of the safety data sheet Responsible Party Bostik Inc. Responsible Party Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1(800) 726-7845 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) E-mail msds@bostik.com 1.4. Emergency telephone number Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center) Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)		
Responsible Party Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1(800) 726-7845 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) E-mail msds@bostik.com 1.4. Emergency telephone number Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center) Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)		
Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1(800) 726-7845 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) E-mail msds@bostik.com 1.4. Emergency telephone number Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center) Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)		
1.4. Emergency telephone number Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center) Chemtrec: 1-800-424-9300 (US) , 1-703-527-3887 (Outside U.S.)		
Emergency TelephoneCHEMTREC (Chemical Transportation Emergency Center) Chemtrec: 1-800-424-9300 (US) , 1-703-527-3887 (Outside U.S.)	msds@bostik.com	
2. Hazard(s) identification		
2.1. Classification of the substance or mixture		
Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.		
Hazards not otherwise classified (HNOC) Not applicable		
2.2. Label elements EMERGENCY OVERVIEW		
Hazard statements Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.		
Appearance Solid Odor No information ava	ilable	

2.3. Other Information

Contact with product at elevated temperatures can result in thermal burns.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

The product contains no substances which at their given concentration, are considered to be hazardous to health

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

4. First-aid measures

4.1. Description of first aid measures

Inhalation	Molten . Move to fresh air in case of accidental inhalation of vapors or decomposition products. Solid: . Not an expected route of exposure.	
Eye contact	Molten . Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Contact with molten materials requires immediate medical assistance. Solid: . Rinse eyes.	
Skin contact	Molten . After contact with molten product, cool skin area rapidly with cold water. For severe burns, immediate medical attention is required. Do not remove clothing if adhering to skin. Do not try to remove solidified material from the skin. Removal of solidified molten material from skin requires medical assistance. Solid: . Wash skin with soap and water.	
Ingestion	Get immediate medical attention. Do not induce vomiting without medical advice.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	Contact with molten substance may cause severe burns to skin and eyes.	
Effects of Exposure	No information available.	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to physicians	Burns caused by molten material must be treated clinically. Treat any burns as thermal burns, after decontamination.	

5. Fire-Fighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media Large Fire	CO2, dry chemical, dry sand, alcohol-resistant foam. Water spray. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not use straight streams.
5.2. Special hazards arising from the	e substance or mixture
Specific hazards arising from the chemical	The melted product can cause severe burns.
Hazardous combustion products	No information available.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	None.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
6. Accidental Release Measures	

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Avoid contact with hot, molten product.	
Other information	Where possible allow molten material to solidify naturally.	
6.2. Environmental precautions		
Environmental precautions	Keep out of drains, sewers, ditches and waterways. See Section 12 for additional Ecological Information.	
6.3. Methods and material for containment and cleaning up		
Methods for containment	Where possible allow molten material to solidify naturally. Prevent product from entering drains. Dike to collect large liquid spills.	
Methods for cleaning up	Solid: . Take up mechanically, placing in appropriate containers for disposal. Molten . Where possible allow molten material to solidify naturally.	
Reference to other sections	See section 8 for more information. See section 13 for more information.	

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin and eyes. If hot processing this material, ensure adequate ventilation and wear personal protective equipment. Use adequate ventilation and/or engineering controls in high temperature

VITEL® 2200B Revision Number 5.01	Revision date 07-Feb-2025 Supersedes date 05-Feb-2024
	processing to prevent exposure to vapors. Facilities for quickly drenching the body should be provided within the immediate work area for emergency use where there is a possibility of exposure.
7.2. Conditions for safe stora	ge, including any incompatibilities
Storage Conditions	Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.
Recommended storage temp	erature Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

7.3 References to other sections

Reference to other sections	Section 10: STABILITY AND REACTIVITY
	Section 13: DISPOSAL CONSIDERATIONS

8. Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

8.2. Exposure controls

Appropriate engineering controls		
Engineering controls	Ensure that eyewash stations and safety showers are close to the workstation location.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).	
Hand protection	Heat resistant gloves are recommended when handling molten materials. Solid: . For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.	
Skin and body protection	Long sleeved clothing. Impervious clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical state	Solid	
Appearance	Solid	
Color	No information available	
Odor	No information available	
Odor threshold	No information available	
Property	Values	Remarks • Method
pH	No data available	Not applicable Insoluble in water
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang		None known
Flash point	> 204 °C / 399.2 °F	
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
9.2. Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Solvent content (%)	No information available	
Solid content (%)	100	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	No information available
Density	1.240 g/cm ³	
Bulk density	No information available	

10. Stability and Reactivity

10.1. Reactivity		
Reactivity	No information available.	
10.2. Chemical stability		
Chemical stability	Stable under normal conditions.	
10.3. Possibility of hazardous react	ions	
Possibility of hazardous reactions	None under normal processing.	
10.4. Conditions to avoid		
US - FN		Page 5/9

Conditions to avoid	Extremes of temperature and direct sunlight. To avoid thermal decomposition, do not overheat. Do not add water or other volatile material to molten adhesive. Under dusty conditions avoid all sources of ignition, including sparks and static electricity.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition products	

Hazardous decomposition products Carbon monoxide Carbon dioxide (CO2)

11. Toxicological information

11.1. Information on toxicological effects

Inhalation	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	
Skin contact	Based on available data, the classification criteria are not met.	
Ingestion	Based on available data, the classification criteria are not met.	
Symptoms related to the physical, o	chemical and toxicological characteristics	
Symptoms	No information available.	
Acute toxicity Numerical measures of toxicity		
The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapor)	based on chapter 3.1 of the GHS document >5000 mg/kg >20000 ppm >5 mg/l >20 mg/l	
Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Skin corrosion/irritation	Contact with molten substance may cause severe burns to skin and eyes.	
Serious eye damage/eye irritation	Contact with molten substance may cause severe burns to skin and eyes.	
Respiratory or skin sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	

Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Thermal decomposition can lead to release of irritating gases and vapors.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity No information available.

12.2. Persistence and degradability		
Persistence and degradability	No information available.	
12.3. Bioaccumulative potential		
Bioaccumulation	There is no data for this product.	
12.4. Mobility in soil		
Mobility	No information available.	
Other adverse effects		
Other adverse effects	No information available.	

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
Contaminated packaging	Dispose of in accordance with federal, state and local regulations.

14. Transport information		
US - EN	Page	7 / 9

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory Information

International Inventories

DSL Complies	

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Complies - The components of this product are either listed or exempt from listing on inventory. Active

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Product Stewardship and Regulatory Affairs.

16. Other Information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	Sk*

STEL (Short Term Exposure Limit) Skin designation

Revision date	07-Feb-2025

Revision Note SDS sections updated. 4. 5. 6. 11. 15.

Disclaimer

Prepared By

VITEL® 2200B Revision Number 5.01

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at

https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-mana gement/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet