

Safety Data Sheet

Version 1.4

Revision Date 03/22/2022

SDS Number 300000078607

Print Date 05/12/2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Dynasolve® CU-6

Product Use Description : Polyurethane remover

Manufacturer/Importer/Distributor : Versum Materials US, LLC
8555 South River Parkway
Tempe, AZ 85284-2601
Exporter EIN No. 47-5632014
www.emdgroup.com/electronics

Telephone : 800 837 2724

Emergency telephone number (24h) : 1-800-424-9300
(+1) 703-741-5970 (CHEMTREC)

2. HAZARDS IDENTIFICATION

GHS classification

Flammable liquids - Category 4
Acute toxicity - Oral Category 4
Skin Corrosion/Irritation - Category 2
Serious Eye Damage/Eye Irritation - Category 1
Toxic to reproduction - Category 1B
Specific Target Organ Toxicity - Single Exposure - Inhalation Category 3

GHS label elements

Hazard pictograms/symbols



Signal Word: Danger

Hazard Statements:

H227:Combustible liquid.
H302:Harmful if swallowed.
H315:Causes skin irritation.

Safety Data Sheet

Version 1.4

Revision Date 03/22/2022

SDS Number 300000078607

Print Date 05/12/2022

H318:Causes serious eye damage.
H360:May damage fertility or the unborn child.
H336:May cause drowsiness or dizziness.

Precautionary Statements:

Prevention : P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280:Wear protective gloves/protective clothing/eye protection/face protection.
P264:Wash thoroughly after handling.
P270:Do not eat, drink or smoke when using this product.
P201:Obtain special instructions before use.
P281:Use personal protective equipment as required.
P261:Avoid breathing dust/fume/gas/mist/vapors/spray.
P271:Use only outdoors or in a well-ventilated area.

Response : P301+P312 :IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330 :Rinse mouth.
P302+P352 :IF ON SKIN: Wash with plenty of water.
P332+P313 :If skin irritation occurs: Get medical advice/attention.
P305+P351+P338 :IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 :Immediately call a POISON CENTER/doctor.
P304+P340 :IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P321 :Specific treatment (see on this label).
P362 :Take off contaminated clothing.
P370+P378 :In case of fire, use recommended extinguishing media for extinction.

Storage : P403+P235:Store in a well-ventilated place. Keep cool.
P405:Store locked up.

Disposal : P501:Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazards not otherwise classified

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration (Weight)
Methyl-2-pyrrolidinone, 1-	872-50-4	40% - 60 %
Cyclic ester	Not Available	10% - 30 %

Safety Data Sheet

Version 1.4

Revision Date 03/22/2022

SDS Number 300000078607

Print Date 05/12/2022

Cyclic glycol ether	Not Available	10% - 20 %
Nonylphenol, branched, ethoxylated	68412-54-4	2.5% - 10 %

The composition is trade secret.

4. FIRST AID MEASURES

- General advice : Seek medical advice. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately.
- Eye contact : Hold eyelids apart, initiate and maintain gentle and continuous irrigation care is not promptly available, continue to irrigate for one hour.
- Skin contact : Wash off immediately with plenty of water for at least 20 minutes. Immediately remove contaminated clothing, and any extraneous chemical, if possible to do so without delay.
- Ingestion : Never give anything by mouth to an unconscious person. Prevent aspiration of vomit. Turn victim's head to the side.
- Inhalation : If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately. Move to fresh air.
- Most important symptoms/effects - acute and delayed : Redness.Repeated and/or prolonged exposures may result in : Blood chemistry changes (such as methemoglobinemi a leading to cyanosis or loss of consciousness). Kidney disorders.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam.
Carbon dioxide (CO2).
Dry chemical.
Dry sand.
Limestone powder.
- Specific hazards : Ammonia gas may be liberated at high temperatures. In case of incomplete combustion an increased formation of oxides of nitrogen (NOx) is to be expected. Incomplete combustion may form carbon monoxide. Burning produces noxious and toxic fumes. In the event of fire, cool tanks with water spray . Fire or intense heat may cause violent rupture of packages. Flash back possible over considerable distance. May form explosive mixtures in air.
- Special protective equipment for fire-fighters : Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Use personal protective equipment. Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Safety Data Sheet

Version 1.4

Revision Date 03/22/2022

SDS Number 300000078607

Print Date 05/12/2022

Personal Precautions, Protective Equipment, and Emergency Procedures	: Use self-contained breathing apparatus and chemically protective clothing. Remove all sources of ignition. Evacuate personnel to safe areas.
Environmental precautions	: Use appropriate containment to avoid environmental contamination. Do not allow spill to enter into sewers or waterways. Shut off or remove all ignition sources. Construct a dike to prevent spreading.
Methods for cleaning up	: Call Emergency Response number for advice. Approach suspected leak areas with caution. Absorb with inert absorbent materials such as: Dry sand. Vermiculite. Activated charcoal. Place in appropriate chemical waste container.
Additional advice	: If possible, stop flow of product.

7. HANDLING AND STORAGE

Handling

Avoid contact with eyes. See "Flammable and Combustible Liquid Code" NFPA No. 30, National Fire Protection Association, Boston, MA. Use personal protective equipment. When using, do not eat, drink or smoke.

Storage

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in a dry, cool place. Keep away from oxidizers.

Technical measures/Precautions

Keep away from open flames, hot surfaces and sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures

Provide readily accessible eye wash stations and safety showers.

Provide natural or explosion-proof ventilation adequate to ensure concentrations are kept below exposure limits.

Personal protective equipment

Respiratory protection : Wear appropriate respirator when ventilation is inadequate.

Hand protection : Nitrile rubber.
Impervious gloves.
Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye protection : Chemical resistant goggles must be worn.

Skin and body protection : Long sleeve shirts and trousers without cuffs.

Safety Data Sheet

Version 1.4
Revision Date 03/22/2022

SDS Number 300000078607
Print Date 05/12/2022

Environmental exposure controls : Use appropriate containment to avoid environmental contamination. Do not allow spill to enter into sewers or waterways. Shut off or remove all ignition sources.

Special instructions for protection and hygiene : Provide readily accessible eye wash stations and safety showers.

Exposure limit(s)

Methyl-2-pyrrolidinone, 1-	Time Weighted Average (TWA): WEEL	10 ppm	40 mg/m3
----------------------------	-----------------------------------	--------	----------

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid. Colorless - Light yellow.

Odor : Amine-like.

Odor threshold : No data available.

pH : No data available.

Melting point/range : No data available.

Boiling point/range : 410 °F (210 °C)

Flash point : 192 °F (89 °C)

Evaporation rate : No data available.

Flammability (solid, gas) : Not applicable.

Upper/lower explosion/flammability limit : Not applicable.

Vapor pressure : 0.34 mmHg

Water solubility : Completely soluble.

Relative vapor density : Not applicable.

Relative density : 1.065 (water = 1)

Partition coefficient: n-octanol/water [log Kow] : No data available.

Auto-ignition temperature : No data available.

Safety Data Sheet

Version 1.4
Revision Date 03/22/2022

SDS Number 300000078607
Print Date 05/12/2022

Decomposition temperature : No data available.
Viscosity : No data available.
Density : No data available.
: 66.486 lb/ft3 (1.065 g/cm3)

10. STABILITY AND REACTIVITY

Chemical Stability : Stable under normal conditions.
Conditions to avoid : Heat, flames and sparks.
Materials to avoid : Oxidizing agents.
Hazardous decomposition products : Hazardous combustion products:
Carbon oxides.
Nitrogen oxides (NOx).
Possibility of hazardous Reactions/Reactivity : No data available.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Likely routes of exposure

Effects on Eye : Causes eye burns. Risk of serious damage to eyes.
Effects on Skin : Causes skin irritation.
Inhalation Effects : Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system. May cause central nervous system effects, such as headache, nausea, dizziness, confusion, breathing difficulties. Severe cases of overexposure can result in respiratory failure.
Ingestion Effects : Harmful if swallowed.
Symptoms : Redness. Repeated and/or prolonged exposures may result in ;, Blood chemistry changes (such as methemoglobinemi a leading to cyanosis or loss of consciousness)., Kidney disorders.

Acute toxicity

Acute Oral Toxicity : No data is available on the product itself.

Acute Oral Toxicity - Components
Methyl-2-pyrrolidinone, 1-

LD50 : 4,150 mg/kg

Species : Rat male

6/10

Safety Data Sheet

Version 1.4

Revision Date 03/22/2022

SDS Number 300000078607

Print Date 05/12/2022

Cyclic ester	LD50 : 1,540 mg/kg	Species : Rat
Cyclic glycol ether	LD50 : 1,840 mg/kg	Species : Rat
Nonylphenol, branched, ethoxylated	LD50 : > 2,000 mg/kg	Species : Rat

Inhalation : No data is available on the product itself.

Inhalation - Components

Methyl-2-pyrrolidinone, 1-Cyclic ester	LC50 (4 h) : > 5.1 mg/l	Species : Rat male
	LC50 (4 h) : > 5.1 mg/l	Species : Rat

Acute Dermal Toxicity : No data is available on the product itself.

Acute Dermal Toxicity - Components

Methyl-2-pyrrolidinone, 1-Cyclic glycol ether	LD50 : > 5,000 mg/kg	Species : Rat male
Nonylphenol, branched, ethoxylated	LD50 : 14,391 mg/kg	Species : Rat
	LD50 : > 2,000 mg/kg	Species : Rabbit

Skin corrosion/irritation : Irritating to skin.

Serious eye damage/eye irritation : Risk of serious damage to eyes.

Sensitization. : No data available.

Chronic toxicity or effects from long term exposures

Carcinogenicity : No data available.

Reproductive toxicity : 1-Methyl-2-Pyrrolidone has caused embryotoxic and teratogenic effects in laboratory animals.

Germ cell mutagenicity : No data is available on the product itself.

Specific target organ systemic toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ systemic toxicity (repeated exposure) : No data available.

Aspiration hazard : No data available.

Delayed and Immediate Effects and Chronic Effects from Short and Long Term Exposure

This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or OSHA in concentrations of 0.1 percent or greater. Repeated and/or prolonged exposures may result in ;, Blood chemistry changes (such as methemoglobinemia leading to cyanosis or loss of consciousness)., Kidney disorders.

Safety Data Sheet

Version 1.4
Revision Date 03/22/2022

SDS Number 300000078607
Print Date 05/12/2022

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Aquatic toxicity : No data is available on the product itself.

Toxicity to fish - Components

Methyl-2-pyrrolidinone, 1-	LC50 (96 h) : 832 mg/l	Species : Bluegill (Lepomis macrochirus)
Methyl-2-pyrrolidinone, 1-	LC50 (96 h) : 4,000 mg/l	Species : Golden Orfe (Leuciscus lodus L, Golden variety)
Cyclic ester	LC50 (96 h) : 220 - 460 mg/l	Species : Fish

Toxicity to daphnia - Components

Methyl-2-pyrrolidinone, 1-	EC 50 (48 h) : > 4,000 mg/l	Species : Daphnia
Methyl-2-pyrrolidinone, 1-	NOEC (21 d) : 12.5 mg/l	Species : Daphnia magna
Cyclic ester	EC 50 (48 h) : > 500 mg/l	Species : Daphnia

Toxicity to algae - Components

Methyl-2-pyrrolidinone, 1-	EC 50 (72 h) : 600.5 mg/l	Species : Algae (Pseudokirchneriella subcapitata)
Methyl-2-pyrrolidinone, 1-	NOEC (72 h) : 92.6 mg/l	Species : Algae (Pseudokirchneriella subcapitata)
Cyclic ester	EC 50 (72 h) : 360 mg/l	Species : Algae

Toxicity to other organisms : No data available.

Persistence and degradability

Biodegradability : No data is available on the product itself.

Mobility : No data available.

Bioaccumulation : No data is available on the product itself.

Bioaccumulation - Components

Methyl-2-pyrrolidinone, 1-	The product is not bioaccumulating. Negligible bioaccumulation potential.
Cyclic ester	

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products : The product should not be allowed to enter drains, water courses or the soil; dispose of this material and its container in a safe way. Waste from residues /

Safety Data Sheet

Version 1.4
Revision Date 03/22/2022

SDS Number 300000078607
Print Date 05/12/2022

unused products: do not discharge effluent containing this product into waterways or sewer systems without proper authorization. Contact supplier if guidance is required.

Contaminated packaging : Dispose of container and unused contents in accordance with federal, state, and local requirements.

14. TRANSPORT INFORMATION

DOT

UN/ID No. : NA1993
Proper shipping name : Combustible liquid, n.o.s., (Ether-ester solvent)
Packing group : III
Marine Pollutant : No

*** NOTE: When packaged in a bulk quantity (>450 liters), this substance is classified as NA1993 Combustible Liquid for surface transportation within the United States. In smaller containers, the product is not regulated for transportation.

IATA

Not dangerous goods

IMDG

Not dangerous goods

TDG

Not dangerous goods

Further Information

The transportation information is not intended to convey all specific regulatory data relating to this material. For complete transportation information, contact customer service.

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA) 12(b) Component(s):
Methyl-2-pyrrolidinone, 1-

Country	Regulatory list	Notification
USA	TSCA	Included on Inventory.
EU	EINECS	Not on Inventory.
Canada	DSL	Included on Inventory.
Australia	AICS	Included on Inventory.

Safety Data Sheet

Version 1.4

Revision Date 03/22/2022

SDS Number 300000078607

Print Date 05/12/2022

Japan	ENCS	Included on Inventory.
South Korea	ECL	Included on Inventory.
China	SEPA	Included on Inventory.
Philippines	PICCS	Included on Inventory.

EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification

Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Skin Corrosion or Irritation
Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Reproductive toxicity

EPA SARA Title III Section 313 (40 CFR 372) Component(s) above 'de minimus' level

Methyl-2-pyrrolidinone, 1-
Ethylene glycol phenyl ether

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Methyl-2-pyrrolidinone, 1-

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Methyl-2-pyrrolidinone, 1-

16. OTHER INFORMATION

HMIS Rating

Health : 3*
Flammability : 2
Physical hazard : 0

Prepared by : Product Compliance Department

Telephone : 800 837 2724

Preparation Date : 05/12/2022