according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

Revision Date: SDS Number: Version Date of first issue: 10/11/2024 70MDGM661383 10/11/2024 1.0

#### **SECTION 1. IDENTIFICATION**

Dynasolve® 2000 Product name

Product number 661383

#### Manufacturer or supplier's details

Company Versum Materials US, LLC 8555 South River Parkway Tempe,

AZ 85284-2601Exporter EIN No. 47-5632014

www.emdgroup.com/electronics Telephone: 800 837 2724

1-800-424-9300 CHEMTREC (USA) 1-703-741-5970 Emergency telephone

CHEMTREC (International) 24 Hours/day; 7 Days/week

Recommended use of the chemical and restrictions on use

Recommended use Polymer Remover

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion Category 1B

Serious eye damage Category 1

Reproductive toxicity Category 1B

Specific target organ toxicity

- single exposure

Category 3 (Respiratory system)

#### **GHS** label elements

Hazard pictograms







Signal Word Danger

Hazard Statements H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

**Precautionary Statements** Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

according to the OSHA Hazard Communication Standard



## Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

and understood.

P261 Avoid breathing mist or vapors.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Diethyleneglycolamine	929-06-6	>= 30 - < 50
Methyl-2-pyrrolidinone, 1-	872-50-4	>= 30 - < 50
GAMMA-BUTYROLACTONE	96-48-0	>= 5 - < 10
Potassium Hydroxide	1310-58-3	>= 1 - < 5

Actual concentration is withheld as a trade secret

according to the OSHA Hazard Communication Standard



Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

#### **SECTION 4. FIRST AID MEASURES**

General advice : First aider needs to protect himself.

Show this material safety data sheet to the doctor in attend-

ance.

If inhaled : fresh air. Call in physician.

In case of skin contact : Wash off immediately with plenty of water for at least 15

minutes.

Take off immediately all contaminated clothing. Rinse skin

with water/ shower.

Call a physician immediately.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Seek medical treatment immediately.

Remove contact lenses.

If swallowed : make victim drink water (two glasses at most), avoid vomiting

(risk of perforation).

Call a physician immediately. Do not attempt to neutralise. Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Irritation and corrosion

Cough

Shortness of breath Risk of blindness!

Notes to physician : Ensure that medical personnel are aware of the material(s)

involved and take precautions to protect themselves.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water

Dry powder Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: For this substance/mixture no limitations of extinguishing

agents are given.

Specific hazards during fire : Combustible.

according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

fighting

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours

possible in the event of fire.

Further information : Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

Special protective equipment:

for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by

wearing suitable protective clothing.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Advice for non-emergency personnel:

Do not breathe vapors, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency procedures,

consult an expert.

Advice for emergency responders: Protective equipment see section 8. If possible, stop flow of product.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so.

Methods and materials for

containment and cleaning up

Observe possible material restrictions (see sections 7 and 10).

Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Emergency showers and eye wash stations should be readily

accessible. Observe label precautions.

Conditions for safe storage : Store in original container.

Further information on stor-

age conditions

: Keep locked up or in an area accessible only to qualified or authorized persons. Tightly closed. Risks from decomposition

products: see section 10

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

according to the OSHA Hazard Communication Standard



Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Methyl-2-pyrrolidinone, 1-	872-50-4	TWA	15 ppm 60 mg/m3	US WEEL
		STEL	30 ppm 120 mg/m3	US WEEL
Potassium Hydroxide	1310-58-3	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		С	2 mg/m3	OSHA P0

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra-	Basis
Methyl-2-pyrrolidinone, 1-	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

**Engineering measures** 

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7

### Personal protective equipment

Respiratory protection

Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Respirator with filter for organic vapor

Wear appropriate respirator when ventilation is inadequate.

required when vapours/aerosols are generated.

according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

Hand protection

Remarks : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Protective measures : Wear suitable protective clothing, gloves and eye/face pro-

tection.

Eye protection : Tightly fitting safety goggles

Body Protection : Rubber or plastic boots

If there is any possibility of direct contact or exposure, wear

chemical resistant protective clothing.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with sub-

stance.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : Colorless - Light yellow.

Odor : No data available

Odor Threshold : No data available

pH : alkaline

Melting point : No data available

Boiling point/boiling range : 482 °F / 250 °C

Flammability (solid, gas) : No data available

Decomposition temperature : No data available

Flash point : 104 °C

Method: Pensky-Martens closed cup

according to the OSHA Hazard Communication Standard



Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

Auto-ignition temperature : No data available

Upper explosion limit / Upper :

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : 0.29 hPa

Relative vapor density : No data available

Relative density : (water = 1) 1.07

Density : 1.07 g/cm3

Solubility(ies)

Water solubility : Miscibility with water

Partition coefficient: n-

octanol/water

No data available

Evaporation rate : No data available

Viscosity : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be

rated as critical.

Chemical stability : The product is chemically stable under standard ambient con-

ditions (room temperature).

Possibility of hazardous reac- :

tions

no information available

Conditions to avoid : Strong heating.

Incompatible materials : sodium hypochlorite

Oxidizing agents

according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

Acids

Reaction with peroxides may result in violent decomposition of

peroxide possibly creating an explosion.

Hazardous decomposition

products

in the event of fire: See section 5.

Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke). ammonia Nitric acid

Nitrogen oxides (NOx)

Nitrogen oxide can react with water vapors to form corrosive

nitric acid.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Eye contact Skin contact

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute Toxicity Estimate (ATE): 2,355 mg/kg

Method: Calculation method

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the

stomach.

Acute inhalation toxicity : Symptoms: mucosal irritations, Cough, Shortness of breath,

Possible damages:, damage of respiratory tract

Acute dermal toxicity : Symptoms: Causes severe burns.

Components:

Diethyleneglycolamine:

Acute oral toxicity : LD50 (Rat, male and female): ca. 3,400 mg/kg

Method: OECD Test Guideline 401

Remarks: (Source: ECHA)

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: (Source: ECHA)

according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

Methyl-2-pyrrolidinone, 1-:

Acute oral toxicity : LD50 (Rat, male and female): 4,150 mg/kg

Method: OECD Test Guideline 401

Remarks: (ECHA)

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: aerosol

Method: OECD Test Guideline 403

GLP: yes

Remarks: (ECHA)

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: (ECHA)

Assessment: The substance or mixture has no acute dermal

toxicity

**GAMMA-BUTYROLACTONE:** 

Acute oral toxicity : LD50 (Rat, male and female): 1,582 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h
Test atmosphere: aerosol

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Guinea pig): 5,600 mg/kg

**Potassium Hydroxide:** 

Acute oral toxicity : LD50 (Rat, male): 333 mg/kg

Method: OECD Test Guideline 425

Remarks: (ECHA)

Acute inhalation toxicity : Assessment: Toxic effects cannot be excluded

Acute dermal toxicity : Assessment: Toxic effects cannot be excluded

**Skin corrosion/irritation** 

**Product:** 

No data available

according to the OSHA Hazard Communication Standard



### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

### **Components:**

### Diethyleneglycolamine:

Species : Rabbit

Result : Causes burns. Remarks : (ECHA)

### Methyl-2-pyrrolidinone, 1-:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

GLP : yes Remarks : (ECHA)

#### **GAMMA-BUTYROLACTONE:**

Species : Rabbit

Result : No skin irritation

Remarks : (ECHA)

### Potassium Hydroxide:

Species : In vitro study

Method : OECD Test Guideline 431 Result : Causes severe burns.

Remarks : (ECHA)

#### Serious eye damage/eye irritation

## **Product:**

Remarks : Risk of blindness!

#### Components:

### Diethyleneglycolamine:

Species : Rabbit

Result : Irreversible effects on the eye

Remarks : (ECHA)

#### Methyl-2-pyrrolidinone, 1-:

Species : Rabbit Result : irritating

Method : OECD Test Guideline 405

Remarks : (ECHA)

### **GAMMA-BUTYROLACTONE:**

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

GLP : yes

according to the OSHA Hazard Communication Standard



### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

#### **Potassium Hydroxide:**

Species : Rabbit

Result : Causes burns.

Method : OECD Test Guideline 405

### Respiratory or skin sensitization

#### **Product:**

No data available

#### Components:

#### Methyl-2-pyrrolidinone, 1-:

Routes of exposure : Skin Species : Mouse

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Remarks : (ECHA)

Test Type : Patch test:
Routes of exposure : Skin
Species : Human
Result : negative
Remarks : (IUCLID)

### **GAMMA-BUTYROLACTONE:**

Test Type : Local lymph node assay (LLNA)

Routes of exposure : dermal Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

GLP : yes

## Potassium Hydroxide:

Test Type : Sensitisation test:

Routes of exposure : Skin
Species : Guinea pig
Result : negative
Remarks : (ECHA)

### **Germ cell mutagenicity**

### **Product:**

No data available

### Components:

#### Methyl-2-pyrrolidinone, 1-:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Remarks: (ECHA)

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes Remarks: (ECHA)

Test Type: unscheduled DNA synthesis assay

Test system: mammalian cells Method: OECD Test Guideline 482

Result: negative GLP: yes

Remarks: (ECHA)

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative GLP: yes

Remarks: (ECHA)

Test Type: Chromosome aberration test Species: Chinese hamster (male and female)

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 475

Result: negative GLP: yes Remarks: (ECHA)

**GAMMA-BUTYROLACTONE:** 

Genotoxicity in vitro : Test Type: sister chromatid exchange assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 479

Result: Positive results were obtained in some in vitro tests.

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Genotoxicity in vivo

according to the OSHA Hazard Communication Standard



## Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

Application Route: Oral

Method: OECD Test Guideline 477

Result: negative GLP: yes

Test Type: In vivo micronucleus test

Species: Mouse Cell type: Bone marrow Result: negative Remarks: (ECHA)

Potassium Hydroxide:

Genotoxicity in vitro : Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Result: negative Remarks: (ECHA)

#### Carcinogenicity

**Product:** 

No data available

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

**Product:** 

No data available

Components:

Methyl-2-pyrrolidinone, 1-:

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### **STOT-single exposure**

**Product:** 

No data available

**Components:** 

Methyl-2-pyrrolidinone, 1-:

Target Organs : Respiratory system

Assessment : May cause respiratory irritation.

according to the OSHA Hazard Communication Standard



## Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

#### **GAMMA-BUTYROLACTONE:**

Assessment : May cause drowsiness or dizziness.

#### **STOT-repeated exposure**

**Product:** 

No data available

Components:

**GAMMA-BUTYROLACTONE:** 

Species : Rat, male NOAEL : 225 mg/kg Application Route : Oral

Exposure time : 90 d

Number of exposures : N11.00019274

GLP : yes

### **Aspiration toxicity**

**Product:** 

No data available

#### **Further information**

**Product:** 

Remarks : Other dangerous properties can not be excluded.

This substance should be handled with particular care.

The product has not been tested. The information is derived

from the properties of the individual components.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

## **Components:**

Methyl-2-pyrrolidinone, 1-:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l

Exposure time: 96 h Analytical monitoring: yes

Remarks: (ECHA)

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h Remarks: (ECHA)

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l

according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

plants Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 12.5 mg/l

End point: reproduction rate

Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 211

GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 600 mg/l

Exposure time: 0.5 h Method: ISO 8192

**GAMMA-BUTYROLACTONE:** 

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 56 mg/l

Exposure time: 96 h

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Method: Regulation (EC) No. 440/2008, Annex, C.2

Remarks: (ECHA)

Toxicity to algae/aquatic

plants

EC10: 50.8 mg/l

Exposure time: 72 h

Toxicity to microorganisms : IC50 (microorganisms): 4,518 mg/l

Exposure time: 40 h Remarks: (ECHA)

Potassium Hydroxide:

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

**Components:** 

**Methyl-2-pyrrolidinone, 1-:** 

Biodegradability : Inoculum: activated sludge

Concentration: 100 mg/l Result: Readily biodegradable.

Biodegradation: 73 % Exposure time: 28 d

Biochemical Oxygen De-

mand (BOD)

1,100 mg/g

Incubation time: 5 d Remarks: (Lit.)

according to the OSHA Hazard Communication Standard



### Dynasolve® 2000

**Revision Date:** SDS Number: Version Date of first issue: 10/11/2024 70MDGM661383 10/11/2024 1.0

Chemical Oxygen Demand

(COD)

1,600 mg/g Remarks: (Lit.)

BOD/ThOD 99 %

Remarks: (IUCLID)

**GAMMA-BUTYROLACTONE:** 

Biodegradability Inoculum: activated sludge

> Concentration: 100 mg/l Result: Readily biodegradable.

Biodegradation: 95 % Exposure time: 14 d

Biochemical Oxygen De-

mand (BOD)

1,160 mg/g

Incubation time: 5 d Remarks: (External SDS)

**Potassium Hydroxide:** 

Biodegradability Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

**Bioaccumulative potential** 

Components:

Methyl-2-pyrrolidinone, 1-:

Bioaccumulation Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: -0.46 (77 °F / 25 °C)

Method: OECD Test Guideline 107

Remarks: Bioaccumulation is not expected.

**GAMMA-BUTYROLACTONE:** 

Bioaccumulation Remarks: Does not significantly accumulate in organisms.

Partition coefficient: n-

log Pow: -0.566 (77 °F / 25 °C)

octanol/water

pH: 6 - 8

Method: OECD Test Guideline 107

Remarks: Bioaccumulation is not expected.

**Potassium Hydroxide:** 

Partition coefficient: n-

octanol/water

Remarks: Not applicable for inorganic substances

Mobility in soil

No data available

according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

**Revision Date:** SDS Number: Version Date of first issue: 10/11/2024 70MDGM661383 10/11/2024 1.0

#### Other adverse effects

**Product:** 

Ozone-Depletion Potential Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

No ecological testing was carried out on the preparation.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Waste material must be disposed of in accordance with the

> national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned

containers like the product itself.

When discarding an empty container, the contaminated to the Contaminated packaging

inside is removed completely and it discards according to your

local regulations.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

**IATA-DGR** 

UN/ID No. UN 3267

Corrosive liquid, basic, organic, n.o.s. Proper shipping name

(Diethyleneglycolamine, Potassium Hydroxide)

Class 8 Packing group Ш

Labels Corrosive 855

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

851

**IMDG-Code** 

**UN** number UN 3267

Proper shipping name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(Diethyleneglycolamine, Potassium Hydroxide)

according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

Class : 8
Packing group : II
Labels : 8

EmS Code : F-A, S-B Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

49 CFR Road

UN/ID/NA number : UN 3267

Proper shipping name : Corrosive liquid, basic, organic, n.o.s.

(Diethyleneglycolamine, Potassium Hydroxide)

Class : 8 Packing group : II

Labels : CORROSIVE

ERG Code : 153 Marine pollutant : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Methyl-2- 872-50-4 >= 30 - < 50 %

pyrrolidinone, 1-

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

according to the OSHA Hazard Communication Standard



#### Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Potassium Hydroxide 1310-58-3 >= 1 - < 5 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Potassium Hydroxide 1310-58-3  $\Rightarrow = 1 - < 5\%$ 

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### **US State Regulations**

#### **Massachusetts Right To Know**

Diethyleneglycolamine 929-06-6
Methyl-2-pyrrolidinone, 1- 872-50-4
Potassium Hydroxide 1310-58-3

#### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Methyl-2-pyrrolidinone, 1- 872-50-4

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: Methyl-2-pyrrolidinone, 1- 872-50-4

#### The ingredients of this product are reported in the following inventories:

TSCA : All substance listed on the TSCA Active Inventory

DSL : All components of this product are on the Canadian DSL

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 10/11/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

according to the OSHA Hazard Communication Standard



Dynasolve® 2000

 Version
 Revision Date:
 SDS Number:
 Date of first issue:

 1.0
 10/11/2024
 70MDGM661383
 10/11/2024

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN