

**SECTION 1: Identification****1.1. Identification**

Product form : Mixture  
Product name : UR6000 Black A

**1.2. Recommended use and restrictions on use**

Recommended use : Polyol  
Restrictions on use : Product for industrial use only, The Environmental Protection Agency prohibits processing and distribution of this chemical/product for any use other than: (1) In hydraulic fluids either for the aviation industry or to meet military specifications for safety and performance where no alternative chemical is available that meets U.S. Department of Defense specification requirements, (2) In lubricants and greases for aerospace and turbine uses and, for all other lubricant and grease uses before November 21, 2039, (3) circuit boards and wire harnesses, including but not limited to terminal and fuse covers, cable sleeves, casings, connectors and tapes, (4) As an intermediate in the manufacture of cyanoacrylate glue, (5) In specialized engine air filters for locomotive and marine applications, (6) In adhesives and sealants before January 6, 2025, after which use in adhesives and sealants is prohibited, (7) In new parts for motor vehicles before November 21, 2039 and replacement parts for motor vehicles before November 19, 2054, (8) In new parts for aerospace vehicles before November 19, 2054 and replacement parts for aerospace vehicles after the end of the aerospace vehicles service lives, (9) In marine antifouling coating products that are registered under the Federal Insecticide, Fungicide, and Rodenticide Act and that meet U.S. Department of Defense specification requirements before November 19, 2029, (10) In new manufacturing equipment, new products or articles in the semiconductor industry, for new heating, ventilation, air-conditioning, refrigeration, and water-heating equipment, new power generating equipment, new laboratory equipment, new commercial electronic equipment, and new consumer electronic equipment before November 20, 2034, (11) replacement parts for manufacturing and laboratory equipment after the end of the equipment's service life, (12) replacement parts for heating, ventilation, air-conditioning, refrigeration, and water-heating equipment, for power generating equipment, and for commercial electronic equipment before November 19, 2049, (13) replacement parts for consumer electronic equipment before November 19, 2031, (14) in other articles before October 31, 2024, after which use in articles other than those with later phase-in prohibition dates or exclusions is prohibited. In addition, all persons are prohibited from releasing PIP (3:1) to water during manufacturing, processing, and distribution in commerce, and must follow all existing regulations and best practices to prevent the release of PIP (3:1) to water during the commercial use of PIP (3:1).

**1.3. Supplier**

ResinLab, LLC  
N109 W13300 Ellsworth Drive  
Germantown, WI 53022 - United States  
T 1-877-259-1669  
[msds@resinlab.com](mailto:msds@resinlab.com) - [www.resinlab.com](http://www.resinlab.com)

**1.4. Emergency telephone number**

Emergency number : CHEMTREC:1-800-424-9300 (USA); +1 703-527-3887 (International)

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS US classification**

Reproductive toxicity, Category 2	H361	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity — Repeated exposure, Category 2	H373	May cause damage to organs through prolonged or repeated exposure.

Full text of H statements : see section 16

**2.2. GHS Label elements, including precautionary statements****GHS US labeling**

Hazard pictograms (GHS US) :



# UR6000 Black A

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Signal word (GHS US)	:	Warning
Hazard statements (GHS US)	:	H361 - Suspected of damaging fertility or the unborn child H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US)	:	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust, fume, gas, mist, vapors, spray. P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection. P308+P313 - If exposed or concerned: Get medical advice/attention. P314 - Get medical advice or attention if you feel unwell. P391 - Collect spillage. P405 - Store locked up. P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Dipropylene glycol (isomer unspecified)	(CAS-No.) 25265-71-8	1 – 5
Zeolites	(CAS-No.) 1318-02-1	1 – 5
Phenol, isopropylated, phosphate (3:1)	(CAS-No.) 68937-41-7	1 – 5
carbon black	(CAS-No.) 1333-86-4	0.1 – 0.5

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general	:	IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	:	Wash skin with plenty of water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	:	Rinse mouth out with water. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# UR6000 Black A

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Contains a component(s) that is encapsulated within the product and not expected to be released during normal processing conditions or a foreseeable emergency. Do not breathe dust created by sanding, grinding or machining.

Precautions for safe handling : Ensure good ventilation of the work station, ventilate curing ovens to prevent emissions in the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Dipropylene glycol (isomer unspecified) (25265-71-8)		
Not applicable		
Zeolites (1318-02-1)		
ACGIH	ACGIH OEL TWA	3 mg/m <sup>3</sup> (Respirable fraction)
Phenol, isopropylated, phosphate (3:1) (68937-41-7)		
Not applicable		
carbon black (1333-86-4)		
ACGIH	Local name	Carbon black
ACGIH	ACGIH OEL TWA	3 mg/m <sup>3</sup> (Inhalable fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH	Regulatory reference	ACGIH 2024
OSHA	OSHA PEL TWA	3.5 mg/m <sup>3</sup>
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

# UR6000 Black A

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station, ventilate curing ovens to prevent emissions in the workplace.
- Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses with side shields

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of inadequate ventilation, wear respiratory protection.

#### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Black
Odor	: characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 1.55 g/cm <sup>3</sup>
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
VOC content	No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# UR6000 Black A

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Dipropylene glycol (isomer unspecified) (25265-71-8)

LD50 oral rat	> 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 5010 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	2.34 mg/l (Equivalent or similar to OECD 403, Rat, Male / female, Experimental value, Inhalation)
ATE US (vapors)	2.34 mg/l/4h
ATE US (dust, mist)	2.34 mg/l/4h

#### Zeolites (1318-02-1)

LD50 oral rat	> 5110 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 3.35 mg/l air (4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s))

#### Phenol, isopropylated, phosphate (3:1) (68937-41-7)

LD50 dermal rabbit	> 10000 mg/kg body weight Animal: rabbit, Guideline: other:16 CFR 1500. 40
--------------------	--

#### carbon black (1333-86-4)

LD50 oral rat	> 10000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 28 day(s))
LD50 dermal rabbit	> 8000 mg/kg Source: ECHA

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

#### Zeolites (1318-02-1)

IARC group	3 - Not classifiable
------------	----------------------

#### carbon black (1333-86-4)

IARC group	2B - Possibly carcinogenic to humans
------------	--------------------------------------

Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

# UR6000 Black A

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Phenol, isopropylated, phosphate (3:1) (68937-41-7)</b>	
LOAEL (dermal,rat/rabbit,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
<b>carbon black (1333-86-4)</b>	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral,rat,90 days)	> 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	0.0011 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

<b>Dipropylene glycol (isomer unspecified) (25265-71-8)</b>	
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)
LC50 - Other aquatic organisms [1]	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
LC50 - Fish [2]	46500 mg/l Test organisms (species): Pimephales promelas
<b>Zeolites (1318-02-1)</b>	
EC50 - Crustacea [1]	2808 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Read-across, Nominal concentration)
ErC50 algae	18 – 34 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, Nominal concentration)
LOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	> 86.7 mg/l Test organisms (species): Pimephales promelas Duration: '30 d'
<b>Phenol, isopropylated, phosphate (3:1) (68937-41-7)</b>	
LC50 - Fish [1]	10.8 mg/l 96h
LC50 - Other aquatic organisms [1]	1.5 mg/l 48h
NOEC (chronic)	0.0031 mg/l growth rate 33d exposure time
<b>carbon black (1333-86-4)</b>	
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	> 5600 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	> 10000 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)

### 12.2. Persistence and degradability

<b>Dipropylene glycol (isomer unspecified) (25265-71-8)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>Zeolites (1318-02-1)</b>	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
<b>carbon black (1333-86-4)</b>	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

# UR6000 Black A

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.3. Bioaccumulative potential

<b>Dipropylene glycol (isomer unspecified) (25265-71-8)</b>	
Partition coefficient n-octanol/water (Log Pow)	-0.462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)
Bioaccumulative potential	Bioaccumulation: not applicable.
<b>Zeolites (1318-02-1)</b>	
BCF - Other aquatic organisms [1]	0.59 – 0.95 (28 day(s), Static system, Fresh water, Experimental value, Fresh weight)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>carbon black (1333-86-4)</b>	
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

<b>Dipropylene glycol (isomer unspecified) (25265-71-8)</b>	
Surface tension	71.4 mN/m (22 °C, 1.01 g/l)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.78 (log Koc, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
<b>Zeolites (1318-02-1)</b>	
Surface tension	No data available in the literature
Ecology - soil	Low potential for mobility in soil.
<b>carbon black (1333-86-4)</b>	
Surface tension	Not applicable (solid)
Ecology - soil	No (test)data on mobility of the substance available. Not toxic to plants. Not toxic to animals.

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Not regulated

### Transportation of Dangerous Goods

Not applicable

### Transport by sea

Not regulated

### Air transport

Not regulated

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

<b>Dipropylene glycol (isomer unspecified) (25265-71-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Zeolites (1318-02-1)</b>	
Not listed on the United States TSCA (Toxic Substances Control Act) inventory	

# UR6000 Black A

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Phenol, isopropylated, phosphate (3:1) (68937-41-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

TP - TP - indicates a substance that is the subject of a proposed TSCA section 4 test rule.

## 15.2. International regulations

### CANADA

#### Dipropylene glycol (isomer unspecified) (25265-71-8)

Listed on the Canadian DSL (Domestic Substances List)

#### Zeolites (1318-02-1)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### Phenol, isopropylated, phosphate (3:1) (68937-41-7)

Listed on the Canadian DSL (Domestic Substances List)

#### carbon black (1333-86-4)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

Contains substance(s) listed on the REACH Candidate List < 0.1 % or SCL.

#### Dipropylene glycol (isomer unspecified) (25265-71-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Zeolites (1318-02-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Phenol, isopropylated, phosphate (3:1) (68937-41-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### carbon black (1333-86-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### National regulations

#### Dipropylene glycol (isomer unspecified) (25265-71-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

#### Zeolites (1318-02-1)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)



# UR6000 Black A

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Phenol, isopropylated, phosphate (3:1) (68937-41-7)


The Environmental Protection Agency prohibits processing and distribution of this chemical/product for any use other than: (1) In hydraulic fluids either for the aviation industry or to meet military specifications for safety and performance where no alternative chemical is available that meets U.S. Department of Defense specification requirements, (2) In lubricants and greases for aerospace and turbine uses and, for all other lubricant and grease uses before November 21, 2039, (3) circuit boards and wire harnesses, including but not limited to terminal and fuse covers, cable sleeves, casings, connectors and tapes, (4) As an intermediate in the manufacture of cyanoacrylate glue, (5) In specialized engine air filters for locomotive and marine applications, (6) In adhesives and sealants before January 6, 2025, after which use in adhesives and sealants is prohibited, (7) In new parts for motor vehicles before November 21, 2039 and replacement parts for motor vehicles before November 19, 2054, (8) In new parts for aerospace vehicles before November 19, 2054 and replacement parts for aerospace vehicles after the end of the aerospace vehicles service lives, (9) In marine antifouling coating products that are registered under the Federal Insecticide, Fungicide, and Rodenticide Act and that meet U.S. Department of Defense specification requirements before November 19, 2029, (10) In new manufacturing equipment, new products or articles in the semiconductor industry, for new heating, ventilation, air-conditioning, refrigeration, and water-heating equipment, new power generating equipment, new laboratory equipment, new commercial electronic equipment, and new consumer electronic equipment before November 20, 2034, (11) replacement parts for manufacturing and laboratory equipment after the end of the equipment's service life, (12) replacement parts for heating, ventilation, air conditioning, refrigeration, and water-heating equipment, for power generating equipment, and for commercial electronic equipment before November 19, 2049, (13) replacement parts for consumer electronic equipment before November 19, 2031, (14) in other articles before October 31, 2024, after which use in articles other than those with later phase-in prohibition dates or exclusions is prohibited. In addition, all persons are prohibited from releasing PIP (3:1) to water during manufacturing, processing, and distribution in commerce, and must follow all existing regulations and best practices to prevent the release of PIP (3:1) to water during the commercial use of PIP (3:1).

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

### carbon black (1333-86-4)

Listed on IARC (International Agency for Research on Cancer)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

### 15.3. US State regulations

 **WARNING:** This product can expose you to chemicals including Epichlorohydrin, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Component	State or local regulations
Dipropylene glycol (isomer unspecified)(25265-71-8)	U.S. - Pennsylvania - RTK (Right to Know) List
carbon black(1333-86-4)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements:

H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

SDS US - ResinLab

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*