

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) MXBON[®] E6144

1. Identification of the substance/mix	ture and of the company/undertaking		
1.1 Product identifier			
	MXBON E6144, UV Cyanoacrylate Adhesive, Ethyl		
1.2 Relevant identified uses of the subs	stance or mixture and uses advised against		
Relevant identified uses : Adhe	esives, binding agents		
Uses advised against : No a	dditional information available		
1.3 Details of the supplier of the safety	data sheet		
Manufacturer : Carte	ell Chemical Co., LTD		
Address : No. 1	18 Cheng Gong Street, Min-shyong Industrial Park, Chia-yi Hsien, (621) Taiwan		
Tel : 886-	5-220-3715		
Fax : 886-	5-220-3720		
E-mail : sales	@mxbon.com		
1.4 Emergency telephone number			
Tel : 886-5-220-371	5		
Fax : 886-5-220-372	0		
2. Hazards identification			
2.1 Classification of the substance or n	nixture		
Classification according to Regulatio	n (EC) No. 1272/2008 [CLP]		
Skin corrosion/irritation, Category 2	H315		
Serious eye damage/eye irritation, C	Lategory 2A H319		
Specific target organ toxicity — Single exposure, Category 3, Respire	H335		
Full text of H statements : see section	-		
Adverse physicochemical, human hea To our knowledge, this product d occupational hygiene and safety pra	oes not present any particular risk, provided it is handled in accordance with good		
2.2 Label elements			
Labelling according to Regulation (EC)) No. 1272/2008 [CLP]		
Hazard pictograms (CLP) :	GHS-07		
Signal word (CLP) :	Warning		
Hazardous ingredients :	Ethyl 2-cyanoacrylate		
Hazard statements (CLP) :	H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.		
Precautionary statements (CLP) :	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary Statement (Response) [CLP] :	P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.		

MXBOU

BON'				www.m>	(bon.com
Taiwan +886-5-2203715	China +86-20-3921-8900	UK +44(0)1536-264222	India +91-83800-71214	Thailand +66-2-1706998	
Fo	or the most direct acces	s to local sales and tech	nical support visit: wv	w.mxbon.com	Adhesives Expert



Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary Statement (Storage) [CLP] :	P405 - Store locked up.
Precautionary Statement (Disposal) [CLP] :	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

2.3 Other hazards

No additional information available

3. Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0 (EC No.) 230-391-5 (EC Index-No.) 607-236-00-9	70 - 100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Specific concentration limits		
Name	Product identifier	Specific concentration limits
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0 (EC No.) 230-391-5 (EC Index-No.) 607-236-00-9	(C >= 10) STOT SE 3, H335
Full text of H-statements: see section 16		

4. First aid measures	
4.1 Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2 Most important symptoms and effect	s, both acute and delayed
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

:

Treat symptomatically

5. Firefighting measures

ľ

5.1 Extinguishing media

Suitable extinguishing media

Water spray. Dry powder. Foam. Carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products in case : Toxic fumes may be released.

)U,				www.m	kbon.cor
Taiwan +886-5-2203715	China +86-20-3921-8900	UK +44(0)1536-264222	India +91-83800-71214	Thailand +66-2-1706998	
Fo	or the most direct acces	s to local sales and tech	nical support visit: ww	w.mxbon.com	Adhesives 6

MXBON[®]

of fire

5.3 Advice for firefighters	ting	attempt to take a star with the 1913			
Protection during firefigh	Self-cor	attempt to take action without suitable ntained breathing apparatus. te protective clothing.	protective equipment.		
6. Accidental release meası	ures				
6.1 Personal precautions, J	protective equipment and en	nergency procedures			
6.1.1 For non-emergency					
Emergency proce	edures : Avoid t	preathing dust/fume/gas/mist/vapours/	spray.		
6.1.2 For emergency res	ponders				
Protective equipr	nent : Do not	: Do not attempt to take action without suitable protective equipment.			
6.2 Environmental precaut	tions				
Avoid release to the envir	conment.				
6.3 Methods and material	for containment and cleanin	ıg up			
Methods for cleaning up		o liquid spill into absorbent material.			
Other information	: Dispose	e of materials or solid residues at an a	uthorized site.		
6.4 Reference to other sect	ions				
For further information re	efer to section 13.				
7. For further information	rafar to caction 13				
7.1 Precautions for safe ha					
Precautions for safe hand		ly outdoors or in a well-ventilated are	a.		
Hygiene measures	 Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. : Wash contaminated clothing before reuse. 				
Hygiene measures	Do not	eat, drink or smoke when using this p wash hands after handling the produ			
7.2 Conditions for safe stor	rage, including any incompa	tibilities			
Storage conditions	: Store lo Keep co	ocked up. Store in a well-ventilated plo ontainer tightly closed. Keep cool.	ace.		
7.3 Specific end use(s)					
No additional information	n available				
8. Exposure controls/perso	onal protection				
8.1 Control parameters					
Ethyl Cyanoacrylate					
WEL TWA (mg/m ³)	WEL STEL (mg/m ³)	WEL STEL (ppm)	Regulatory refere		
0.5 mg/m ³	1.5 mg/m ³	0.3 ppm	EH40/2005 (Third e 2018). HSE		
8.2 Exposure controls			2010). HBE		
Appropriate engineering	controls : Ensur	e good ventilation of the work station			
Hand protection		ctive gloves.			
			www.mxbo		
) ()					

For the most direct access to local sales and technical support visit: www.mxbon.com

Safety Data Sheet MXBON® E6144

Eye protection

- Skin and body protection
- Respiratory protection
- Environmental exposure controls
- Safety glasses.

:

- : Wear suitable protective clothing.
- : In case of insufficient ventilation, wear suitable respiratory equipment.
- : Avoid release to the environment.

9. Physical and chemical properties

.1 Information on basic physical and chemical properties			
Physical state	:	Liquid	
Appearance	:	Transparent, yellow liquid	
Colour	:	Transparent, yellow	
Odour	:	sharp. Irritating	
Odour threshold	:	No data available	
pH	:	Not applicable	
Relative evaporation rate (butylacetate=1)	:	No data available	
Melting point	:	-22°C	
Freezing point	:	No data available	
Boiling point	:	> 200°C	
Flash point	:	80-93.4°C (Method: Tag closed Cup)	
Auto-ignition temperature	:	485°C	
Decomposition temperature	:	Not applicable	
Flammability (solid, gas)	:	Not applicable	
Vapour pressure	:	Less than 0.2 mmHg	
Relative vapour density at 20 °C	:	3	
Relative density	:	1.1 g/cm ³	
Solubility	:	Polymerizes in presence of water	
Log Pow	:	Not applicable	
Viscosity, kinematic	:	No data available	
Viscosity, dynamic	:	150~300 cPs	
Explosive properties	:	Product is not explosive	
Oxidising properties	:	Product is not oxidizing	
Explosive limits	:	Product is not explosive	

9.2 Other information

No additional information available

10. Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

MXBON

Taiwan +886-5-2203715

China	
+86-20-3921-8900	-

UK +44(0)1536-264222 **India** +91-83800-71214 **Thailand** +66-2-1706998



For the most direct access to local sales and technical support visit: www.mxbon.com

Taiwan

+886-5-2203715

China

+86-20-3921-8900

No additional information available

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Information on toxicological effects			
Acute toxicity (oral)	:	Not classified	
Acute toxicity (dermal)		Not classified	
Acute toxicity (inhalation)		Not classified	
Skin corrosion/irritation		Causes skin irritation	
Serious eye damage/irritation		Causes serious eye irritation	
Respiratory or skin sensitisation		Causes serious eye irritation	
Germ cell mutagenicity		Not classified	
Carcinogenicity	÷	Not classified	
Reproductive toxicity		Not classified	
STOT-single exposure		May cause respiratory irritation	
STOT-repeated exposure		Not classified	
Aspiration hazard	:	Not classified	
1			
12. Ecological information			
12.1 Toxicity			
Ecology - general	:	The product is not considered l long-term adverse effects in the er	harmful to aquatic organisms nor nvironment.
Acute aquatic toxicity	:	Not classified	
Chronic aquatic toxicity	:	Not classified	
No additional information available 12.4 Mobility in soil No additional information available 12.5 Results of PBT and vPvB assessme	nt		
No additional information available			
12.6 Other adverse effects			
No additional information available			
3. Disposal considerations Waste treatment methods	:	Dispose of contents/container in a instructions	accordance with licensed collector's
4. Transport information			
ADR		IMDG	IATA
14.1 UN number			
		3334	3334
3334		3554	5554



India

+91 - 83800 - 71214

Thailand

+66-2-1706998

UK

+44(0)1536-264222



Not dangerous goods		Not dangerous goods	Aviation regulated liquid, n.o.s. (Cyanoacrylate)
14.3 Transport hazard class(es)			
Not dangerous goods	Not dangerous goods		
14.4 Packing group			
Not dangerous goods		Not dangerous goods	III
14.5 Environmental hazards			
Dangerous for the environment : No	Dange	erous for the environment : No Marine pollutant : No	Dangerous for the environment : No
14.6 Special precautions for user			
Overland transport (ADR)			
Transport regulations	:	Not subject	
Classification code	:	M11	
EAC code	:	2Z	
Transport by sea (IMDG)			
Special provisions	:	960	
Stowage category	:	None	
Properties and observations	:	Not subject to the provisions of the	nis Code
Air transport (IATA)			
PCA Excepted quantities		E1	
PCA Limited quantities		Y964	
PCA limited quantity max net quantity	ty	30kg	
PCA packing instructions		964	
PCA max net quantity		100L	
CAO packing instructions		964	
CAO max net quantity		220L	
Special provisions		A27	
ERG code		9A	

Not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2 National regulations

No additional information available

15.2 Chemical safety assessment

No chemical safety assessment has been carried out

16. Other information

m	Х	В	0	N

China +86-20-3921-8900

UK +44(0)1536-264222 +91-83800-71214

Thailand +66-2-1706998

India





For the most direct access to local sales and technical support visit: www.mxbon.com



Erro Innit 2	Serieus que demans/que imitation Catagory 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach or children.	
Manufacturer:	Cartell Chemical Co., LTD	
	No. 18 Cheng Gong Street, Min-shyong Industrial Park, Chia-yi Hsien, (621) Taiwan	
D	886-5-220-3715	
Document editor:	MacGyver Lee	
Document create date:	August 15, 2022	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Taiwan China UK India Thailand +886-5-2203715 +86-20-3921-8900 +44(0)1536-264222 +91-83800-71214 +66-2-1706998

