

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) Issue date: 6/17/2025 Version: 1.0

SECTION 1 Identification		
1.1. Product identifier		
Product form : Mixture Product name : EP1385	Clear B	
1.2. Other means of identification		
No additional information available		
1.3. Recommended use of the chemical and restriction	is on us	se
Recommended use: Epoxy hasRestrictions on use: Product f	rdener or indust	rial use only
1.4. Supplier's details		
ResinLab, LLC N109 W13300 Ellsworth Drive Germantown, WI, 53022 United States T 1-877-259-1669 <u>msds@resinlab.com</u> - <u>www.resinlab.com</u>		
1.5. Emergency phone number		
Emergency number : CHEMTF	REC:1-80	0-424-9300 (USA); +1 703-527-3887 (International)
SECTION 2 Hazard Identification		
2.1. Classification of the substance or mixture		
GHS US classification		
Acute toxicity (oral), Category 4 Acute toxicity (dermal), Category 4 Acute toxicity (inhalation), Category 3 Acute toxicity (inhalation:dust,mist), Category 4 Skin corrosion/irritation, Category 1B Skin sensitization, Category 1 Carcinogenicity, Category 2 Reproductive toxicity, Category 2 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation Specific target organ toxicity – Repeated exposure, Category	H302 H312 H331 H332 H314 H317 H351 H361 H335 H373	Harmful if swallowed. Harmful in contact with skin. Toxic if inhaled. Harmful if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure

Full text of H statements : see section 16

2.2. Label elements

2

GHS US labeling

Hazard pictograms (GHS US)

Hazard statements (GHS US)

: Danger

: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction

(Inhalation, oral).

Signal word (GHS US)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

	 H331 - Toxic if inhaled H335 - May cause respiratory irritation H351 - Suspected of causing cancer. H361 - Suspected of damaging fertility or the unborn child H373 - May cause damage to organs through prolonged or repeated exposure (Inhalation, oral)
Precautionary statements (GHS US)	 H361 - Suspected of damaging fertility or the unborn child H373 - May cause damage to organs through prolonged or repeated exposure (Inhalation, oral) P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust, fume, gas, mist, vapors, spray. P261 - Avoid breathing dust, fume, gas, mist, vapors, spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell. P301+P312 - If on skin: Wash with plenty of water. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P333 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - If exposed or concerned: Get medical advice/attention. P310 - Immediately call a poison center or doctor. P311 - Call a poison center or doctor. P312 - Call a poison center or doctor. P312 - Call a poison center or doctor. P314 - Get medical advice or attention if you feel unwell. P322 - Specific treatment (see supplemental first aid instruction on this label) P330 - Rinse mouth. P332 - Specific treatment (see supplemental first aid instruction on
	P405 - Store locked up. P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures		
Name	Product identifier	%
Mixed cycloaliphatic amines	CAS-No.: Trade Secret	50 - <100

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Name	Product identifier	%
Furfuryl alcohol	CAS-No.: 98-00-0	25 – <50
Alkyl alicyclic polyamine	CAS-No.: Trade Secret	10 – <20
salicylic acid	CAS-No.: 69-72-7	5 – <10

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures			
First-aid measures general First-aid measures after inhalation	 Call a physician immediately. Remove person to fresh air and keep comfortable for breathing. Call a physician immediately. Call a doctor. 		
First-aid measures after skin contact	: Gently wash with plenty of soap and water. Rinse immediately with plenty of water for 15 minutes. Remove/Take off immediately all contaminated clothing. Maintain irrigation until patient received medical care. Continue to irrigate for one hour if medical attention is not available. Cover would with sterile dressing. Call a physician immediately.		
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.		
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person.		
4.2. Most important symptoms/effects, acute	and delayed		
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 May cause respiratory irritation. Burns. May cause an allergic skin reaction. Serious damage to eyes. Burns. 		
4.3. Indication of immediate medical attention	on and special treatment needed, if necessary		
Other medical advice or treatment	: Treat symptomatically.		

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing media			
Suitable extinguishing media	Dry chemical, CO2, dry sand, or alcohol-resistant foam. limestone powder.		
5.2. Specific hazards arising from the chemical			
Hazardous decomposition products in case of fire :	Toxic fumes may be released. Carbon oxides (CO, CO2). Nitrogen oxides. Gaseous ammonia. Nitric acid. Nitrogen oxide can react with water to form corrosive nitric acid. Aldehydes. Nitrosamine.		
5.3. Special protective equipment and precautions for fire-fighters			
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

SECTION 6 Accidental release measure	SECTION 6 Accidental release measures			
6.1. Personal precautions, protective equipm	nent and emergency procedures			
For non-emergency personnel				
Emergency procedures	: Do not breathe dust/fume/gas/mist/vapors/spray. Only qualified personnel equipped with suitable protective equipment may intervene.			
For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Environmental precautions	: Avoid release to the environment.			
6.2. Methods and materials for containment and cleaning up				
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.			
Other information	: Dispose of materials or solid residues at an authorized site.			

For further information refer to section 13

SECTION 7 Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Furfuryl alcohol (98-00-0)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Furfuryl alcohol	
ACGIH® TLV® TWA	0.2 ppm	
Remark (ACGIH)	TLV® Basis: URT & eye irr. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
Regulatory reference	ACGIH 2024	
USA - OSHA - Occupational Exposure Limits		
Local name	Furfuryl alcohol	
OSHA PEL TWA	200 mg/m³	

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Furfuryl alcohol (98-00-0)		
	50 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
8.2. Appropriate engineering controls		
Appropriate engineering controls :	Ensure good ventilation of the work station, ventilate curing ovens to prevent emissions in the workplace.	
Environmental exposure controls : Avoid release to the environment.		
8.3. Individual protection measures, such as p	ersonal protective equipment	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses with side shields		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of inadequate ventilation, wear respiratory protection.		
Personal protective equipment symbol(s):		





SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties		
Physical state		Liquid
Color	:	Amber
Odor	:	characteristic
Odor threshold	·	No data available
На	:	No data available
Melting point	:	Not applicable
Freezing point	:	No data available
Boiling point	:	162.22 °C
Flash point	:	95 °C
Flammability (solid, gas)	:	Not applicable.
Vapor pressure	:	No data available
Relative vapor density at 20°C	:	No data available
Relative density	:	No data available
Density	:	1.09 g/cm ³
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Explosion limits	:	No data available
Particle characteristics	:	No data available

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

N-Nitrosamines, many of which are known to be potent carcinogens, may be formed when the product comes in contact with nitrous acid, nitrites or atmospheres with high nitrous oxide concentrations. . reactive metals (AI, K, Zn ...). hydroxyl, or active hydrogen compounds. Organic acid. Mineral acids. Sodium hypochlorite. Product slowly corrodes copper, aluminum, zinc, and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion. Oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	: Harmful if swallowed. : Harmful in contact with skin. : Toxic if inhaled. Inhalation:dust,mist: Harmful if inhaled.	
EP1385 Clear B		
ATE US (oral)	417.232 mg/kg body weight	
ATE US (dermal)	1079.704 mg/kg body weight	
ATE US (gases)	700 ppmV/4h	
ATE US (vapors)	3 mg/l/4h	
ATE US (dust, mist)	0.5 mg/l/4h	
Furfuryl alcohol (98-00-0)		
LD50 oral rat	275 mg/kg (Rat, Experimental value, 2 % aqueous solution, Oral)	
LD50 dermal rabbit	657 mg/kg (Other, Rabbit, Experimental value, Dermal)	
LC50 Inhalation - Rat	1.35 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))	
ATE US (oral)	275 mg/kg body weight	

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Furfuryl alcohol (98-00-0)		
ATE US (dermal)	657 mg/kg body weight	
ATE US (gases)	100 ppmV/4h	
ATE US (vapors)	0.5 mg/l/4h	
ATE US (dust, mist)	0.05 mg/l/4h	
Mixed cycloaliphatic amines (Trade Secret)		
ATE US (oral)	500 mg/kg body weight	
Alkyl alicyclic polyamine (Trade Secret)		
ATE US (oral)	500 mg/kg body weight	
ATE US (dermal)	300 mg/kg body weight	
ATE US (gases)	100 ppmV/4h	
ATE US (vapors)	0.5 mg/l/4h	
ATE US (dust, mist)	0.05 mg/l/4h	
salicylic acid (69-72-7)		
LD50 oral rat	891 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male, Experimental value, Oral)	
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)	
LD50 dermal rabbit	> 10000 mg/kg (Rabbit, Dermal)	
ATE US (oral)	891 mg/kg body weight	
Skin corrosion/irritation :	Causes severe skin burns.	
Furfuryl alcohol (98-00-0)		
рН	6	
salicylic acid (69-72-7)		
рН	2.4	
Serious eve damage/irritation :	Assumed to cause serious eve damage	
Furfuryl alcohol (98-00-0)	, , ,	
pH	6	
salicylic acid (69-72-7)	1	
pH	2.4	
Respiratory or skin sensitization : Germ cell mutagenicity :	May cause an allergic skin reaction. Not classified	
Carcinogenicity :	Suspected of causing cancer.	
Furfuryl alcohol (98-00-0)		
IARC group	2B - Possibly carcinogenic to humans	
Reproductive toxicity:STOT-single exposure:	Suspected of damaging fertility or the unborn child. May cause respiratory irritation.	

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Furfuryl alcohol (98-00-0)			
STOT-single exposure	May cause respiratory irritation.		
Alkyl alicyclic polyamine (Trade Secret)			
STOT-single exposure	May cause respiratory irritation.		
STOT-repeated exposure :	May cause damage to organs through prolonged or repeated exposure (Inhalation, oral).		
Furfuryl alcohol (98-00-0)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard :	Not classified		
Furfuryl alcohol (98-00-0)			
Viscosity No data available in the literature			
salicylic acid (69-72-7)			
Viscosity	Not applicable		
Symptoms/effects after inhalation :	May cause respiratory irritation.		
Symptoms/effects after skin contact :	Burns. May cause an allergic skin reaction.		
Symptoms/effects after eye contact :	Serious damage to eyes.		
Symptoms/effects after ingestion :	Burns.		

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : Hazardous to the aquatic environment, short-term : (acute) Hazardous to the aquatic environment, long-term : (chronic)	Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.	
Furfuryl alcohol (98-00-0)		
LC50 - Fish [1]	701 mg/l (Equivalent or similar to OECD 203, 48 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	328 mg/l (Equivalent or similar to OECD 202, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 96h - Algae [1]	170.278 mg/l (ECOSAR v1.00, Algae, QSAR, Estimated value)	
salicylic acid (69-72-7)		
LC50 - Fish [1]	90 mg/l (DIN 38412-15, 48 h, Leuciscus idus, Static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	870 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Experimental value)	
NOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
12.2. Persistence and degradability		
EP1385 Clear B		
Persistence and degradability	Not rapidly degradable	

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Furfuryl alcohol (98-00-0)			
Persistence and degradability	Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	0.81 g O₂/g substance		
Chemical oxygen demand (COD)	1.75 g O ₂ /g substance		
ThOD	1.79 g O ₂ /g substance		
Mixed cycloaliphatic amines (Trade Secret)			
Persistence and degradability	Not rapidly degradable		
Alkyl alicyclic polyamine (Trade Secret)			
Persistence and degradability	Not rapidly degradable		
salicylic acid (69-72-7)			
Persistence and degradability	Biodegradable in the soil, Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	0.95 g O₂/g substance		
Chemical oxygen demand (COD)	1.58 g O ₂ /g substance		
ThOD	1.623 g O ₂ /g substance		
BOD (% of ThOD)	0.41 – 0.6		

12.3. Bioaccumulative potential

Furfuryl alcohol (98-00-0)			
Partition coefficient n-octanol/water (Log Pow)	0.3 – 0.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)		
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).			
salicylic acid (69-72-7)			
Partition coefficient n-octanol/water (Log Pow)	2.25 (Experimental value, Equivalent or similar to OECD 117, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		

12.4. Mobility in soil

Furfuryl alcohol (98-00-0)		
Surface tension 38 mN/m (25 °C)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.071 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	
12.5. Other adverse effects		
Ozone : Fluorinated greenhouse gases :	Not classified No	

SECTION 13 Disposal considerations	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

14.1. UN number	
UN-No. (DOT)	
UN-No. (IMDG)	

UN-No. (IMDG)	:	2922
UN-No. (IATA)	:	2922

: UN2922

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Corrosive liquids, toxic, n.o.s. (4,4'-Diaminodicyclohexylmethane ; Furfuryl alcohol) CORROSIVE LIQUID, TOXIC, N.O.S. (4,4'-Diaminodicyclohexylmethane ; Furfuryl alcohol) Corrosive liquid, toxic, n.o.s. (4,4'-Diaminodicyclohexylmethane ; Furfuryl alcohol)
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 (6.1) : 8, 6.1

IMDG

Transport hazard class(es) (IMDG) Hazard labels (IMDG)



Δ	Л	٢,	Δ

Transport hazard class(es) (IATA)	: 8 (6.1)	
Hazard labels (IATA)	: 8, 6.1	



14.4. Packing group	
Packing group (DOT) Packing group (IMDG) Packing group (IATA)	: II : II : II
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Transport in bulk	
Not applicable	
14.7. Special precautions for user	
DOT UN-No. (DOT)	: UN2922

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Packaging Non Bulk (49 CFR 1/3.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Quantity Limitations Passenger aircraft/rail (49	: 5L
CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49	: 60 L
CFR 175.75)	
DOT Vessel Stowage Location	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
IMDG	
Special provision (IMDG)	· 223 274
Packing instructions (IMDG)	· P001
IBC packing instructions (IMDG)	- IBC03
Tank instructions (IMDG)	· 17
Tank special provisions (IMDG)	• TP1 TP28
EmS-No (Fire)	E-A - FIRE SCHEDUI E Alfa - GENERAL FIRE SCHEDUI E
EmS-No. (Snillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	· B
Stowage and bandling (IMDG)	· SW2
Properties and observations (IMDG)	Causes hums to skin, eves and mucous membranes. Toxic if swallowed, by skin contact or by
	inhalation.
Special provision (IATA)	: A3, A803
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 8P

SECTION 15 Regulatory information

15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Name	CAS-No.	Listing	Commercial status	Flags
Furfuryl alcohol	98-00-0	Present	Active	
Mixed cycloaliphatic amines	Trade Secret	Not present	-	
Alkyl alicyclic polyamine	Trade Secret	Not present	-	
salicylic acid	69-72-7	Present	Active	

15.2. International regulations

CANADA

Furfuryl alcohol (98-00-0)

Listed on the Canadian DSL (Domestic Substances List)

Mixed cycloaliphatic amines (Trade Secret)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Alkyl alicyclic polyamine (Trade Secret)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

salicylic acid (69-72-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Furfuryl alcohol (98-00-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

salicylic acid (69-72-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Furfuryl alcohol (98-00-0)

Listed on IARC (International Agency for Research on Cancer) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals)

salicylic acid (69-72-7)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

15.3. State regulations

This product can expose you to Furfuryl alcohol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Furfuryl alcohol(98-00-0)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024) Issue date : 6/17/2025

Full text of hazard classes and H-statements	
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.