



# SAFETY DATA SHEET

## Section 1: Identification of the substance/mixture and of the company/undertaking

### Product identifier

Trade name or designation of the mixture      Liqui-Bond SA 1800

Registration number      -

Synonyms      None.

Date of first issue      08-February-2012

Version number      01

Revision date      -

Supersedes date      -

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses      Electrical insulation and heat conduction

Uses advised against      None known.

### Details of the supplier of the safety data sheet

Manufacturer/Supplier      The Bergquist Company

Address:      18930 West 78th Street  
Chanhassen, MN. 55317

Non-Emergency calls:      1-800-347-4572

Contact person:      M-SDSadmin@BergquistCompany.com

### Chemical Emergency

#### Call CHEMTREC Day or Night

Within USA and Canada:      1-800-424-9300

Outside USA and Canada:      +1 703-527-3887 (Collect Calls Accepted)

## Section 2: Hazards identification

### Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

### Classification according to Regulation (EC) No 1272/2008 as amended

### Hazard summary

Physical hazards      Not classified for physical hazards.

Health hazards      Not classified for health hazards.

Environmental hazards      Not classified for hazards to the environment.

Specific hazards      Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the eye, mucous membranes and respiratory tract. Chronic effects are not expected when this product is used as intended.

Main symptoms      Under normal conditions of intended use, this material does not pose a risk to health. The ingredients are encapsulated within the synthetic rubber matrix.

### Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Hazard statements      The mixture does not meet the criteria for classification.

### Precautionary statements

Prevention      Observe good industrial hygiene practices.

Response      Wash thoroughly after handling.

Storage      Store away from incompatible materials.

Disposal      Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information      None.

Other hazards      None known.

## Section 3: Composition/information on ingredients

### Mixture

The components are not hazardous or are below required disclosure limits.

## Section 4: First aid measures

**General information** If you feel unwell, seek medical advice (show the label where possible).

### Description of first aid measures

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Move to fresh air. Get medical attention if symptoms occur.  |
| <b>Skin contact</b> | Wash skin with soap and water. Get medical attention if irritation persists after washing.   |
| <b>Eye contact</b>  | Flush thoroughly with water. If irritation occurs, get medical assistance.   |
| <b>Ingestion</b>    | Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Do not give anything by mouth to an unconscious person. Get medical attention if any discomfort occurs. |

**Most important symptoms and effects, both acute and delayed** Under normal conditions of intended use, this material does not pose a risk to health.

**Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## Section 5: Firefighting measures

**General fire hazards** This product is not flammable.

### Extinguishing media

|                                       |   |
|---------------------------------------|---|
| <b>Suitable extinguishing media</b>   | Use fire-extinguishing media appropriate for surrounding materials. |
| <b>Unsuitable extinguishing media</b> | None known.   |

**Special hazards arising from the substance or mixture** None known.

### Advice for firefighters

|  |   |
|--|---|
| <b>Special protective equipment for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. |
| <b>Special firefighting procedures</b>               | Move containers from fire area if you can do so without risk. In the event of fire, wear self-contained breathing apparatus.  |

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

|                                    |  |
|------------------------------------|--|
| <b>For non-emergency personnel</b> | Avoid contact with skin and eyes. See Section 8 for personal protective equipment. |
| <b>For emergency responders</b>    | Keep unnecessary personnel away.   |

**Environmental precautions** Environmental manager must be informed of all major spillages.

**Methods and material for containment and cleaning up** Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see Section 13.

**Reference to other sections** See Section 8 for personal protective equipment. For waste disposal, see section 13.

## Section 7: Handling and storage

**Precautions for safe handling** Keep the workplace clean. Provide adequate ventilation. Avoid generation and spreading of dust. Avoid inhalation and contact with skin and eyes. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in closed original container in a dry place. Keep away from ignition, flame and heat sources. Strong oxidising agents.

**Specific end use(s)** Electrical insulation and heat conduction

## Section 8: Exposure controls/personal protection

### Control parameters

### Occupational exposure limits

| <b>Austria. MAK List Components</b> | <b>Type</b> | <b>Value</b>         | <b>Form</b>          |
|-------------------------------------|-------------|----------------------|----------------------|
| Aluminium oxide<br>(1344-28-1)      | MAK         | 5 mg/m <sup>3</sup>  | Respirable fraction. |
|                                     |             | 5 mg/m <sup>3</sup>  | Respirable fume.     |
|                                     |             | 10 mg/m <sup>3</sup> | Inhalable fraction.  |

**Austria. MAK List**

| Components | Type | Value  | Form  |
|------------|------|--|---|
|            | STEL | 20 mg/m <sup>3</sup><br>10 mg/m <sup>3</sup><br>10 mg/m <sup>3</sup> | Inhalable fraction.<br>Respirable fume.<br>Respirable fraction. |

**Belgium. Exposure Limit Values.**

| Components                     | Type | Value                |
|--------------------------------|------|----------------------|
| Aluminium oxide<br>(1344-28-1) | TWA  | 10 mg/m <sup>3</sup> |

**Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work**

| Components                     | Type | Value   | Form                          |
|--------------------------------|------|---|-------------------------------|
| Aluminium oxide<br>(1344-28-1) | TWA  | 10 mg/m <sup>3</sup><br>1,5 mg/m <sup>3</sup> | Dust.<br>Respirable fraction. |

**Czech Republic. OELs. Government Decree 361**

| Components                     | Type | Value                 | Form             |
|--------------------------------|------|-----------------------|------------------|
| Aluminium oxide<br>(1344-28-1) | TWA  | 0,1 mg/m <sup>3</sup> | Respirable dust. |

**Denmark. Exposure Limit Values**

| Components                     | Type | Value                                      | Form                 |
|--------------------------------|------|--|----------------------|
| Aluminium oxide<br>(1344-28-1) | TLV  | 5 mg/m <sup>3</sup><br>2 mg/m <sup>3</sup> | Total<br>Respirable. |

**Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)**

| Components                     | Type | Value                                       | Form                            |
|--------------------------------|------|---|---------------------------------|
| Aluminium oxide<br>(1344-28-1) | TWA  | 4 mg/m <sup>3</sup><br>10 mg/m <sup>3</sup> | Respirable dust.<br>Total dust. |

**France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984**

| Components                     | Type | Value                |
|--------------------------------|------|----------------------|
| Aluminium oxide<br>(1344-28-1) | VME  | 10 mg/m <sup>3</sup> |

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

| Components                     | Type | Value  | Form                                |
|--------------------------------|------|--|-------------------------------------|
| Aluminium oxide<br>(1344-28-1) | TWA  | 4 mg/m <sup>3</sup><br>1,5 mg/m <sup>3</sup> | Inhalable dust.<br>Respirable dust. |

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace**

| Components                     | Type | Value                                       | Form                                |
|--------------------------------|------|---|-------------------------------------|
| Aluminium oxide<br>(1344-28-1) | AGW  | 3 mg/m <sup>3</sup><br>10 mg/m <sup>3</sup> | Respirable dust.<br>Inhalable dust. |

**Greece. OELs (Decree No. 90/1999, as amended)**

| Components                     | Type | Value                                       | Form                     |
|--------------------------------|------|---|--------------------------|
| Aluminium oxide<br>(1344-28-1) | TWA  | 5 mg/m <sup>3</sup><br>10 mg/m <sup>3</sup> | Inhalable<br>Respirable. |

**Hungary. OELs. Joint Decree on Chemical Safety of Workplaces**

| Components                     | Type | Value               | Form        |
|--------------------------------|------|---------------------|-------------|
| Aluminium oxide<br>(1344-28-1) | TWA  | 6 mg/m <sup>3</sup> | Respirable. |

**Iceland. OELs. Regulation 154/1999 on occupational exposure limits**

| Components                     | Type | Value                |
|--------------------------------|------|----------------------|
| Aluminium oxide<br>(1344-28-1) | TWA  | 10 mg/m <sup>3</sup> |

**Ireland. Occupational Exposure Limits**

| Components                     | Type | Value                                       | Form                                      |
|--------------------------------|------|---|---|
| Aluminium oxide<br>(1344-28-1) | TWA  | 4 mg/m <sup>3</sup><br>10 mg/m <sup>3</sup> | Respirable dust.<br>Total inhalable dust. |

| <b>Italy. OELs</b>  |             |                       |                              |
|---|-------------|-----------------------|------------------------------|
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          | <b>Form</b>                  |
| Aluminium oxide<br>(1344-28-1)  | TWA         | 1 mg/m <sup>3</sup>   | Respirable fraction.         |
| <b>Latvia. OELs. Occupational exposure limit values of chemical substances in work environment</b>  |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          | <b>Form</b>                  |
| Aluminium oxide<br>(1344-28-1)  | TWA         | 6 mg/m <sup>3</sup>   | Decomposition aerosol.       |
|   |             | 4 mg/m <sup>3</sup>   |                              |
| <b>Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)</b>                                |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          | <b>Form</b>                  |
| Aluminium oxide<br>(1344-28-1)  | TWA         | 5 mg/m <sup>3</sup>   | Inhalable fraction.          |
|   |             | 2 mg/m <sup>3</sup>   | Respirable fraction.         |
| <b>Norway. Administrative Norms for Contaminants in the Workplace</b>   |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          |                              |
| Aluminium oxide<br>(1344-28-1)  | TLV         | 10 mg/m <sup>3</sup>  |                              |
| <b>Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment</b> |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          | <b>Form</b>                  |
| Aluminium oxide<br>(1344-28-1)  | TWA         | 2,5 mg/m <sup>3</sup> | Fume, total dust.            |
|   |             | 1,2 mg/m <sup>3</sup> | Respirable dust and/or fume. |
| <b>Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)</b>   |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          |                              |
| Aluminium oxide<br>(1344-28-1)  | TWA         | 10 mg/m <sup>3</sup>  |                              |
| <b>Romania. OELs. Protection of workers from exposure to chemical agents at the workplace</b>   |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          | <b>Form</b>                  |
| Aluminium oxide<br>(1344-28-1)  | STEL        | 5 mg/m <sup>3</sup>   | Aerosol                      |
|   | TWA         | 1,2 ppm               | Aerosol                      |
|   |             | 2 mg/m <sup>3</sup>   | Aerosol                      |
|   |             | 0,5 ppm               | Aerosol                      |
| <b>Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents</b>         |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          | <b>Form</b>                  |
| Aluminium oxide<br>(1344-28-1)  | TWA         | 4 mg/m <sup>3</sup>   | Inhalable fraction.          |
|   |             | 1,5 mg/m <sup>3</sup> | Respirable fraction.         |
|   |             | 0,1 mg/m <sup>3</sup> |                              |
| <b>Spain. Occupational Exposure Limits</b>  |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          |                              |
| Aluminium oxide<br>(1344-28-1)  | TWA         | 10 mg/m <sup>3</sup>  |                              |
| <b>Sweden. Occupational Exposure Limit Values</b>   |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          | <b>Form</b>                  |
| Aluminium oxide<br>(1344-28-1)  | TWA         | 5 mg/m <sup>3</sup>   | Total dust.                  |
|   |             | 2 mg/m <sup>3</sup>   | Respirable dust.             |
| <b>Switzerland. SUVA Grenzwerte am Arbeitsplatz</b>   |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          | <b>Form</b>                  |
| Aluminium oxide<br>(1344-28-1)  | STEL        | 24 mg/m <sup>3</sup>  | Fume and respirable dust.    |
|   | TWA         | 3 mg/m <sup>3</sup>   | Respirable dust.             |
|   |             | 3 mg/m <sup>3</sup>   | Fume and respirable dust.    |
| <b>UK. EH40 Workplace Exposure Limits (WELs)</b>  |             |                       |                              |
| <b>Components</b>   | <b>Type</b> | <b>Value</b>          | <b>Form</b>                  |
| Aluminium oxide<br>(1344-28-1)  | TWA         | 4 mg/m <sup>3</sup>   | Respirable dust.             |
|   |             | 10 mg/m <sup>3</sup>  | Inhalable dust.              |

**Recommended monitoring procedures** Follow standard monitoring procedures.

#### DNEL

| Components                  | Type    | Route      | Value                   | Form                             |
|-----------------------------|---------|------------|-------------------------|----------------------------------|
| Aluminium oxide (1344-28-1) | Workers | Inhalation | 15,63 mg/m <sup>3</sup> | Long term exposure local effects |

#### PNEC

| Components                  | Type                   | Route          | Value     |
|-----------------------------|------------------------|----------------|-----------|
| Aluminium oxide (1344-28-1) | Aqua (freshwater)      | Not applicable | 74,9 µg/l |
|                             | Sewage Treatment Plant | Not applicable | 20 mg/l   |

#### Exposure controls

**Appropriate engineering controls** The listed ingredients in section 3 and 8 are encapsulated within the silicone matrix, therefore no exposure to these materials is expected during normal use/handling of this product. The exposure limits listed are provided for safety reasons. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

#### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Risk of contact: Wear approved safety goggles.

#### Skin protection

**- Hand protection** Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the glove supplier.

**- Other** If prolonged or repeated contact is likely, chemical resistant clothing is recommended.

**Respiratory protection** In case of inadequate ventilation, use respiratory protection. Use respiratory equipment with combination filter, type A2/P2.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

#### Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

**Environmental exposure controls** Environmental manager must be informed of all major releases.

## Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

|  |                 |
|--|-----------------|
| <b>Appearance</b>  | Liquid.         |
| <b>Physical state</b>  | Solid.          |
| <b>Form</b>  | Paste.          |
| <b>Colour</b>  | Black.          |
| <b>Odour</b>   | Slight.         |
| <b>Odour threshold</b>   | Not available.  |
| <b>pH</b>  | Not applicable. |
| <b>Melting point/freezing point</b>                            | Not available.  |
| <b>Boiling point, initial boiling point, and boiling range</b> | Not available.  |
| <b>Flash point</b>   | Not applicable. |
| <b>Auto-ignition temperature</b>                               | Not applicable. |
| <b>Flammability (solid, gas)</b>                               | Not available.  |
| <b>Flammability limit - lower (%)</b>                          | Not available.  |
| <b>Flammability limit - upper (%)</b>                          | Not available.  |
| <b>Oxidising properties</b>                                    | Not applicable. |
| <b>Explosive properties</b>                                    | Not applicable. |
| <b>Explosive limit</b>   | Not applicable. |
| <b>Vapour pressure</b>   | Not applicable. |

|  |   |
|--|---|
| <b>Vapour density</b>                          | Not applicable.                               |
| <b>Evaporation rate</b>                        | Not applicable.                               |
| <b>Relative density</b>                        | 2,8   |
| <b>Solubility (water)</b>                      | Insoluble                                     |
| <b>Partition coefficient (n-octanol/water)</b> | Not available.                                |
| <b>Decomposition temperature</b>               | Not available.                                |
| <b>Bulk density</b>                            | 2,8 at 23°C                                   |
| <b>Viscosity</b>                               | 125000 mPa·s at 25 °C                         |
| <b>Percent volatile</b>                        | Not available.                                |
| <b>Other information</b>                       | No relevant additional information available. |

## Section 10: Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b>                 | Stable at normal conditions.  |
| <b>Possibility of hazardous reactions</b> | Hazardous polymerisation does not occur.  |
| <b>Conditions to avoid</b>                | None known.   |
| <b>Incompatible materials</b>             | Strong oxidising agents.  |
| <b>Hazardous decomposition products</b>   | Carbon oxides. Silicon dioxide.   |

## Section 11: Toxicological information

**General information** Not available.

### Information on likely routes of exposure

|                     |   |
|---------------------|---|
| <b>Ingestion</b>    | Ingestion of dusts generated during working operations may cause nausea and vomiting.   |
| <b>Inhalation</b>   | Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the mucous membranes and respiratory tract. |
| <b>Skin contact</b> | Prolonged skin contact may cause temporary irritation.  |
| <b>Eye contact</b>  | Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the eye.                                    |

**Symptoms** Under normal conditions of intended use, this material does not pose a risk to health.

### Information on toxicological effects

|   |  |
|---|--|
| <b>Acute toxicity</b>                                     | Under normal conditions of intended use, this material does not pose a risk to health.                 |
| <b>Skin corrosion/irritation</b>                          | Prolonged skin contact may cause temporary irritation.   |
| <b>Serious eye damage/eye irritation</b>                  | Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the eye. |
| <b>Respiratory sensitisation</b>                          | No data available.   |
| <b>Skin sensitisation</b>                                 | No data available.   |
| <b>Germ cell mutagenicity</b>                             | No data available.   |
| <b>Carcinogenicity</b>                                    | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.                        |
| <b>Reproductive toxicity</b>                              | No data available.   |
| <b>Specific target organ toxicity - single exposure</b>   | No data available.   |
| <b>Specific target organ toxicity - repeated exposure</b> | No data available.   |
| <b>Aspiration hazard</b>                                  | No data available.   |
| <b>Mixture versus substance information</b>               | Chronic effects are not expected when this product is used as intended.                                |
| <b>Other information</b>                                  | Not available.   |

## Section 12: Ecological information

|                                      |   |
|--------------------------------------|---|
| <b>Toxicity</b>                      | No toxicity data noted for the ingredient(s).                               |
| <b>Persistence and degradability</b> | The degradability of the product has not been stated.                       |
| <b>Bioaccumulative potential</b>     | The product does not contain any substances expected to be bioaccumulating. |

|   |  |
|---|--|
| <b>Mobility</b>                                   | The product is insoluble in water.   |
| <b>Environmental fate - Partition coefficient</b> | Not available.   |
| <b>Mobility in soil</b>                           | Not available.   |
| <b>Results of PBT and vPvB assessment</b>         | Not available.   |
| <b>Other adverse effects</b>                      | The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |

## Section 13: Disposal considerations

### Waste treatment methods

|                               |  |
|-------------------------------|--|
| <b>Residual waste</b>         | Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. |
| <b>Contaminated packaging</b> | Since emptied containers retain product residue, follow label warnings even after container is emptied.  |
| <b>EU waste code</b>          | 08 04 10   |

## Section 14: Transport information

### ADR

The product is not covered by international regulation on the transport of dangerous goods.

### RID

The product is not covered by international regulation on the transport of dangerous goods.

### ADN

The product is not covered by international regulation on the transport of dangerous goods.

### IATA

The product is not covered by international regulation on the transport of dangerous goods.

### IMDG

The product is not covered by international regulation on the transport of dangerous goods.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** No information available.

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I**

Not listed.

**Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II**

Not listed.

**Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V**

Not listed.

**Directive 96/61/EC concerning integrated pollution prevention and control (IPPC): Article 15, European Pollution Emission Registry (EPER)**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(1). Candidate List**

Not listed.

#### Other regulations

The product does not need to be labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

#### National regulations

Follow national regulation for work with chemical agents.

#### Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## Section 16: Other information

|  |  |
|--|--|
| <b>List of abbreviations</b>   | DNEL: Derived No-Effect Level.<br>PNEC: Predicted No-Effect Concentration.<br>PBT: Persistent, bioaccumulative and toxic.<br>vPvB: Very Persistent and very Bioaccumulative.   |
| <b>References</b>  | Registry of Toxic Effects of Chemical Substances (RTECS)<br>HSDB® - Hazardous Substances Data Bank   |
| <b>Information on evaluation method leading to the classification of mixture</b>     | The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.  |
| <b>Full text of any statements or R-phrases and H-phrases under Sections 2 to 15</b> | None.  |
| <b>Training information</b>  | Follow training instructions when handling this material.  |
| <b>Disclaimer</b>  | This Safety Data Sheet was prepared by a globally recognized, third party chemical, regulatory, and compliance information services provider for the Bergquist Company, Thermal Products Division / TIM, and is offered for your consideration and guidance when exposed to this product. The Bergquist Company disclaims all expressed or implied warranties and assumes no responsibility for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Bergquist Company. |
| <b>Issue date</b>  | 08-February-2012   |
| <b>Revision date</b>   | 08-February-2012   |
| <b>Print date</b>  | 08-February-2012   |