SAFETY DATA SHEET



1. Identification

Product identifier Gap Filler 1500

Other means of identification

Product code GF 1500 Part A, GB 7, GB 10

Synonyms Gap Filler 1500 TP

Recommended use Liquid Gap Filling Material used together with part B.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier The Bergquist Company
Address: 18930 West 78th Street

Chanhassen, MN. 55317

Non-Emergency calls: 1-800-347-4572

Contact person: AEHMSDS@henkel.com

Emergency telephone

number

Chemical Emergency
Call CHEMTREC Day or

Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (Collect Calls Accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word Not applicable.

Hazard statement Not applicable.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash thoroughly after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This product is not hazardous according to OSHA 29 CFR 1910.1200 requirements, therefore a

hazard label does not apply.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Aluminum oxide	1344-28-1	60-90

4. First-aid measures

Inhalation Move to fresh air. Get medical attention if symptoms occur.

Skin contactWash skin with soap and water. Get medical attention if irritation persists after washing.

Flush thoroughly with water. If irritation occurs, get medical assistance. Eye contact

Ingestion Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Get medical attention if any discomfort develops.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

None.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

General fire hazards This product is not flammable.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see Section 8 of the SDS.

Under normal conditions of intended use, this material does not pose a risk to health.

Methods and materials for containment and cleaning up

Sweep up or gather material and place in appropriate container for disposal. For waste disposal,

see section 13 of the SDS.

Environmental precautions

Environmental Manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Avoid contact with skin and eyes. Observe good industrial hygiene

practices. Wear appropriate personal protective equipment (See Section 8).

Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Aluminum oxide (CAS	TWA	1 mg/m3	Respirable fraction.
1344-28-1)			

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Exposure guidelines Follow standard monitoring procedures. No exposure limits noted for ingredient(s).

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear approved safety goggles.

Skin protection

Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the Hand protection

glove supplier.

Gap Filler 1500 SDS US

2056 Version #: 05 Revision date: 29-November-2016 Issue date: 14-July-2014 Other If prolonged or repeated contact is likely, chemical resistant clothing is recommended.

In case of inadequate ventilation, use respiratory protection. Respiratory protection Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

9. Physical and chemical properties

Viscous liquid. **Appearance**

Physical state Liquid. **Form** Liquid. Color Yellow. Odor Slight. **Odor threshold** Not relevant.

Melting point/freezing point Initial boiling point and boiling

range

pН

Not relevant. Not relevant.

Not relevant.

Flash point Not relevant. **Evaporation rate** Not relevant. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not relevant. Vapor pressure Vapor density Not relevant.

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient

(n-octanol/water)

Not relevant.

Not relevant. Auto-ignition temperature **Decomposition temperature** Not relevant. Not available. **Viscosity**

Other information

Bulk density Not relevant. 2.70 (25 °C) Density Not explosive. **Explosive properties Oxidizing properties** Not oxidizing. VOC Not available.

10. Stability and reactivity

Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition None.

products

Gap Filler 1500 SDS US 2056 Version #: 05 Revision date: 29-November-2016 Issue date: 14-July-2014

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contact May cause eye irritation on direct contact.

Ingestion Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Under normal conditions of intended use, this material does not pose a risk to health.

Information on toxicological effects

Acute toxicityUnder normal conditions of intended use, this material does not pose a risk to health.

Skin corrosion/irritationBased on available data, the classification criteria are not met. **Serious eye damage/eye**Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitizationBased on available data, the classification criteria are not met.Skin sensitizationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity Based on available data, the classification criteria are not met. **Specific target organ toxicity -** Based on available data, the classification criteria are not met.

single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information None known.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous.

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water.

Other adverse effects None known.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	60-90

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region On inventory (yes/no)* Inventory name Europe European Inventory of Existing Commercial Chemical

Substances (EINECS)

European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information, including date of preparation or last revision

Issue date 14-July-2014

Revision date 29-November-2016

Version # 05

NFPA ratings



ESIS (European chemical Substances Information System) References

Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

Disclaimer The data contained herein are furnished for information only and are believed to be reliable.

However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing. Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind,

Yes

6/6

including lost profits.

SDS US Gap Filler 1500

2056 Version #: 05

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SAFETY DATA SHEET



1. Identification

Product identifier Gap Filler 1500

Other means of identification

Product code GF 1500 Part B, GB 7, GB 10

Synonyms Gap Filler 1500 TP

Recommended use Liquid Gap Filling Material used together with part A.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier The Bergquist Company
Address: 18930 West 78th Street
Chanhassen, MN. 55317

Non-Emergency calls: 1-800-347-4572

Contact person: AEHMSDS@henkel.com

Emergency telephone

number

Chemical Emergency
Call CHEMTREC Day or

Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (Collect Calls Accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word Not applicable.

Hazard statement Not applicable.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash thoroughly after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This product is not hazardous according to OSHA 29 CFR 1910.1200 requirements, therefore a

hazard label does not apply.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Aluminum oxide	1344-28-1	60-90
Silica	99439-28-8	1

4. First-aid measures

Inhalation Move to fresh air. Get medical attention if symptoms occur.

Wash skin with soap and water. Get medical attention if irritation persists after washing. Skin contact

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance. Rinse mouth thoroughly. Get medical attention if any discomfort occurs. Ingestion

Most important

symptoms/effects, acute and

delaved

Under normal conditions of intended use, this material does not pose a risk to health.

Indication of immediate medical attention and special Treat symptomatically.

treatment needed

General information

Get medical attention if any discomfort develops.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

None known.

media

Specific hazards arising from

None.

the chemical

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in and precautions for firefighters

the workplace.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

General fire hazards This product is not flammable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see Section 8 of the SDS.

Methods and materials for containment and cleaning up

Sweep up or gather material and place in appropriate container for disposal. For waste disposal,

see section 13 of the SDS.

Environmental precautions

Environmental Manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Avoid contact with skin and eyes. Observe good industrial hygiene

1 mg/m3

practices. Wear appropriate personal protective equipment (See Section 8).

Conditions for safe storage, including any incompatibilities

Store in closed original container in a dry place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

Aluminum oxide (CAS

1344-28-1)

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	ıype	Value	FOIIII
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
Silica (CAS 99439-28-8)	TWA	6 mg/m3	_

Biological limit values No biological exposure limits noted for the ingredient(s).

TWA

Exposure guidelines Follow standard monitoring procedures.

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne Appropriate engineering levels below recommended exposure limits. controls

Gap Filler 1500 SDS US

Respirable fraction.

Individual protection measures, such as personal protective equipment

Eve/face protection Risk of contact: Wear approved safety goggles.

Skin protection

Hand protection Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the

glove supplier.

Other If prolonged or repeated contact is likely, chemical resistant clothing is recommended.

Respiratory protection In case of inadequate ventilation, use respiratory protection. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance Viscous liquid.

Physical state Liquid.
Form Liquid.
Color White.
Odor Slight.

Odor thresholdNot relevant.pHNot relevant.Melting point/freezing pointNot relevant.Initial boiling point and boilingNot relevant.

range

Flash point Not relevant.

Evaporation rate Not relevant.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not relevant.

Vapor density Not relevant.

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not relevant.

(n-octanol/water)

Auto-ignition temperature Not relevant.

Decomposition temperature Not relevant.

Viscosity Not available.

Other information

Bulk densityNot relevant.Density2.70 (25 °C)Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.VOCNot available.

10. Stability and reactivity

ReactivityThe product is stable and non reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition

n None.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contact May cause eye irritation on direct contact. **Ingestion** Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Under normal conditions of intended use, this material does not pose a risk to health.

Information on toxicological effects

Acute toxicityUnder normal conditions of intended use, this material does not pose a risk to health.

Skin corrosion/irritationBased on available data, the classification criteria are not met. **Serious eye damage/eye**Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silica (CAS 99439-28-8) 3 Not classifiable as to carcinogenicity to humans.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicityBased on available data, the classification criteria are not met. **Specific target organ toxicity -**Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information None known.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous.

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water.

Other adverse effects None known.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not applicable.

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	60-90

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1)

Silica (CAS 99439-28-8)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

Silica (CAS 99439-28-8)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

Gap Filler 1500 SDS US

907353 Version #: 05 Revision date: 29-November-2016 Issue date: 11-July-2014

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico

16. Other information, including date of preparation or last revision

11-July-2014 Issue date 29-November-2016 **Revision date**

Version #

NFPA ratings



References ESIS (European chemical Substances Information System)

Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

Disclaimer The data contained herein are furnished for information only and are believed to be reliable.

However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind,

including lost profits.

Version #: 05 Revision date: 29-November-2016 Issue date: 11-July-2014

907353

Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).