SAFETY DATA SHEET



1. Identification

Product identifier Gap Filler 2000

Other means of identification

Product code Part A, GB 5, 7, 10 mils, Potlife 15, 60, 600 mins

Chanhassen, MN. 55317

Recommended use Thermally Conductive Silicone Gap Filler Material used together with Part B.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier The Bergquist Company

Address: 18930 West 78th Street

Non-Emergency calls: 1-800-347-4572

Contact person: AEHMSDS@henkel.com

1.4. Emergency telephone

number

Chemical Emergency
Call CHEMTREC Day or

Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (Collect Calls Accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal wordNot applicable.Hazard statementNot applicable.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash thoroughly after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This product is not hazardous according to OSHA 29 CFR 1910.1200 requirements, therefore a

hazard label does not apply.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

4. First-aid measures

Inhalation Move to fresh air. Get medical attention if symptoms occur.

Skin contact Wash skin with soap and water. Get medical attention if irritation persists after washing.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance. **Ingestion** Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

Gap Filler 2000 SDS US

918688 Version #: 02 Revision date: 16-December-2015 Issue date: 07-February-2014

Most important

symptoms/effects, acute and

delayed

Under normal conditions of intended use, this material does not pose a risk to health.

Indication of immediate medical attention and special

Treat symptomatically.

treatment needed

General information

Get medical attention if any discomfort develops.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

None.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

General fire hazards This product is not flammable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see Section 8 of the SDS.

Methods and materials for containment and cleaning up Sweep up or gather material and place in appropriate container for disposal. For waste disposal,

see Section 13 of the SDS.

Environmental precautions Environmental manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Avoid contact with skin and eyes. Observe good industrial hygiene

practices. Wear appropriate personal protective equipment (See Section 8).

Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Values			

Components	Туре	Value	Form
Aluminum oxide (CAS	TWA	1 mg/m3	Respirable fraction.
1344-28-1)			

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Exposure guidelines Follow standard monitoring procedures.

Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear approved safety goggles.

Skin protection

Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the Hand protection

glove supplier.

If prolonged or repeated contact is likely, chemical resistant clothing is recommended. Other

In case of inadequate ventilation, use respiratory protection. Respiratory protection

Gap Filler 2000 918688 2/6 Version #: 02 Revision date: 16-December-2015 Issue date: 07-February-2014

SDS US

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be

cleaned.

9. Physical and chemical properties

Liquid. **Appearance**

Physical state Liquid. Liquid. **Form** Color Pink. Odor Slight.

Odor threshold Not relevant. Not relevant. рH Melting point/freezing point Not relevant. Initial boiling point and boiling Not relevant.

range

Not relevant. Flash point **Evaporation rate** Not relevant. Not relevant. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not relevant.

(%)

Flammability limit - upper

(%)

Not relevant.

Explosive limit - lower (%) Not relevant. Not relevant. Explosive limit - upper (%) Not relevant. Vapor pressure

Vapor density Solubility(ies)

> Solubility (water) Insoluble in water.

Partition coefficient (n-octanol/water)

Not relevant.

Not relevant.

Auto-ignition temperature Not relevant. **Decomposition temperature** Not relevant. Not available. **Viscosity**

Other information

Bulk density Not relevant. **Density** 2.90 (25 °C) **Explosive properties** Not explosive. Not oxidizing. **Oxidizing properties** VOC (Weight %) Not available.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid

Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

None.

Gap Filler 2000 SDS US

918688 Version #: 02 Revision date: 16-December-2015 Issue date: 07-February-2014

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contact May cause eye irritation on direct contact.

Ingestion Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Under normal conditions of intended use, this material does not pose a risk to health.

Information on toxicological effects

Acute toxicityUnder normal conditions of intended use, this material does not pose a risk to health.

Skin corrosion/irritation Not classified.
Serious eye damage/eye Not classified.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.
Skin sensitization Not classified.
Germ cell mutagenicity Not classified.
Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity Not classified.

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity - Not

repeated exposure

Not classified.

Aspiration hazard Not classified.

Further information None known.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous.

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water.

Other adverse effects None known.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was

usea.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

Version #: 02 Revision date: 16-December-2015

14. Transport information

DOT

918688

Not regulated as dangerous goods.

Gap Filler 2000 SDS US

Issue date: 07-February-2014

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	60-90

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulationsThis product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*AustraliaAustralian Inventory of Chemical Substances (AICS)YesCanadaDomestic Substances List (DSL)Yes

Gap Filler 2000 SDS US

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

Europe European List of Notified Chemical Substances (ELINCS) No Japan Inventory of Existing and New Chemical Substances (ENCS) Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

07-February-2014 Issue date **Revision date** 16-December-2015

Version # 02

NFPA ratings



References ESIS (European chemical Substances Information System)

Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

Disclaimer The data contained herein are furnished for information only and are believed to be reliable.

However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind,

including lost profits.

Version #: 02 Revision date: 16-December-2015 Issue date: 07-February-2014

Gap Filler 2000 SDS US

918688

Yes

SAFETY DATA SHEET



1. Identification

Product identifier Gap Filler 2000

Other means of identification

Product code Part B, GB 5, 7, 10 mils, Potlife 15, 60, 600 mins

Recommended use Thermally Conductive Silicone Gap Filler Material used together with Part A.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier The Bergquist Company

Address: 18930 West 78th Street

Chanhassen, MN. 55317

Non-Emergency calls: 1-800-347-4572

Contact person: AEHMSDS@henkel.com

1.4. Emergency telephone

number

Chemical Emergency
Call CHEMTREC Day or

Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (Collect Calls Accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal wordNot applicable.Hazard statementNot applicable.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash thoroughly after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This product is not hazardous according to OSHA 29 CFR 1910.1200 requirements, therefore a

hazard label does not apply.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

4. First-aid measures

Inhalation Move to fresh air. Get medical attention if symptoms occur.

Skin contact Wash skin with soap and water. Get medical attention if irritation persists after washing.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance. **Ingestion** Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

Gap Filler 2000 SDS US

918690 Version #: 02 Revision date: 16-December-2015 Issue date: 07-February-2014

Most important

symptoms/effects, acute and

delayed

Treat symptomatically. Indication of immediate

medical attention and special

treatment needed

General information Get medical attention if any discomfort develops.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

None.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

Under normal conditions of intended use, this material does not pose a risk to health.

the workplace.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

General fire hazards This product is not flammable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Methods and materials for containment and cleaning up Sweep up or gather material and place in appropriate container for disposal. For waste disposal,

see Section 13 of the SDS.

Environmental precautions Environmental manager must be informed of all major spillages.

7. Handling and storage

Provide adequate ventilation. Avoid contact with skin and eyes. Observe good industrial hygiene Precautions for safe handling

practices. Wear appropriate personal protective equipment (See Section 8).

Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
LIC ACCIU Throobold Limit Values			

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Exposure guidelines Follow standard monitoring procedures.

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear approved safety goggles.

Skin protection

Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the Hand protection

glove supplier.

If prolonged or repeated contact is likely, chemical resistant clothing is recommended. Other

In case of inadequate ventilation, use respiratory protection. Respiratory protection

Gap Filler 2000 918690 2/6 Version #: 02 Revision date: 16-December-2015 Issue date: 07-February-2014

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be

cleaned.

9. Physical and chemical properties

Liquid. **Appearance** Physical state Liquid.

Liquid. **Form** Color White. Odor Slight.

Odor threshold Not relevant. Not relevant. рH Melting point/freezing point Not relevant. Initial boiling point and boiling Not relevant.

range

Not relevant. Flash point **Evaporation rate** Not relevant. Not relevant. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not relevant.

Flammability limit - upper

(%)

Not relevant.

Explosive limit - lower (%) Not relevant. Not relevant. Explosive limit - upper (%) Vapor pressure Not relevant.

Vapor density Not relevant.

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient (n-octanol/water)

Not relevant.

Auto-ignition temperature Not relevant. **Decomposition temperature** Not relevant. Not available. **Viscosity**

Other information

Bulk density Not relevant. **Density** 2.90 (25 °C) **Explosive properties** Not explosive. Not oxidizing. **Oxidizing properties** VOC (Weight %) Not available.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

None.

Gap Filler 2000 SDS US

3/6

918690 Version #: 02 Revision date: 16-December-2015 Issue date: 07-February-2014

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contact May cause eye irritation on direct contact.

Ingestion Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Under normal conditions of intended use, this material does not pose a risk to health.

Information on toxicological effects

Acute toxicityUnder normal conditions of intended use, this material does not pose a risk to health.

Skin corrosion/irritation Not classified.
Serious eye damage/eye Not classified.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.
Skin sensitization Not classified.
Germ cell mutagenicity Not classified.
Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity Not classified.

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Further information None known.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous.

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water.

Other adverse effects None known.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was

usea.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

Gap Filler 2000 SDS US

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	60-90

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes

Gap Filler 2000 SDS US

Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No

Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Yes

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Inventory name

07-February-2014 Issue date 16-December-2015 **Revision date**

Version # 02

Country(s) or region

NFPA ratings



References ESIS (European chemical Substances Information System)

Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

Disclaimer The data contained herein are furnished for information only and are believed to be reliable.

However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind,

including lost profits.

SDS US Gap Filler 2000

On inventory (yes/no)*

Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).