



Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name 70-03A SKF Various Colors
Product Code 70-03ASKF

Product(s) Covered
A62300-7C 70-03A SK WHITE 5GL
A62314 70-03A SKF WHITE SP 12/13.5
A69315 70-03ASKF BLK S/P 12/13.5/400M
A72113 70-03ASK GRAY S/P 12/13.5/400M

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use Adhesives and/or sealants.
Uses Advised Against No information available

1.3. Details of the Supplier of the Safety Data Sheet

Company Name
Bostik, Inc.
11320 W. Watertown Plank Road
Wauwatosa, Wisconsin 53226 USA
Phone: +1 (800) 843-0844 (Domestic Toll Free)
Phone: +1 (414) 774-2250 (International)
Fax: +1 (414) 774-8075
Email: msds@bostik-us.com

1.4. Emergency Telephone Number

Emergency Telephone Telephone: 1-800-227-0332
(Outside U.S.) 1-703-527-3887

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Skin sensitization	Category 1
--------------------	------------

2.2. Label Elements

EMERGENCY OVERVIEW

WARNING Hazard Statements May cause an allergic skin reaction

Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02



Appearance Paste **Physical State** Solid **Odor** No information available

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves

Precautionary Statements - Response

Specific treatment (see first aid measures on this label)
IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Not Applicable

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not Applicable

Unknown Toxicity

29.88% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

May be harmful if swallowed
May be harmful in contact with skin
Small amounts of methanol (67-56-1) are formed by hydrolysis and released upon curing

SECTION 3: Composition/Information on Ingredients

3.1 Substances

Not Applicable

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	15 - 40
Iron manganese oxide ((Fe,Mn)2O3)	75864-23-2	1 - 5
C.I. Pigment Black 26	68186-94-7	1 - 5
Titanium dioxide	13463-67-7	1 - 5
Silane, ethenyltrimethoxy-	2768-02-7	1 - 5
Stearic acid	57-11-4	1 - 5
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	0.1 - 1
Carbon black	1333-86-4	0.1 - 1
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0.1 - 1

*The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First Aid Measures

Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02

4.1. Description of First Aid Measures

General Advice	Remove contaminated clothing and shoes. If medical advice is needed, have product container or label at hand.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Hold eyelids apart and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).
Self-protection of the First Aider	First aider: Pay attention to self-protection.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Small amounts of methanol (67-56-1) are formed by hydrolysis and released upon curing.

4.4. Reference to Other Sections

Reference to Other Sections SECTION 8: Exposure Controls/Personal Protection
SECTION 11: Toxicological Information

SECTION 5: Fire Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Unsuitable Extinguishing Media

Full water jet.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO₂).

Explosion Data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters

In case of fire: Wear self-contained breathing apparatus. Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental Release Measures

Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection equipment. Avoid contact with skin, eyes or clothing.

6.2. Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for Cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

6.4. References to Other Sections

Reference to Other Sections SECTION 8: Exposure Controls/Personal Protection
SECTION 7: Handling and Storage
SECTION 13: Disposal Considerations

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Fire prevention measures. No special measures are necessary.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Protect from moisture. Keep container tightly closed in a cool place. Keep away from food, drink and animal feeding stuffs. Recommended storage temperature. 10 - 35 °C.

Incompatible Materials None known based on information supplied.

7.3. Specific End Use(s)

Specific Use(s)
Sealant. For additional information, see Technical Data Sheet.

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections SECTION 13: Disposal Considerations
SECTION 10: Stability and Reactivity

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure Guidelines Small amounts of methanol (67-56-1) are formed by hydrolysis and released upon curing.

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
---------------	-----------	------------	----------	--------

Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02

Carbonic acid, calcium salt (1:1) 471-34-1	-	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust	-	-
Iron manganese oxide ((Fe,Mn)2O3) 75864-23-2	TWA: 1 mg/m ³ Fe TWA: 0.02 mg/m ³ Mn TWA: 0.1 mg/m ³ Mn	IDLH: 500 mg/m ³ Mn TWA: 1 mg/m ³ Fe TWA: 1 mg/m ³ Mn STEL: 3 mg/m ³ Mn	Ceiling: 5 mg/m ³ Mn	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ STEL: 2 mg/m ³
C.I. Pigment Black 26 68186-94-7	TWA: 0.02 mg/m ³ Mn TWA: 0.1 mg/m ³ Mn	IDLH: 500 mg/m ³ Mn TWA: 1 mg/m ³ Mn STEL: 3 mg/m ³ Mn	Ceiling: 5 mg/m ³ Mn	TWA: 0.2 mg/m ³
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	IDLH: 5000 mg/m ³	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ STEL: 20 mg/m ³
Carbon black 1333-86-4	TWA: 3 mg/m ³ inhalable fraction	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	STEL: 0.2 mg/m ³ Sn TWA: 0.1 mg/m ³ Sn S*	IDLH: 25 mg/m ³ Sn TWA: 0.1 mg/m ³ except Cyhexatin Sn	TWA: 0.1 mg/m ³ Sn	TWA: 0.1 mg/m ³ STEL: 0.2 mg/m ³

Chemical Name	Argentina	Brazil	Chile	Venezuela
Carbonic acid, calcium salt (1:1) 471-34-1	-	-	-	TWA: 10 mg/m ³
Iron manganese oxide ((Fe,Mn)2O3) 75864-23-2	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³	TWA: 1 mg/m ³	TWA: 4 mg/m ³	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³
C.I. Pigment Black 26 68186-94-7	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³	TWA: 4 mg/m ³	TWA: 0.2 mg/m ³
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	-	-	TWA: 10 mg/m ³
Carbon black 1333-86-4	TWA: 3.5 mg/m ³	-	-	TWA: 3.5 mg/m ³
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	TWA: 0.1 mg/m ³ Skin STEL: 0.2 mg/m ³	-	TWA: 0.08 mg/m ³ Skin	Skin STEL: 0.2 mg/m ³ TWA: 0.1 mg/m ³

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 310 mg/m ³

Chemical Name	Argentina	Brazil	Chile	Venezuela
Methanol 67-56-1	TWA: 200 ppm Skin STEL: 250 ppm	TWA: 156 ppm TWA: 200 mg/m ³ Skin	TWA: 160 ppm TWA: 210 mg/m ³ Skin	Skin STEL: 250 ppm TWA: 200 ppm

8.2. Exposure Controls

Other Information

Small amounts of methanol (67-56-1) are formed by hydrolysis and released upon curing.

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Personal protective equipment [PPE]

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02

Skin and Body Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State	Solid
Appearance	Paste
Color	Multiple
Odor	No information available
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting Point/Freezing Point	No information available	
Boiling Point	No information available	
Flash Point	> 93.3 °C / > 200 °F	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper Flammability Limits	No information available	
Lower Flammability Limit	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Specific Gravity	No information available	
Water Solubility	No information available	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

9.2. Other Information

Softening Point	No information available
Molecular Weight	No information available
Solvent Content (%)	No information available
Solid Content (%)	100
Density	
VOC	< 30 g/L

SECTION 10: Stability and Reactivity

10.1. Reactivity

None under normal use conditions.

10.2. Chemical Stability

Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

None known based on information supplied.

10.6. Hazardous Decomposition Products

None known based on information supplied.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Product Information	No data available
Inhalation	No data available.
Eye Contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt (1:1) 471-34-1	= 6450 mg/kg (Rat)	>2000 mg/kg	LC50 (4h) >3mg/ml (Rat)
C.I. Pigment Black 26 68186-94-7	>10000 mg/kg Rat	-	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Silane, ethenyltrimethoxy- 2768-02-7	= 7340 µL/kg (Rat)	= 3360 µL/kg (Rabbit)	-
Stearic acid 57-11-4	>5000 mg/Kg	> 5 g/kg (Rabbit)	-
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine 1760-24-3	= 7460 µL/kg (Rat)	-	-
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Symptoms	No information available.
Skin Corrosion/Irritation	No information available.
Serious Eye Damage/Eye Irritation	No information available.
Irritation	No information available.
Corrosivity	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Reproductive Toxicity	No information available.
Developmental Toxicity	No information available.
Teratogenicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Chronic Toxicity	May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.
Target Organ Effects	Blood, Central nervous system, Eyes, Gastrointestinal tract (GI), Kidney, Liver, Lungs, Respiratory system, Skin.

Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02

Aspiration Hazard
Carcinogenicity

No information available.
The table below indicates whether each agency has listed any ingredient as a carcinogen. The components of this product are inextricably bound in a polymer matrix and are not expected to be available as airborne hazards (dust, mist, or spray) under normal condition of use.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B	-	X
Carbon black 1333-86-4	A3	Group 2B	-	X

ACGIH (American Conference of Governmental Industrial Hygienists)
A3 - Confirmed animal carcinogen with unknown relevance to humans
IARC (International Agency for Research on Cancer)
Group 2B - Possibly Carcinogenic to Humans
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

SECTION 12: Ecological Information

12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H Fish >1000 mg/l		EC50 48H Daphnia >1000 mg/l
C.I. Pigment Black 26 68186-94-7		96H Fish >100000 mg/l		
Carbon black 1333-86-4	>10000 mg/l (Desmodesmus subspicatus) OECD 202	>1000 mg/l (Brachydanio rerio) OCDE 203		EC50 24 h > 5600 mg/L (Daphnia magna)
Tin, dibutylbis(2,4-pentanedionat o-o,O')-, (OC-6-11)- 22673-19-4	>2.0 mg/l	>2.0 mg/l		

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

SECTION 14: Transport Information

DOT Not regulated

IATA Not regulated

IMDG Not regulated

SECTION 15: Regulatory Information

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2B - Toxic materials



United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No
C.I. Pigment Black 26	68186-94-7
Iron manganese oxide ((Fe,Mn)2O3)	75864-23-2

California Proposition 65

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No
Titanium dioxide	13463-67-7
Carbon black	1333-86-4
Methanol	67-56-1

Safety Data Sheet

70-03ASKF
70-03A SKF Various Colors

Revision Date 27-Apr-2015
Supersedes Date: No information available
Version 1.02

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product contains the following substance(s) on the SVHC as proposed by ECHA above a concentration of 0.1 wt. %

Chemical Name	CAS No
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol	25973-55-1

SECTION 16: Other Information

HMIS Health Hazards 2 Flammability 1 Physical Hazards 1 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 27-Apr-2015

Revision Note Not Applicable.

Training Advice No information available

Further Information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet