

HM 2107 Revision Number 2 Revision Date 09-Feb-2018 Supersedes Date: 23-Sep-2014

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name

HM 2107

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Hot-melt adhesives.
Uses advised against	No information available

1.3. Details of the supplier of the safety data sheet

# **Responsible Party**

Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) Fax: +1 (414) 774-8075

E-mail msds@bostik-us.com

## 1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

# Section 2: HAZARD IDENTIFICATION

# 2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

## 2.2. Label Elements

# **EMERGENCY OVERVIEW**

Contact with solid material may cause irritation Contact with molten material will cause thermal burns

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance No information available Physical State Solid

state Solid

Odor No information available

Precautionary Statements - Prevention Not applicable

Precautionary Statements - Response Not applicable

HM 2107 Revision Number 2 Revision Date 09-Feb-2018 Supersedes Date: 23-Sep-2014

Precautionary Statements - Storage Not applicable

Precautionary Statements - Disposal Not applicable

Hazards Not Otherwise Classified (HNOC) Not applicable

## 2.3. Other Information

No information available.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Paraffin waxes and Hydrocarbon waxes	8002-74-2	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

# Section 4: FIRST AID MEASURES

## 4.1. Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	Wash skin with soap and water. In case of burns, immediately cool affected skin for as long as possible with cold water. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Consult a physician if necessary.	
Inhalation	Remove to fresh air.	
Ingestion	Seek medical advice immediately. Do not induce vomiting without medical advice.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
4.4. Reference to Other Sections		
Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION	

# Section 5: FIRE-FIGHTING MEASURES

# 5.1. Extinguishing media

## Suitable Extinguishing Media

## HM 2107 Revision Number 2

In case of fire: Use CO2, dry chemical, or foam to extinguish.

## **Unsuitable Extinguishing Media**

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

### **Specific Hazards Arising from the Chemical**

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame). This material can accumulate static charge by flow or agitation and can be ignited by static discharge.

#### Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

## 5.3. Advice for firefighters

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions	Ensure adequate ventilation, especially in confined areas.	
6.2. Environmental precautions		
Environmental Precautions	Keep out of drains, sewers, ditches and waterways. See Section 12 for additional Ecological Information.	
6.3. Methods and material for containment and cleaning up		
Methods for Containment	Molten . Cover with dry sand/earth.	
Methods for cleaning up	Use personal protection equipment. <b>Solid:</b> . Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. <b>Molten</b> . Where possible allow molten material to solidify naturally. Clean contaminated surface thoroughly.	
6.4. Reference to other sections		

#### Reference to other sections Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

# Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapors. After contact with skin, wash immediately with plenty of water and soap. This material can accumulate static charge by flow or agitation and can be ignited by static discharge. Avoid dusting when handling and avoid all possible sources of ignition (spark or flame).

## 7.2. Conditions for safe storage, including any incompatibilities

HM 2107 Revision Number 2	Revision Date 09-Feb-2018 Supersedes Date: 23-Sep-2014
Storage Conditions	Store away from incompatible materials.
Incompatible Materials	Incompatible with oxidizing agents. Strong acids. Strong bases.
7.3. Specific end use(s)	
Other Information	Since empty containers retain product residue, follow label warnings even after container is emptied. Keep product and empty container away from heat and sources of ignition. Do not reuse container.
7.4. References to Other Sections	
Reference to other sections	Section 13: DISPOSAL CONSIDERATIONS Section 10: STABILITY AND REACTIVITY

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

.

# 8.1. Control parameters

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m³ fume	TWA: 2 mg/m <sup>3</sup> fume	-	TWA: 2 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>
Chemical Name	Argentina	Brazil	Chile	Venezuela
Paraffin waxes and	TWA: 2 mg/m <sup>3</sup>	-	TWA: 1.6 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>

# 8.2. Exposure controls

Hydrocarbon waxes 8002-74-2

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

Personal protective equipment [Pl	PE]
Eye/Face Protection	<b>Molten</b> . Wear protective eye glasses for protection against liquid splashes.
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Heat resistant gloves are recommended when handling molten materials.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Consideratio	<b>ns</b> Facilities for quickly drenching the body should be provided within the immediate work area for emergency use where there is a possibility of exposure.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Physical State	Solid
Color	Yellow
Odor	No information available
Odor Threshold	No information available

HM 2107 Revision Number 2

### Revision Date 09-Feb-2018 Supersedes Date: 23-Sep-2014

Property pH Melting point / freezing point Boiling point / boiling range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor Pressure Vapor Density Relative Density	Values No information available No information available No information available > 204.4 °C / > 400 °F No information available No information available No information available No information available No information available No information available No information available	Remarks • Method Water Solubility Solubility in Other Solvents Partition Coefficient Autoignition Temperature Decomposition	No information available No information available No information available No information available
Kinematic Viscosity	No information available	Temperature	
Dynamic Viscosity	7565 mPa s	Spindle 27 @ 20 rpm @ 350 °F	
Explosive Properties Oxidizing Properties	No information available No information available		
9.2. Other information Softening Point Molecular Weight Solvent content (%) Solid content (%) Density VOC	<ul> <li>205 °F</li> <li>No information available</li> <li>No information available</li> <li>100</li> <li>.960 g/cm<sup>3</sup></li> <li>No information available</li> </ul>		

# Section 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

None under normal use conditions.

# 10.2. Chemical stability

Stable under recommended storage conditions.

## 10.3. Possibility of hazardous reactions

None under normal processing.

# 10.4. Conditions to avoid

Do not add water or other volatile material to molten adhesive. Take precautionary measures against static discharges.

## 10.5. Incompatible materials

Incompatible with oxidizing agents. Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

# Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information	No data available
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin Contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Paraffin waxes and Hydrocarbon	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
waxes			
8002-74-2			

## Delayed and immediate effects as well as chronic effects from short and long-term exposure\_

Symptoms Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Irritation Corrosivity Sensitization Germ Cell Mutagenicity Reproductive Toxicity Developmental Toxicity Teratogenicity STOT - Single Exposure STOT - Repeated Exposure Chronic Toxicity Target Organ Effects	No information available. No information available.

# Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

No information available

# 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

## 12.4. Mobility in soil

### HM 2107 Revision Number 2

No information available.

## Other adverse effects

No information available

# Section 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

**Contaminated Packaging** Dispose of in accordance with federal, state and local regulations

# Section 14: TRANSPORTATION INFORMATION

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

# Section 15: REGULATORY INFORMATION Global Inventories

TSCA	Listed
DSL	Listed

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

## <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

# WHMIS Hazard Class

Non-controlled

# United States of America

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No

HM 2107 Revision Number 2

**Reactive Hazard** 

No

# Europe

## Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

# EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Section 16: OTHER INFORMATION

# Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

# Key Literature References and Sources for Data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	09-Feb-2018
Revision Note	SDS sections updated, 1, 2, 5, 6, 7, 8, 9, 11, 15, 16.
Training Advice	No information available
Further information	No information available

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet