

The following Bostik, Inc. product:

K343202 (ADH 7575 Epoxy Resin Kit)

is a kit comprised of the following two components:

ADH 7575 Part A ADH7575 Part B

The Safety Data Sheets for the two components are attached after this cover sheet.

Bostik, Inc.
Product Safety and Regulatory Affairs



K343202A ADH 7575 Epoxy Resin Part A Revision Date 13-Oct-2016 Supersedes Date: No information available

Version 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name ADH 7575 Epoxy Resin Part A

Product Code K343202A

Product(s) Covered See section 16 for more information

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Resin.

Uses Advised Against No information available

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

1.4. Emergency Telephone Number

Emergency Telephone Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

2.2. Label Elements

EMERGENCY OVERVIEW

WARNING

Hazard statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause respiratory irritation

K343202A ADH 7575 Epoxy Resin Part A Revision Date 13-Oct-2016 Supersedes Date: No information available

Version 3



Appearance No information available

Physical State Liquid

Odor Characteristic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

Specific treatment (see first aid measures on this label)

Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Epoxy Resin	Proprietary	60 - 100

The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

K343202A ADH 7575 Epoxy Resin Part A Revision Date 13-Oct-2016
Supersedes Date: No information available

Version 3

General Advice Remove/Take off immediately all contaminated clothing. If medical advice is needed, have

product container or label at hand.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. May cause sensitization by

skin contact. Get medical attention if symptoms occur.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

Self-protection of the First Aider First aider: Pay attention to self-protection.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and

sensitization of susceptible persons.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Treat symptomatically. May cause sensitization by skin contact.

4.4. Reference to Other Sections

Reference to Other Sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Unsuitable Extinguishing Media

Full water jet.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

K343202A Revision Date 13-Oct-2016
ADH 7575 Epoxy Resin Part A Supersedes Date: No information available

Version 3

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

6.2. Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter

into soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for Cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to Other Sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling Use only in well-ventilated areas. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required. Special Precautions. Please refer also to Safety Data Sheet of Part B. For application method and dose rate, refer to the technical data sheet. Important: Do not leave mixed material in the container - curing in bulk can lead to

excessive heat. No special fire protection measures are necessary.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep away from food, drink and animal feeding stuffs. Keep containers tightly closed in a

dry, cool and well-ventilated place.

Incompatible Materials Exothermic reaction with. Amines. Alcohols.

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

Page 4/10

K343202A ADH 7575 Epoxy Resin Part A Revision Date 13-Oct-2016 Supersedes Date: No information available

Version 3

exposure limits established by the region specific regulatory bodies.

8.2. Exposure Controls

Engineering Controls Provide local exhaust ventilation. in the case of spray application. Please refer also to

Safety Data Sheet of Part B.

Personal protective equipment [PPE]

Respiratory Protection

Eye/Face Protection Tight sealing safety goggles.

Skin and Body ProtectionWear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands thoroughly after handling. Avoid contact with

Not applicable for liquids

skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid Color Clear

Odor Characteristic

Odor Threshold No information available

Property Values Remarks • Method

pH No information available
Melting Point/Freezing Point No information available
Boiling Point > 260 °C / 500 °F
Flash Point 251 °C / 484 °F
Evaporation Rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor Pressure
Vapor Density
Specific Gravity
Water Solubility

Upper Flammability Limit
No information available
No information available
No information available
No information available

Solubility in Other Solvents

Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity

No information available
No information available
No information available
No information available

Dynamic ViscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other Information

Softening Point No information available Molecular Weight No information available

K343202A ADH 7575 Epoxy Resin Part A Revision Date 13-Oct-2016

Supersedes Date: No information available

Version 3

Solvent Content (%)

Solid Content (%)

No information available

No information available

Density 1.17 g/cm³ VOC 0 %

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical Stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

After mixing the two components, the curing reaction starts. In bulk this reaction can be vigorous.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

Exothermic reaction with. Amines. Alcohols.

10.6. Hazardous Decomposition Products

None under normal use and recommended storage conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Product InformationNo Data AvailableInhalationNo Data AvailableEye contactNo Data AvailableSkin ContactNo Data AvailableIngestionNo Data Available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Epoxy Resin	= 11400 mg/kg (Rat)	>2000 mg/Kg (rat)	-

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Symptoms
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Irritation
Corrosivity
No information available.
Irritant effect on the eyes.
No information available.
No information available.

Sensitization May cause sensitization by skin contact. People who suffer from skin sensitization

problems, asthma, allergies, chronic or recurring respiratory illnesses should not be

deployed in any process using this preparation.

K343202A Revision Date 13-Oct-2016 Supersedes Date: No information available **ADH 7575 Epoxy Resin Part A**

Version 3

No information available. **Germ Cell Mutagenicity Reproductive Toxicity** No information available. No information available. **Developmental Toxicity Teratogenicity** No information available. STOT - Single Exposure No information available. **STOT - Repeated Exposure** No information available.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

Target Organ Effects No information available.

Aspiration Hazard Not applicable.

This product does not contain any carcinogens or potential carcinogens as listed by ACGIH, Carcinogenicity

OSHA, IARC or NTP at or above 0.1 wt%.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Epoxy Resin		1.2 mg/l 96Hr		2.7 mg/l 48hr Daphia Magna
		(Oncorhynchus mykiss)		

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

It is the responsibility of the waste generator to determine the toxicity and physical **Disposal of Wastes**

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Dispose of in accordance with federal, state and local regulations **Contaminated Packaging**

Section 14: TRANSPORTATION INFORMATION

49 CFR 171.4(c) "Exceptions. Except when all or part of the transportation is by vessel, the Note:

requirements of this subchapter specific to marine pollutants do not apply to non-bulk

K343202A ADH 7575 Epoxy Resin Part A Revision Date 13-Oct-2016

Supersedes Date: No information available

Version 3

packagings transported by motor vehicle, rail car or aircraft."

DOT

UN/ID No UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Epoxide Derivatives), Marine Pollutant

Hazard Class 9
Packing Group II

Special Provisions 8, 146, 173, 335, IB3, T4, TP1, TP29

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Epoxide Derivatives), 9, III,

Marine Pollutant

Emergency Response Guide

Number

171

IATA

UN/ID No UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Epoxide Derivatives)

Hazard Class 9
Packing Group III
ERG Code 9L

Special Provisions A97, A158, A197

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Epoxide Derivatives), 9, III

IMDG

UN/ID No UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A-Epichlorohydrin Epoxy

resin <700 MW), Marine Pollutant

 Hazard Class
 9

 Packing Group
 III

 EmS-No
 F-A, S-F

 Special Provisions
 274, 335, 969

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Epoxide Derivatives), 9, III,

Marine Pollutant

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2B - Toxic materials



United States of America

K343202A ADH 7575 Epoxy Resin Part A Revision Date 13-Oct-2016
Supersedes Date: No information available

Version 3

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

California Proposition 65

This product does not contain one or more substances listed on Proposition 65 at or above 0.01 wt. %.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Product(s) Covered

HMIS Health Hazards 2 Flammability 1 Physical Hazards 0 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 13-Oct-2016

Revision Note Not applicable.

Training Advice When working with hazardous materials, regular training of operators is required by law

Additional information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

K343202A ADH 7575 Epoxy Resin Part A Revision Date 13-Oct-2016
Supersedes Date: No information available

Version 3

specified in the text.

End of Safety Data Sheet



K343202B ADH 7575 Epoxy Resin Part B Revision Date 17-Oct-2016 Supersedes Date: No information available

Version 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name ADH 7575 Epoxy Resin Part B

Product Code K343202B

Product(s) Covered See section 16 for more information

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Epoxy curing agent.
Uses Advised Against No information available

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

1.4. Emergency Telephone Number

Emergency Telephone Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A

2.2. Label Elements

EMERGENCY OVERVIEW

WARNING

Hazard statements

Causes skin irritation

Causes serious eye irritation

K343202B ADH 7575 Epoxy Resin Part B Revision Date 17-Oct-2016 Supersedes Date: No information available

Version 2



Appearance No information available

Physical State Liquid

Odor Sulfur

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Week face, bands and any expected skin theroughly

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

Specific treatment (see first aid measures on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Mercaptan-Amine Blend	Proprietary	60 - 100

The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

K343202B ADH 7575 Epoxy Resin Part B Revision Date 17-Oct-2016
Supersedes Date: No information available

Version 2

4.1. Description of First Aid Measures

General Advice Remove/Take off immediately all contaminated clothing. If medical advice is needed, have

product container or label at hand. (Get medical attention immediately if symptoms occur.).

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention if symptoms

occur.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Administer oxygen if breathing is difficult. Call a physician or poison control center

immediately.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label. If swallowed, rinse mouth with water (only if the person is conscious).

Self-protection of the First Aider First aider: Pay attention to self-protection.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms Treat symptomatically.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians None.

4.4. Reference to Other Sections

Reference to Other Sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Unsuitable Extinguishing Media

Full water jet.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Ammonia.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

K343202B Revision Date 17-Oct-2016
ADH 7575 Epoxy Resin Part B Supersedes Date: No information available

Version 2

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Avoid contact with skin, eyes or clothing. Use personal protection equipment. Avoid

breathing vapors or mists.

6.2. Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter

into soil/subsoil.

6.3. Methods and Material for Containment and Cleaning up

Methods for ContainmentContain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for Cleaning upUse personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to Other Sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling

Use personal protective equipment as required. Use only in well-ventilated areas. Avoid

contact with skin, eyes or clothing. Special Precautions. For mixing of both components:. Please refer also to Safety Data Sheet of Part A. For application method and dose rate, refer to the technical data sheet. Important: Do not leave mixed material in the container - curing in bulk can lead to excessive heat. Fire prevention measures. No special measures

are necessary.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep away from food, drink and animal feeding stuffs. Keep containers tightly closed in a

dry, cool and well-ventilated place.

Incompatible Materials Exothermic reaction with. Acids.

7.3. Specific End Use(s)

Specific Use(s) Hardener.

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

K343202B Revision Date 17-Oct-2016
ADH 7575 Epoxy Resin Part B Supersedes Date: No information available

Version 2

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure GuidelinesThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

8.2. Exposure Controls

Engineering Controls Provide local exhaust ventilation. in the case of spray application. Please refer also to

Safety Data Sheet of Part A.

Personal protective equipment [PPE]

Respiratory Protection

Eye/Face ProtectionTight sealing safety goggles. Wear chemical splash goggles and face shield when eye and

face contact is possible due to splashing or spraying of material.

Skin and Body ProtectionWear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off immediately all contaminated clothing and wash it before

Not applicable for liquids

reuse.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Color Clear
Odor Sulfur

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting Point/Freezing Point
Boiling Point
Flash Point No information available
No information available
No information available
> 93 °C / > 199 °F
Evaporation Rate
No information available

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor Pressure
Vapor Density
Specific Gravity
Water Solubility
Limit
No information available

Solubility in Other Solvents

Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity

No information available
No information available
No information available
No information available

Page 5/9

K343202B Revision Date 17-Oct-2016
ADH 7575 Epoxy Resin Part B Supersedes Date: No information available

Version 2

Dynamic Viscosity1000 1600 mPa sExplosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other Information

Softening Point
Molecular Weight
Solvent Content (%)
Solid Content (%)
No information available
No information available
No information available
No information available

Density 1.13 g/cm³ **VOC** 0 g/L

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical Stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

After mixing the two components, the curing reaction starts. In bulk this reaction can be vigorous.

10.4. Conditions to Avoid

None known if handled according to instructions.

10.5. Incompatible Materials

Exothermic reaction with. Acids.

10.6. Hazardous Decomposition Products

None under normal use and recommended storage conditions. Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Ammonia. Amines.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Product InformationNo Data AvailableInhalationNo Data AvailableEye contactNo Data AvailableSkin ContactNo Data AvailableIngestionNo Data Available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Mercaptan-Amine Blend Proprietary	LD50 >2000 mg/Kg (Rat)	-	-

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

K343202B Revision Date 17-Oct-2016
ADH 7575 Epoxy Resin Part B Supersedes Date: No information available

Version 2

Symptoms No information available.

Skin Corrosion/Irritation Irritant effect on the skin.

Serious Eye Damage/Eye Irritation Irritant effect on the eyes. Causes severe eye damage.

Irritation
Corrosivity
Sensitization
Germ Cell Mutagenicity
Reproductive Toxicity
Developmental Toxicity
Teratogenicity
No information available.

STOT - Single Exposure
STOT - Repeated Exposure
Chronic Toxicity
Target Organ Effects
No information available.
No information available.
No information available.
No information available.

Aspiration Hazard Not applicable.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by ACGIH,

OSHA, IARC or NTP at or above 0.1 wt%.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No information available

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORTATION INFORMATION

DOT Not regulated

K343202B Revision Date 17-Oct-2016
ADH 7575 Epoxy Resin Part B Supersedes Date: No information available

Version 2

IATA

UN/ID No UN3334

Proper Shipping Name Aviation regulated liquid, n.o.s. (Mercaptan-Amine Blend)

Hazard Class 9
Packing Group III
ERG Code 9A
Special Provisions A27

Description UN3334, Aviation regulated liquid, n.o.s. (Mercaptan-Amine Blend), 9, III

IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2B - Toxic materials



United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

California Proposition 65

This product does not contain one or more substances listed on Proposition 65 at or above 0.01 wt. %.

Europe

K343202B ADH 7575 Epoxy Resin Part B Revision Date 17-Oct-2016
Supersedes Date: No information available

Version 2

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Product(s) Covered

Health Hazards 2 Flammability 1 Physical Hazards 0 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 17-Oct-2016

Revision Note Not applicable.

Training Advice When working with hazardous materials, regular training of operators is required by law

Additional information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet