

A77121 70-01A Various Colors

Revision Date 25-Feb-2015 Supersedes Date: No information available Version 1

# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

### 1.1. Product Identifier

**Product Name** 70-01A Various Colors

**Product Code** A77121

Product(s) Covered

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Recommended Use** Adhesives, sealants. No information available **Uses Advised Against** 

### 1.3. Details of the Supplier of the Safety Data Sheet

### **Company Name**

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

1.4. Emergency Telephone Number

**Emergency Telephone** Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

# **SECTION 2: Hazards Identification**

#### 2.1. Classification of the Substance or Mixture

Skin sensitization Category 1

## 2.2. Label Elements

## **EMERGENCY OVERVIEW**

## WARNING

# Hazard Statements

May cause an allergic skin reaction



Appearance No information available

Physical State Solid

**Odor** No information available

A77121 70-01A Various Colors Revision Date 25-Feb-2015 Supersedes Date: No information available

Version 1

\_\_\_\_\_

### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

### **Precautionary Statements - Response**

Specific treatment (see first aid measures on this label)

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

## **Precautionary Statements - Storage**

Not Applicable

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### **Hazards Not Otherwise Classified (HNOC)**

Not Applicable

### **Unknown Toxicity**

15.96% of the mixture consists of ingredient(s) of unknown toxicity

### 2.3. Other Information

May be harmful if swallowed
May be harmful in contact with skin

Small amounts of methanol (67-56-1) are formed by hydrolysis and released upon curing

## SECTION 3: Composition/Information on Ingredients

## 3.1 Substances

Not Applicable

### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	15 - 40
Iron manganese oxide ((Fe,Mn)2O3)	75864-23-2	1 - 5
C.I. Pigment Black 26	68186-94-7	1 - 5
Silane, ethenyltrimethoxy-	2768-02-7	1 - 5
Stearic acid	57-11-4	1 - 5
Carbon black	1333-86-4	1 - 5
N-[3-(Trimethyoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	0.1 - 1
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0.1 - 1

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# **SECTION 4: First Aid Measures**

### 4.1. Description of First Aid Measures

General Advice Remove contaminated clothing and shoes. If medical advice is needed, have product

container or label at hand.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.

**Skin Contact** Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic

reactions see a physician.

A77121 Revision Date 25-Feb-2015
70-01A Various Colors Supersedes Date: No information available

Version 1

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

**Ingestion** If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label. If swallowed, rinse mouth with water (only if the person is conscious).

Small amounts of toxic methanol are released by hydrolysis.

**Self-protection of the First Aider** First aider: Pay attention to self-protection.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Small amounts of toxic methanol are released by hydrolysis. Small amounts of methanol

(67-56-1) are formed by hydrolysis and released upon curing.

4.4. Reference to Other Sections

**Reference to Other Sections** See Sections 8 and 12 for additional information

# SECTION 5: Fire Fighting Measures

#### 5.1. Extinguishing Media

#### Suitable Extinguishing Media

Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

#### **Unsuitable Extinguishing Media**

Full water jet.

#### 5.2. Special Hazards Arising from the Substance or Mixture

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO2).

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

### 5.3. Advice for Firefighters

## **Protective Equipment and Precautions for Firefighters**

In case of fire: Wear self-contained breathing apparatus. Do not allow run-off from fire-fighting to enter drains or water courses.

## SECTION 6: Accidental Release Measures

## 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection equipment. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required.

#### 6.2. Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter

into soil/subsoil. Prevent further leakage or spillage if safe to do so. Do not allow into any

A77121 Revision Date 25-Feb-2015
70-01A Various Colors Supersedes Date: No information available

Version 1

sewer, on the ground or into any body of water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.

### 6.3. Methods and Material for Containment and Cleaning up

**Methods for Containment**Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for Cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

6.4. References to Other Sections

Reference to Other Sections See Sections 8 and 12 for additional information

# **SECTION 7: Handling and Storage**

### 7.1. Precautions for Safe Handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Fire prevention measures. No special measures are necessary. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.

#### 7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Protect from moisture. Keep container tightly closed in a cool place. Keep away from food,

drink and animal feeding stuffs. Recommended storage temperature. 10 - 35 °C. Keep

container tightly closed in a dry and well-ventilated place.

Incompatible Materials None known based on information supplied.

7.3. Specific End Use(s)

Specific Use(s)

Sealant. For additional information, see Technical Data Sheet.

Other Information No information available.

7.4. References to Other Sections

**Reference to Other Sections**See Sections 8 and 12 for additional information

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control Parameters

**Exposure Guidelines** Small amounts of methanol (67-56-1) are formed by hydrolysis and released upon curing.

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Carbonic acid, calcium salt	-	TWA: 10 mg/m <sup>3</sup> total dust	-	-
(1:1)		TWA: 5 mg/m³ respirable		
471-34-1		dust		
Iron manganese oxide	TWA: 1 mg/m <sup>3</sup> Fe TWA:	IDLH: 500 mg/m <sup>3</sup> Mn	Ceiling: 5 mg/m <sup>3</sup> Mn	TWA: 1 mg/m <sup>3</sup> TWA: 0.2
((Fe,Mn)2O3)	0.02 mg/m³ Mn	TWA: 1 mg/m <sup>3</sup> Fe TWA: 1		mg/m³
75864-23-2	TWA: 0.1 mg/m <sup>3</sup> Mn	mg/m³ Mn		STEL: 2 mg/m <sup>3</sup>
	_	STEL: 3 mg/m <sup>3</sup> Mn		_
C.I. Pigment Black 26	TWA: 0.02 mg/m <sup>3</sup> Mn	IDLH: 500 mg/m <sup>3</sup> Mn	Ceiling: 5 mg/m <sup>3</sup> Mn	TWA: 0.2 mg/m <sup>3</sup>

A77121 Revision Date 25-Feb-2015 70-01A Various Colors Supersedes Date: No information available

Version 1

68186-94-7	TWA: 0.1 mg/m³ Mn	TWA: 1 mg/m³ Mn STEL: 3 mg/m³ Mn		
Carbon black 1333-86-4	TWA: 3 mg/m³ inhalable fraction	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH	TWA: 3.5 mg/m³	TWA: 3.5 mg/m³ STEL: 7 mg/m³
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	STEL: 0.2 mg/m³ Sn TWA: 0.1 mg/m³ Sn S*	IDLH: 25 mg/m³ Sn TWA: 0.1 mg/m³ except Cyhexatin Sn	TWA: 0.1 mg/m³ Sn	TWA: 0.1 mg/m³ STEL: 0.2 mg/m³

Chemical Name	Argentina	Brazil	Chile	Venezuela
Carbonic acid, calcium salt (1:1) 471-34-1	-	-	4	TWA: 10 mg/m <sup>3</sup>
Iron manganese oxide ((Fe,Mn)2O3) 75864-23-2	TWA: 1 mg/m³ TWA: 0.2 mg/m³	TWA: 1 mg/m³	TWA: 4 mg/m <sup>3</sup>	TWA: 1 mg/m³ TWA: 0.2 mg/m³
C.I. Pigment Black 26 68186-94-7	TWA: 0.2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
Carbon black 1333-86-4	TWA: 3.5 mg/m <sup>3</sup>	-	-	TWA: 3.5 mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	TWA: 0.1 mg/m³ Skin STEL: 0.2 mg/m³	-	TWA: 0.08 mg/m³ Skin	Skin STEL: 0.2 mg/m³ TWA: 0.1 mg/m³

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Methanol	STEL: 250 ppm	IDLH: 6000 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 200 ppm	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>
	S*	TWA: 260 mg/m <sup>3</sup>	_	STEL: 250 ppm
		STEL: 250 ppm		STEL: 310 mg/m <sup>3</sup>
		STEL: 325 mg/m <sup>3</sup>		

Chemical Name	Argentina	Brazil	Chile	Venezuela
Methanol	TWA: 200 ppm	TWA: 156 ppm	TWA: 160 ppm	Skin
67-56-1	Skin	TWA: 200 mg/m <sup>3</sup>	TWA: 210 mg/m <sup>3</sup>	STEL: 250 ppm
	STEL: 250 ppm	Skin	Skin	TWA: 200 ppm

## 8.2. Exposure Controls

Other Information Small amounts of methanol (67-56-1) are formed by hydrolysis and released upon curing.

**Engineering Controls** Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

**Respiratory Protection** 

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only **Skin and Body Protection** 

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

A77121 70-01A Various Colors Revision Date 25-Feb-2015 Supersedes Date: No information available

Remarks • Method

Version 1

# **SECTION 9: Physical and Chemical Properties**

9.1. Information on Basic Physical and Chemical Properties

Physical State Solid Color Black

Odor No information available Odor Threshold No information available

<u>Property</u> <u>Values</u>

pH No information available
Melting Point/Freezing Point No information available
Boiling Point No information available
Flash Point > 93.4 °C / > 200.1 °F
Evaporation Rate No information available
Flammability (solid, gas) No information available

Flammability Limits in Air

No information available **Upper Flammability Limits** No information available **Lower Flammability Limit Vapor Pressure** No information available No information available **Vapor Density Specific Gravity** No information available **Water Solubility** No information available Solubility in Other Solvents No information available No information available **Partition Coefficient** No information available **Autoignition Temperature** No information available **Decomposition Temperature Kinematic Viscosity** No information available No information available **Dynamic Viscosity** No information available **Explosive Properties** No information available **Oxidizing Properties** 

9.2. Other Information

Softening PointNo information availableMolecular WeightNo information availableSolvent Content (%)No information available

 Solid Content (%)
 100.0

 Density
 1.390 g/cm³

 VOC
 < 30.0 g/L</td>

# SECTION 10: Stability and Reactivity

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical Stability

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

None known based on information supplied.

A77121 70-01A Various Colors Revision Date 25-Feb-2015
Supersedes Date: No information available

Version 1

### 10.6. Hazardous Decomposition Products

None known based on information supplied.

# **SECTION 11: Toxicological Information**

### 11.1. Information on Toxicological Effects

Product InformationNo data availableInhalationNo data availableEye ContactNo data availableSkin ContactNo data availableIngestionNo data available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt (1:1) 471-34-1	= 6450 mg/kg (Rat)	>2000 mg/kg	LC50 (4h) >3mg/ml (Rat)
C.I. Pigment Black 26 68186-94-7	>10000 mg/kg Rat	-	-
Silane, ethenyltrimethoxy- 2768-02-7	= 7340 μL/kg (Rat)	= 3360 µL/kg(Rabbit)	-
Stearic acid 57-11-4	>5000 mg/Kg	> 5 g/kg (Rabbit)	-
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
N-[3-(Trimethyoxysilyl)propyl]-1,2-et hanediamine 1760-24-3	= 7460 μL/kg (Rat)	-	-

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Symptoms** No information available. Skin Corrosion/Irritation No information available. No information available. Serious Eye Damage/Eye Irritation No information available. Irritation Corrosivity No information available. Sensitization No information available. No information available. **Germ Cell Mutagenicity** No information available. **Reproductive Toxicity Developmental Toxicity** No information available. **Teratogenicity** No information available.

Teratogenicity
STOT - Single Exposure
STOT - Repeated Exposure
No information available.
No information available.
No information available.

Chronic Toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects.

Target Organ Effects Blood, Central nervous system, Eyes, Gastrointestinal tract (GI), Kidney, Liver, Lymphatic

System, Respiratory system, Skin.

Aspiration Hazard No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

The components of this product are inextricably bound in a polymer matrix and are not expected to be available as airborne hazards (dust, mist, or spray) under normal condition

of use.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon black	A3	Group 2B	-	X
1333-86-4				

A77121 70-01A Various Colors Revision Date 25-Feb-2015 Supersedes Date: No information available

Version 1

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# **SECTION 12: Ecological Information**

### 12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H Fish >1000 mg/l		EC50 48H Daphnia >1000 mg/l
C.I. Pigment Black 26 68186-94-7		96H Fish >100000 mg/l		
Carbon black 1333-86-4	>10000 mg/l (Desmodesmus subspicatus) OECD 202	>1000 mg/l (Brachydanio rerio) OCDE 203		EC50 24 h > 5600 mg/L (Daphnia magna )
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	>2.0 mg/l	>2.0 mg/l		

### 12.2. Persistence and Degradability

No information available.

### 12.3. Bioaccumulative Potential

No information available.

### 12.4. Mobility in Soil

No information available.

## 12.5. Results of PBT and vPvB Assessment

No information available.

### 12.6. Other Adverse Effects

No information available

# **SECTION 13: Disposal Considerations**

### 13.1. Waste Treatment Methods

**Disposal of Wastes**It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

# **SECTION 14: Transport Information**

A77121 Revision Date 25-Feb-2015
70-01A Various Colors Supersedes Date: No information available
Version 1

\_\_\_\_\_

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

# **SECTION 15: Regulatory Information**

### **Global Inventories**

TSCA	Listed
DSL	Listed

This product contains a substance that is the subject of a proposed Significant New Use Rule (SNUR) codified at 40 CFR 721.10679.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

## **WHMIS Hazard Class**

D2B - Toxic materials



### **United States of America**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No
C.I. Pigment Black 26	68186-94-7
Iron manganese oxide ((Fe,Mn)2O3)	75864-23-2

### **California Proposition 65**

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1
Carbon black	1333-86-4
Methanol	67-56-1

## **Europe**

### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

A77121 70-01A Various Colors Revision Date 25-Feb-2015 Supersedes Date: No information available

Version 1

# EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product contains the following substance(s) on the SVHC as proposed by ECHA above a concentration of 0.1 wt. %

Chemical Name	CAS No
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol	25973-55-1

# **SECTION 16: Other Information**

HMIS Health Hazards 2 Flammability 1 Physical Hazards 1 Personal Protection X

### Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

#### **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 25-Feb-2015

Revision Note Not Applicable.

Training Advice No information available

Further Information No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**