

Version 0.1

Revision Date 05/26/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Clarity® HM-1672
Product code	:	10000002797

Manufacturer or supplier's details

Company	: H.B. Fuller Company
Address	: 1200 Willow Lake Boulevard Vadnais Heights, MN 55110
Telephone	: 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use	:	Hot melt adhesive
Restrictions on use	:	For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Solid form
Color	Light Amber
Odor	Neutral

GHS Classification

Skin sensitization	: Category 1
GHS Label element	
Hazard pictograms	(!)
Signal Word	: Warning

Hazard Statements:

H317 May cause an allergic skin reaction.

Precautionary Statements:

Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. **Response:** P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before

reuse.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.



Clarity® HM-1672
Revision Date 05/26/2015
: Vapors/fumes may be irritating at application temperatures.
: Contact with hot product will cause thermal burns.
: None known.
No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Hazardous ingredients

Chemical Name	CAS-No.	Concentration [%]
Rosin	8050-09-7	30 - 50
Paraffin waxes and Hydrocarbon waxes	8002-74-2	5 - 10

SECTION 4. FIRST AID MEASURES

General advice	: Show this material safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and water. Cool melted product on skin with plenty of water. Do not remove solidified product.
In case of eye contact	: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.
Notes to physician	: Use mineral oil to soften and loosen product for removal.



Version 0.1

Revision Date 05/26/2015

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	Do NOT use water jet.
Specific hazards during fire fighting	:	Burning produces irritant fumes.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.	
Methods and materials for containment and cleaning up	: Allow to solidify.	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid breathing vapors/fumes of heated product. Prevent contact with molten product.
Conditions for safe storage	:	Keep in a dry, cool place.
Materials to avoid	:	No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Paraffin waxes and Hydrocarbon waxes	8002-74-2	TWA	2 mg/m3	ACGIH
		TWA	2 mg/m3	OSHA P0

Engineering measures

: At the application temperature, use of local exhaust over the premelting reservoir is encouraged.

Personal protective equipment



Clarity® HM-1672			
Version 0.1	Revision Date 05/26/2015		
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.		
Filter type	: Particulates type		
Hand protection Material Remarks	Protective glovesWhen handling hot material, use heat resistant gloves.		
Eye protection	: Safety glasses		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	 Solid form Light Amber Neutral No data available
рН	: Not applicable
Boiling point/boiling range	: not determined
Flash point Evaporation rate Flammability (solid, gas)	 Not applicable not determined Not classified as a flammability hazard
Upper explosion limit	: upper flammability limit not determined
Lower explosion limit	: lower flammability limit not determined
Vapor pressure	: not determined
Relative vapor density	: not determined
Density Solubility(ies) Water solubility	: 0.980 g/cm3 : insoluble
•	
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: not determined
Thermal decomposition	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
Viscosity Viscosity, kinematic Solid Content, % by weight: VOC, % by weight	: Not applicable : 100 : 0

SECTION 10. STABILITY AND REACTIVITY



Version 0.1	Revision Date 05/26/2015
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: Hazardous polymerization does not occur.
Hazardous decomposition products	 Stable under normal conditions. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Ingredients:		
Rosin: Acute dermal toxicity	:	LD50 Dermal rabbit: > 2,500 mg/kg
Skin corrosion/irritation		
No data available		
Serious eye damage/eye irritation		
No data available		
Respiratory or skin sensitization		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT-single exposure		
No data available		
STOT-repeated exposure		
No data available		
Aspiration toxicity		



Version 0.1

Revision Date 05/26/2015

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Ingredients:</u> Rosin :	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.8 - 5.4 mg/l Exposure time: 48 h Test Method: static test
Toxicity to algae	EC50 (Desmodesmus subspicatus (green algae)): 400 mg/l Exposure time: 72 h Test Type: flow-through test
Persistence and degradability	
No data available Bioaccumulative potential	
Mobility in soil	
No data available	

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

: To the best of our knowledge, this product does not meet the Waste from residues definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Dispose of in an approved landfill. Consult your state, local or provincial authorities and your local waste vendor for more restrictive requirements. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Remarks

: Not dangerous goods

Domestic regulation



Version 0.1

Revision Date 05/26/2015

International Regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Acute Health Hazard
SARA 302	:	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	SARA 313: This product does not contain any chemical components that exceed the reporting threshold.

Clean Air Act


This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

US State Regulations			
California Prop 65	This product does not contain any chemicals known to the State of		
	California to cause cancer, birth, or any other reproductive defects.		
The ingredients of this produ	ct are reported in the following inventories:		
TSCA	On TSCA Inventory		
DSL	All components of this product are on the Canadian DSL.		
REACH	Not in compliance with the inventory		
AICS	Not in compliance with the inventory		
NZIOC	Not in compliance with the inventory		
ENCS	Not in compliance with the inventory		
KECI	On the inventory, or in compliance with the inventory		
PICCS	Not in compliance with the inventory		
IECSC	Not in compliance with the inventory		
TWINV	Not in compliance with the inventory		
Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)			

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com





The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company with all applicable federal, state and local laws and regulations.

4 = Extreme, * = Chronic

8/8