

In accordance with OSHA 29 CFR 1910.1200

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02

Revision date 18-Mar-2022 Supersedes Date: 09-Sep-2021

1. Identification

1.1. Product identifier

Product Name NEVER-SEEZ NICKEL NUCLEAR GRADE

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use lubricant

Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone Chemtrec (Transport/Environmental): 1-800-424-9300

1-703-527-3887 (Outside U.S.)

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Danger

Hazard statements

May cause an allergic skin reaction Suspected of causing cancer

Causes damage to organs through prolonged or repeated exposure

US - EN Page 1/11

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02 Supersedes Date: 09-Sep-2021



Appearance Paste

Physical state

Solid

Odor No information available

Revision date 18-Mar-2022

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

50 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Graphite	7782-42-5	10 - 30
Nickel	7440-02-0	10 - 30
Aluminum	7429-90-5	1 - <5

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

US - EN Page 2/11

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02 Supersedes Date: 09-Sep-2021

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Do not rub affected area. If eye irritation persists:

Revision date 18-Mar-2022

Get medical advice/attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. May cause an allergic skin

reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician or poison control

center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. May cause sensitization by skin contact.

Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam. Use extinguishing measures that are

appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous combustion products Carbon dioxide (CO2). Nitrogen oxides (NOx).

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

US - EN Page 3/11

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02 Supersedes Date: 09-Sep-2021

Personal precautions

Use personal protective equipment as required. Keep people away from and upwind of

spill/leak. Ensure adequate ventilation. Stop leak if you can do it without risk. Avoid contact

Revision date 18-Mar-2022

with skin, eyes or clothing. Wash thoroughly after handling.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Should not be

released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Soak up with inert absorbent material (e.g.

sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly.

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash before

reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store away from other materials.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains substances which in their raw state are powder form, however in this

product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

occur from exposure to this product.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Graphite	TWA: 2 mg/m³ respirable	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m ³
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m ³ natural
	except graphite fibers	TWA: 5 mg/m³ respirable	respirable dust

US - EN Page 4/11

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02 Supersedes Date: 09-Sep-2021

Revision date 18-Mar-2022

		fraction synthetic	
		(vacated) TWA: 2.5 mg/m ³	
		respirable dust natural	
		(vacated) TWA: 10 mg/m³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	
Nickel	TWA: 1.5 mg/m ³ inhalable	TWA: 1 mg/m ³	IDLH: 10 mg/m ³
7440-02-0	particulate matter	(vacated) TWA: 1 mg/m ³	TWA: 0.015 mg/m ³
Aluminum	TWA: 1 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
7429-90-5	particulate matter	TWA: 5 mg/m³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	TWA: 5 mg/m³ Al
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		(vacated) TWA: 5 mg/m ³ Al	
		Aluminum	

Chemical name	Argentina	Brazil	Chile	Colombia
Graphite 7782-42-5	TWA: 2 mg/m ³	TWA: 2 mg/m ³	LPP: 1.75 mg/m ³	TWA: 2mg/m ³
Nickel	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	LPP: 0.88 mg/m ³	TWA: 1.5mg/m ³
7440-02-0	TWA. 1.5 mg/m	TVVA. 1.5 mg/m	Li i . 0.00 mg/m	TVVA. 1.5mg/m
Aluminum	TWA: 10 mg/m ³	TWA: 1 mg/m ³	LPP: 8.75 mg/m ³	TWA: 1mg/m ³
7429-90-5	TWA: 5 mg/m ³		LPP: 4.5 mg/m ³	
			LPP: 4.4 mg/m ³	

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Graphite 7782-42-5	TWA: 2mg/m ³	TWA: 2mg/m ³	2 mg/m³ TWA (all forms except graphite fibers, respirable particulate matter)	TWA: 2 mg/m ³
Nickel 7440-02-0	TWA: 1.5mg/m ³	TWA: 1.5mg/m ³	1.5 mg/m³ TWA (inhalable particulate matter)	TWA: 1.5 mg/m ³
Aluminum 7429-90-5	TWA: 1mg/m ³	TWA: 10mg/m ³ TWA: 5mg/m ³	1 mg/m³ TWA (respirable particulate matter)	TWA: 10 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. The selection of suitable gloves does not only depend on the

US - EN Page 5/11

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02 Supersedes Date: 09-Sep-2021

material, but also on further marks of quality and various manufacturers.

Wear suitable protective clothing. Skin and body protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Revision date 18-Mar-2022

provided in accordance with current local regulations.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of

equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid **Appearance** Paste Color Grav

Odor No information available **Odor threshold** No information available

Values Property Remarks • Method

No data available Not applicable Insoluble in water

pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known Initial boiling point and boiling No data available None known

range

> 150 °C / 302 °F Flash point None known **Evaporation rate** No data available None known **Flammability** No data available None known None known

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known No data available Relative density None known No data available Water solubility None known No data available Solubility(ies) None known No data available None known Partition coefficient No data available **Autoignition temperature** None known **Decomposition temperature** No data available None known Kinematic viscosity 64.3 mm²/s @ 40°C **Dynamic viscosity** No data available None known

9.2. Other information

No information available **Explosive properties** Oxidizing properties No information available Solvent content (%) No information available No information available Solid content (%)

US - EN Page 6/11

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02 Supersedes Date: 09-Sep-2021

Softening PointNo information availableMolecular weightNo information availableVOC Content (%)No information available

Density 1.25 g/cm³

Bulk density No information available

No information available

Revision date 18-Mar-2022

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Specific test data for the substance or mixture is not available. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons. May cause sensitization by

skin contact. Repeated exposure may cause skin dryness or cracking. (based on

components).

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

US - EN Page 7/11

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02 Supersedes Date: 09-Sep-2021

Revision date 18-Mar-2022

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Graphite	-	-	>2000 mg/m³ (Rattus) 4 h
7782-42-5			-
Nickel	>9000 mg/kg (Rattus)	-	>10.2 mg/L (Rattus) 1 h
7440-02-0			-
Aluminum	LD50 >10,000 mg/Kg	-	> 0.888 mg/L (Rat) 4 h
7429-90-5	(Rattus)(OECD 401)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Nickel	-	Group 2B	Reasonably Anticipated	X
7440-02-0		_		

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposureBased on available data, the classification criteria are not met.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Target organ effects Eyes, Lungs, Nasal Cavities, Respiratory system, Skin, Central Vascular System (CVS).

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

US - EN Page 8/11

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02 Supersedes Date: 09-Sep-2021

Revision date 18-Mar-2022

12. Ecological information

12.1. Toxicity

Ecotoxicity

	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
				microorganisms	
Γ	Graphite	-	LC50: >100mg/L (96h,	-	-
	7782-42-5		Danio rerio)		
Γ	Nickel	EC50: =1.84 - 1.96 mg/L	LC50 96 h = 1.3 mg/L	-	EC50: =1mg/L (48h,
	7440-02-0	(72h,Spirodela polyrhiza)	(Cyprus carpio)		Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

DOTNot regulatedIATANot regulatedIMDGNot regulated

15. Regulatory information

International Inventories

US - EN Page 9/11

NEVER-SEEZ NICKEL NUCLEAR GRADE

Revision Number 3.02 Supersedes Date: 09-Sep-2021

Revision date 18-Mar-2022

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	CAS No	SARA 313 - Threshold Values %
Nickel	7440-02-0	0.1
Aluminum	7429-90-5	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation. This document is based on the information given to us by our own suppliers at the date of this document.

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Prepared By Product Safety & Regulatory Affairs.

Revision date 18-Mar-2022

Revision Note SDS sections updated. 9.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

US - EN Page 10 / 11

NEVER-SEEZ NICKEL NUCLEAR GRADE Revision Number 3.02

Revision Number 3.02 Supersedes Date: 09-Sep-2021

Revision date 18-Mar-2022

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

US - EN Page 11 / 11