



Revision Number: 008.0

Issue date: 12/15/2022


**1. PRODUCT AND COMPANY IDENTIFICATION**

|                               |   |                     |               |
|-------------------------------|---|---------------------|---------------|
| <b>Product name:</b>          | <b>LOCTITE STYCAST UV 7993 known as ECCOCOAT UV-7993 500 GM/32 OZ</b> | <b>IDH number:</b>  | 1189115       |
| <b>Product type/use:</b>      | Ultraviolet adhesive  | <b>Item number:</b> | 1189115       |
| <b>Restriction of Use:</b>    | None identified   | <b>Region:</b>      | United States |
| <b>Company address:</b>       | <b>Contact information:</b>   |                     |               |
| Henkel Corporation            | Telephone: +1 (860) 571-5100  |                     |               |
| One Henkel Way                | MEDICAL EMERGENCY Phone: Poison Control Center                        |                     |               |
| Rocky Hill, Connecticut 06067 | 1-877-671-4608 (toll free) or 1-303-592-1711                          |                     |               |
|                               | TRANSPORT EMERGENCY Phone: CHEMTREC                                   |                     |               |
|                               | 1-800-424-9300 (toll free) or 1-703-527-3887                          |                     |               |
|                               | Internet: www.henkelna.com  |                     |               |

**2. HAZARDS IDENTIFICATION**

| EMERGENCY OVERVIEW |  |
|--------------------|--|
| <b>DANGER:</b>     | CAUSES SKIN IRRITATION.<br>MAY CAUSE AN ALLERGIC SKIN REACTION.<br>CAUSES SERIOUS EYE IRRITATION.<br>HARMFUL IF INHALED.<br>MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED. |

| HAZARD CLASS              | HAZARD CATEGORY |
|---------------------------|-----------------|
| ACUTE TOXICITY INHALATION | 4               |
| SKIN IRRITATION           | 2               |
| EYE IRRITATION            | 2A              |
| RESPIRATORY SENSITIZATION | 1               |
| SKIN SENSITIZATION        | 1               |



**Precautionary Statements**

|                    |  |
|--------------------|--|
| <b>Prevention:</b> | Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection. In case of inadequate ventilation wear respiratory protection.   |
| <b>Response:</b>   | IF ON SKIN: Wash with plenty of water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. If experiencing respiratory symptoms: Call a poison center or physician. Take off contaminated clothing. |
| <b>Storage:</b>    | Not prescribed   |
| <b>Disposal:</b>   | Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.  |

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

IDH number: 1189115

Product name: LOCTITE STYCAST UV 7993 known as ECCOCOAT UV-7993 500 GM/32 OZ

| Hazardous Component(s)  | CAS Number  | Percentage* |
|---|-------------|-------------|
| Mix of 2-hydroxyethyl acrylate and aliphatic isocyanate   | 264888-31-5 | 10 - 30     |
| Isobornyl acrylate  | 5888-33-5   | 10 - 30     |
| 2-Phenoxyethyl acrylate   | 48145-04-6  | 10 - 30     |
| HDI oligomers, isocyanurate   | 28182-81-2  | 10 - 30     |
| 2-Propenoic acid, 2-methyl-, 2-[[2,3,3a,4,7,7a(or 3a,4,5,6,7,7a)-hexahydro-4,7-methano-1H-indenyl]oxy]ethyl ester | 68586-19-6  | 10 - 30     |
| Photoinitiator  | 24650-42-8  | 1 - 5       |
| Phenol, ethoxylated, esters with acrylic acid   | 56641-05-5  | 0.1 - 1     |
| Benzophenone  | 119-61-9    | 0.1 - 1     |
| Triphenyl phosphite   | 101-02-0    | 0.1 - 1     |
| 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone  | 119313-12-1 | 0.1 - 1     |

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

#### 4. FIRST AID MEASURES

|                      |  |
|----------------------|--|
| <b>Inhalation:</b>   | Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get immediate medical attention.   |
| <b>Skin contact:</b> | Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. If symptoms develop and persist, get medical attention. Wash clothing before reuse. |
| <b>Eye contact:</b>  | Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time. Get medical attention.   |
| <b>Ingestion:</b>    | Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.  |
| <b>Symptoms:</b>     | See Section 11.  |

#### 5. FIRE FIGHTING MEASURES

|   |   |
|---|---|
| <b>Extinguishing media:</b>               | Foam, dry chemical or carbon dioxide.   |
| <b>Special firefighting procedures:</b>   | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Water may be unsuitable as an extinguishing media, but may be helpful in keeping adjacent containers cool. |
| <b>Unusual fire or explosion hazards:</b> | Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.   |
| <b>Hazardous combustion products:</b>     | Oxides of carbon. Oxides of nitrogen. Isocyanates. Irritating organic vapours.  |

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

|                                   |  |
|-----------------------------------|--|
| <b>Environmental precautions:</b> | Do not allow product to enter sewer or waterways.  |
| <b>Clean-up methods:</b>          | Ensure adequate ventilation. Remove all sources of ignition. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. |

## 7. HANDLING AND STORAGE

**Handling:** Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Do not taste or swallow. Refer to Section 8.

**Storage:** Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. Protect from direct sunlight.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)  | ACGIH TLV | OSHA PEL | AIHA WEEL                 | OTHER   |
|---|-----------|----------|---------------------------|---|
| Mix of 2-hydroxyethyl acrylate and aliphatic isocyanate   | None      | None     | None                      | None  |
| Isobornyl acrylate  | None      | None     | None                      | None  |
| 2-Phenoxyethyl acrylate   | None      | None     | None                      | None  |
| HDI oligomers, isocyanurate   | None      | None     | None                      | 0.5 mg/m <sup>3</sup> TWA<br>1.0 mg/m <sup>3</sup> STEL |
| 2-Propenoic acid, 2-methyl-, 2-[[2,3,3a,4,7,7a(or 3a,4,5,6,7,7a)-hexahydro-4,7-methano-1H-indenyl]oxy]ethyl ester | None      | None     | None                      | None  |
| Photoinitiator  | None      | None     | None                      | None  |
| Phenol, ethoxylated, esters with acrylic acid   | None      | None     | None                      | None  |
| Benzophenone  | None      | None     | 0.5 mg/m <sup>3</sup> TWA | None  |
| Triphenyl phosphite   | None      | None     | None                      | None  |
| 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone  | None      | None     | None                      | None  |

**Engineering controls:** Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

**Respiratory protection:** Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

**Eye/face protection:** Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available.

**Skin protection:** Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                               |
|---|-------------------------------|
| <b>Physical state:</b>                          | Liquid                        |
| <b>Color:</b>                                   | Translucent, Off white        |
| <b>Odor:</b>                                    | Sweet                         |
| <b>Odor threshold:</b>                          | Not available.                |
| <b>pH:</b>                                      | Not applicable                |
| <b>Vapor pressure:</b>                          | Not available.                |
| <b>Boiling point/range:</b>                     | Not available.                |
| <b>Melting point/ range:</b>                    | Not applicable                |
| <b>Specific gravity:</b>                        | 1.04                          |
| <b>Vapor density:</b>                           | Not available.                |
| <b>Flash point:</b>                             | > 100 °C (> 212°F) Closed cup |
| <b>Flammable/Explosive limits - lower:</b>      | Not available.                |
| <b>Flammable/Explosive limits - upper:</b>      | Not available.                |
| <b>Autoignition temperature:</b>                | Not available.                |
| <b>Flammability:</b>                            | Not applicable                |
| <b>Evaporation rate:</b>                        | Not available.                |
| <b>Solubility in water:</b>                     | Slight                        |
| <b>Partition coefficient (n-octanol/water):</b> | Not available.                |
| <b>VOC content:</b>                             | Not available.                |
| <b>Viscosity:</b>                               | Not available.                |

**Decomposition temperature:**

Not available.

## 10. STABILITY AND REACTIVITY

|  |  |
|--|--|
| <b>Stability:</b>                        | Stable under normal conditions of storage and use.   |
| <b>Hazardous reactions:</b>              | None under normal processing. Polymerization may occur at elevated temperature or in the presence of incompatible materials.                             |
| <b>Hazardous decomposition products:</b> | Oxides of carbon. Oxides of nitrogen. Isocyanates. Irritating organic vapours.   |
| <b>Incompatible materials:</b>           | Strong oxidizing agents. Strong acids and strong bases. Water.   |
| <b>Reactivity:</b>                       | Not available.   |
| <b>Conditions to avoid:</b>              | Heat, flames, sparks and other sources of ignition. Direct sunlight. Ultraviolet radiation. Freezing conditions. Store away from incompatible materials. |

## 11. TOXICOLOGICAL INFORMATION

**Relevant routes of exposure:** Skin, Inhalation, Eyes

### Potential Health Effects/Symptoms

|                      |   |
|----------------------|---|
| <b>Inhalation:</b>   | May cause respiratory tract irritation. May cause allergic respiratory reaction. Coughing. Wheezing. Shortness of breath. Overexposure to isocyanates has been reported to cause lung damage. |
| <b>Skin contact:</b> | Causes skin irritation. May cause allergic skin reaction.   |
| <b>Eye contact:</b>  | Causes serious eye irritation.  |
| <b>Ingestion:</b>    | May cause gastrointestinal tract irritation if swallowed.   |

| Hazardous Component(s)  | LD50s and LC50s  | Immediate and Delayed Health Effects                      |
|---|--|---|
| Mix of 2-hydroxyethyl acrylate and aliphatic isocyanate   | None   | No Data   |
| Isobornyl acrylate  | None   | Irritant, Allergen  |
| 2-Phenoxyethyl acrylate   | None   | Irritant, Allergen  |
| HDI oligomers, isocyanurate   | Inhalation LC50 (Rat, 4 h) = 423 mg/m3<br>Inhalation LC50 (Rat, 4 h) = 388 mg/m3<br>Inhalation LC50 (Rat, 4 h) = 402 mg/m3 | Allergen, Irritant, Respiratory                           |
| 2-Propenoic acid, 2-methyl-, 2-[[2,3,3a,4,7,7a(or 3a,4,5,6,7,7a)-hexahydro-4,7-methano-1H-indenyl]oxy]ethyl ester | None   | Irritant, Allergen  |
| Photoinitiator  | None   | No Target Organs  |
| Phenol, ethoxylated, esters with acrylic acid   | None   | No Data   |
| Benzophenone  | Oral LD50 (Mouse) = 2,895 mg/kg  | Blood, Kidney, Irritant, Some evidence of carcinogenicity |
| Triphenyl phosphite   | Oral LD50 (Mouse) = 1,330 mg/kg<br>Oral LD50 (Rat) = 1,600 mg/kg   | Irritant, Allergen, Nervous System                        |
| 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone  | None   | No Target Organs  |

| Hazardous Component(s)  | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|---|----------------|-----------------|--|
| Mix of 2-hydroxyethyl acrylate and aliphatic isocyanate   | No             | No              | No                                       |
| Isobornyl acrylate  | No             | No              | No                                       |
| 2-Phenoxyethyl acrylate   | No             | No              | No                                       |
| HDI oligomers, isocyanurate   | No             | No              | No                                       |
| 2-Propenoic acid, 2-methyl-, 2-[[2,3,3a,4,7,7a(or 3a,4,5,6,7,7a)-hexahydro-4,7-methano-1H-indenyl]oxy]ethyl ester | No             | No              | No                                       |
| Photoinitiator  | No             | No              | No                                       |
| Phenol, ethoxylated, esters with acrylic acid   | No             | No              | No                                       |
| Benzophenone  | No             | Group 2B        | No                                       |
| Triphenyl phosphite   | No             | No              | No                                       |
| 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone  | No             | No              | No                                       |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**International Air Transportation (ICAO/IATA)**

**Proper shipping name:** Environmentally hazardous substance, liquid, n.o.s. (2,2-Dimethoxy-1,2-diphenylethan-1-one, Isobornyl acrylate)  
**Hazard class or division:** 9  
**Identification number:** UN 3082  
**Packing group:** III

**Water Transportation (IMO/IMDG)**

**Proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,2-Dimethoxy-1,2-diphenylethan-1-one, Isobornyl acrylate)  
**Hazard class or division:** 9  
**Identification number:** UN 3082  
**Packing group:** III  
**Marine pollutant:** 2,2-Dimethoxy-1,2-diphenylethan-1-one, Isobornyl acrylate

## 15. REGULATORY INFORMATION

### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.  
**TSCA 12 (b) Export Notification:** Benzophenone (CAS# 119-61-9).  
**CERCLA/SARA Section 302 EHS:** None above reporting de minimis.  
**CERCLA/SARA Section 311/312:** Immediate Health, Delayed Health  
**CERCLA/SARA Section 313:** This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). 2-Phenoxyethyl acrylate (CAS# 48145-04-6). Ethylene glycol monophenyl ether (CAS# 122-99-6).  
**California Proposition 65:** This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

### Canada Regulatory Information

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

## 16. OTHER INFORMATION

**This safety data sheet contains changes from the previous version in sections:** 2,3,8,11,13,15,16

**Prepared by:** Product Safety and Regulatory Affairs

**Issue date:** 12/15/2022

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.